

fabritec
DESIGNS

»new, quieter, less costly
battery motors



BATTERY OPERATED MOTORS




NEW POWERFUL BATTERY-OPERATED SHADES

»more benefits, less money!

Safe, Child's Room Shade with Magic Wand Controller (LS700)


- Child Safe
- No operating cords or chains
- Costs less than other battery-operated shades
- Quieter than other battery-operated shades
- Powered by 8 double "AA" alkaline batteries
- Battery life is good for 200 cycles
- Warning sound when battery charge is low
- Attached wand controller, you can't lose it!
- Wand can be specified on either the right or left side
- No wiring installation
- Electronic limit will stop shade at high and low points automatically
- Stop your shade anywhere
- Easy to operate
- Compatible with our exclusive fabric-wrapped cassettes



CLOSE UP OF MAGIC WAND CONTROLLER

Rechargeable Battery Shade (LS1100)

- Child Safe
- No operating cords or chains
- Costs less than other battery-operated shades
- Quieter than other battery-operated shades
- Rechargeable lithium battery
- Warning sound when battery charge is low
- Charge will last 6 to 8 months
- Battery pack can be recharged 500 times; each recharge will produce 700 cycles per charge
- No external battery pack; no changing of batteries
- Remotely controlled
- Sleek remotes available in 6 or 14 channels
- No wiring installation
- Electronic limit will stop shade at high and low points automatically
- Stop your shade anywhere
- Easy to operate
- Compatible with our exclusive fabric-wrapped cassettes



Single Recharger can be used for multiple shades/motors

CLOSE UP OF REMOTE CONTROL
Two Remote Control Options Available:
(6-channel and 14-channel remote controls)

For more information,
call us at:
800.828.2500



Will a Battery Motor work for your Rollstar™ Shade?

The weight class of your fabric will determine whether you can use one of our battery motors. Check the table below to determine the weight class of your fabric, then check the table at the bottom to determine whether your Rollstar Shade can be handled by one of our battery motors.

WEIGHT CLASS FOR ROLLSTAR FABRICS			
Pattern Name	ROLLSTAR	Pattern Name	ROLLSTAR
BASKETWEAVE 100	Medium	PALMATE	Light
BUNGALOW	Medium	PARCHMENT	Light
DEBONAIR	Medium	RETÉ 5%	Heavy
DECO	Medium	SHEERWEAVE 1000	Medium
DONAGAL	Light	SHEERWEAVE 2000	Heavy
E SCREEN 10%	Medium	SHEERWEAVE 2100	Heavy
E SCREEN 3%	Medium	SHEERWEAVE 2360	Medium
E SCREEN 5%	Medium	SHEERWEAVE 2390	Medium
ECLIPSE	Light	SHEERWEAVE 2410	Heavy
EDESSA	Medium	SHEERWEAVE 2500	x-Heavy
FILAMENT	Light	SHEERWEAVE 4000	x-Heavy
FIZZ	Light	SHEERWEAVE 4100	x-Heavy
FLOCKE	Heavy	SHEERWEAVE 4400	x-Heavy
FUN FIBER	Light	SHEERWEAVE 4800	x-Heavy
GENEVA TWILIGHT	Heavy	SHEERWEAVE 5000	x-Heavy
HOLLAND	Medium	SHEERWEAVE 7000	Heavy
HORIZON	Light	SHEERWEAVE 7100	x-Heavy
ILIAD	Light	SILVERSCREEN	Medium
INFUSION	Light	SIMBA	Light
INTERWOVEN 3%	Heavy	SISAL	Heavy
INTERWOVEN 5%	Heavy	SLUBBY YARN	Light
INVERSION	Medium	SOLIDITY	Medium
JAMAICA	Medium	SONTARA	Light
M SCREEN 3%	Heavy	SPLASHY	Medium
MALAKULA	Light	SUEDE	Light
MIAMI	Heavy	SURAH	Light
MOIRÉ	Heavy	SW SUNSCREEN	Medium
MONTEGO	Light	TUSSAH	Light
MUSE	Heavy	VEIL 14%	Medium
NETWORK 3%	x-Heavy	YAMOTO	Medium
NEW BLACKOUT	Medium	YERBA MATÉ	Medium
NEW PRIVACY	Light	ZIRCON 3%	Medium
NO LIGHT	Heavy	ZOIE	Medium

MOTOR SIZING TABLE FOR ROLLSTAR															
MOTORS	Fabric Weight Class	Shade Height (in inches)	Shade Width (in inches)												
			24"	30	36	42	48	54	60	66	72	78	84	90	96
Magic Wand (LS700)	Light		84	84	84	84	84	84	84	84	84	84	84	N/A	N/A
	Medium		84	84	84	84	84	84	84	84	84	79	71	N/A	N/A
	Heavy		84	84	84	84	84	84	84	74	66	59	53	N/A	N/A
	x-Heavy		84	84	84	84	84	74	65	57	51	46	41	N/A	N/A
Rechargeable Motor with Remote Control (LS1100)	Light		96	96	96	96	96	96	96	96	96	96	96	96	
	Medium		96	96	96	96	96	96	96	96	96	96	96	96	
	Heavy		96	96	96	96	96	96	96	96	96	96	96	96	96
	x-Heavy		96	96	96	96	96	96	96	96	96	96	89	81	75

Will a Battery Motor work for your Sunstar™ Shade?

The weight class of your fabric will determine whether you can use one of our battery motors. Check the table below to determine the weight class of your fabric, then check the table at the bottom to determine whether your Sunstar Shade can be handled by one of our battery motors.

WEIGHT CLASS FOR SUNSTAR FABRICS			
Pattern Name	SUNSTAR	Pattern Name	SUNSTAR
BASKETWEAVE 100	Medium	PALMATE	Light
BUNGALOW	Medium	PARCHMENT	Light
DEBONAIR	Medium	RETÉ 5%	Heavy
DECO	Medium	SHEERWEAVE 1000	Medium
DONAGAL	Light	SHEERWEAVE 2000	Heavy
E SCREEN 10%	Medium	SHEERWEAVE 2100	Heavy
E SCREEN 3%	Medium	SHEERWEAVE 2360	Medium
E SCREEN 5%	Medium	SHEERWEAVE 2390	Medium
ECLIPSE	Light	SHEERWEAVE 2410	Heavy
EDESSA	Medium	SHEERWEAVE 2500	x-Heavy
FILAMENT	Light	SHEERWEAVE 4000	x-Heavy
FIZZ	Light	SHEERWEAVE 4100	x-Heavy
FLOCKE	Heavy	SHEERWEAVE 4400	x-Heavy
FUN FIBER	Light	SHEERWEAVE 4800	x-Heavy
GENEVA TWILIGHT	Heavy	SHEERWEAVE 5000	x-Heavy
HOLLAND	Medium	SHEERWEAVE 7000	Heavy
HORIZON	Light	SHEERWEAVE 7100	x-Heavy
ILIAD	Light	SILVERSCREEN	Medium
INFUSION	Light	SIMBA	Light
INTERWOVEN 3%	Heavy	SISAL	Heavy
INTERWOVEN 5%	Heavy	SLUBBY YARN	Light
INVERSION	Medium	SOLIDITY	Medium
JAMAICA	Medium	SONTARA	Light
M SCREEN 3%	Heavy	SPLASHY	Medium
MALAKULA	Light	SUEDE	Light
MIAMI	Heavy	SURAH	Light
MOIRÉ	Heavy	SW SUNSCREEN	Medium
MONTEGO	Light	TUSSAH	Light
MUSE	Heavy	VEIL 14%	Medium
NETWORK 3%	x-Heavy	YAMOTO	Medium
NEW BLACKOUT	Medium	YERBA MATÉ	Medium
NEW PRIVACY	Light	ZIRCON 3%	Medium
NO LIGHT	Heavy	ZOIE	Medium

MOTOR SIZING TABLE FOR SUNSTAR																
MOTORS	Fabric Weight Class	Shade Height (in inches)	Shade Width (in inches)													
			24"	30	36	42	48	54	60	66	72	78	84	90	96	
Magic Wand (LS700)	Light		84	84	84	84	84	84	84	84	84	84	84	N/A	N/A	
	Medium		84	84	84	84	84	84	84	84	78	70	63	57	N/A	N/A
	Heavy		84	84	84	84	84	84	81	71	63	56	51	46	N/A	N/A
	x-Heavy		84	84	84	84	76	66	58	51	46	41	37	N/A	N/A	
Rechargeable Motor with Remote Control (LS1100)	Light		96	96	96	96	96	96	96	96	96	96	96	96		
	Medium		96	96	96	96	96	96	96	96	96	96	96	88	81	
	Heavy		96	96	96	96	96	96	96	96	93	85	77	71	66	
	x-Heavy		96	96	96	96	96	96	94	84	76	69	63	58	53	

Will a Battery Motor work for your Roman Shade?

The weight class of your fabric will determine whether you can use one of our battery motors. Check the table below to determine the weight class of your fabric, then check the table at the bottom to determine whether your Roman Shade can be handled by one of our battery motors.

WEIGHT CLASS FOR ROMAN SHADE FABRICS (see all our Roman Shade styles in our Style Studio - C.O.M. Pricing & Ordering Guide Book, pages 2-3)					
Style Name	SHEER FABRICS	SHEER & DRAPERY FABRICS	DRAPERY FABRICS	UPHOLSTERY FABRICS	UPHOLSTERY FABRICS
	Unlined	Regular Lining	Blackout Lining	Regular Lining	Blackout Lining
101-PACIFICA™	Light	Medium	Heavy	Heavy	x-Heavy
103-BALBOA™	Medium	Heavy	Heavy	x-Heavy	xx-Heavy
104-LAGUNA™	Light	Medium	Medium	Heavy	Heavy
105-CALIFORNIA™	Medium	Heavy	Heavy	x-Heavy	xx-Heavy
106-CARDIFF™	Medium	Heavy	Heavy	x-Heavy	xx-Heavy
108-MARINA™	Medium	Heavy	Heavy	x-Heavy	xx-Heavy
109-MALIBU™	Medium	Heavy	Heavy	x-Heavy	xx-Heavy
112-CARMEL™	Medium	Heavy	Heavy	x-Heavy	x-Heavy
114-TAHOE™	Light	Medium	Medium	Heavy	Heavy
134-RENO™	Light	Medium	Medium	Heavy	Heavy
124-SONOMA™	Light	Medium	Medium	Heavy	Heavy
144-VENICE™	Light	Medium	Medium	Heavy	Heavy
201-CORONADO™	Light	Heavy	x-Heavy	xx-Heavy	Call Us
204-WINDSOR™	Light	x-Heavy	xx-Heavy	Call Us	Call Us
205-BELAIR™	Light	Heavy	Heavy	x-Heavy	xx-Heavy
245-SAN SIMEON™	Light	Heavy	Heavy	x-Heavy	xx-Heavy
207-ENCINO™	Light	Heavy	Heavy	x-Heavy	xx-Heavy
209-VALENCIA™	Light	Heavy	Heavy	x-Heavy	xx-Heavy
244-CAPISTRANO™	Light	Heavy	Heavy	x-Heavy	xx-Heavy
250-MONTECITO™	Medium	x-Heavy	xx-Heavy	Call Us	Call Us
251-AUSTRIAN™	Medium	xx-Heavy	xx-Heavy	Call Us	Call Us

MOTOR SIZING TABLE FOR ROMAN SHADES															
MOTORS	Fabric Weight Class	Shade Height (in inches)	Shade Width (in inches)												
			24"	30	36	42	48	54	60	66	72	78	84	90	96
Magic Wand (LS700)	Light		84	84	84	84	84	84	84	84	84	84	84	N/A	N/A
	Medium		84	84	84	84	84	84	81	74	68	62	58	N/A	N/A
	Heavy		84	84	72	62	54	48	43	39	36	33	31	N/A	N/A
	x-Heavy		81	65	54	46	41	36	32	29	27	25	23	N/A	N/A
	xx-Heavy		65	52	43	37	32	29	26	24	22	20	19	N/A	N/A
Rechargeable Motor with Remote Control (LS1100)	Light		96	96	96	96	96	96	96	96	96	96	96	96	
	Medium		96	96	96	96	96	96	96	96	93	87	81	76	
	Heavy		96	96	96	93	81	72	65	59	54	50	46	43	41
	x-Heavy		96	96	81	69	61	54	49	44	41	37	35	32	30
	xx-Heavy		96	78	65	56	49	43	39	35	32	30	28	26	24

Will a Battery Motor work for your Natural Woven Shade?

The weight class of your fabric will determine whether you can use one of our battery motors. Check the table below to determine the weight class of your fabric, then check the table at the bottom to determine whether your Natural Woven Shade can be handled by one of our battery motors.

WEIGHT CLASS FOR NATURAL WOVEN SHADE FABRICS							
Pattern Name	UNLINED	REGULAR LINING	BLACKOUT LINING	Pattern Name	UNLINED	REGULAR LINING	BLACKOUT LINING
	AKI	Heavy	Heavy		x-Heavy	MAUGA	Heavy
ATOLLA	Medium	Heavy	Heavy	MAYLA	Light	Medium	Heavy
BAHIA	Medium	Medium	Heavy	MENDANG	x-Heavy	x-Heavy	x-Heavy
BALI	x-Heavy	x-Heavy	x-Heavy	MIKURA	Medium	Heavy	Heavy
BERINGA	Heavy	x-Heavy	x-Heavy	MONTEGO	Light	Medium	Medium
CAYENNE	x-Heavy	x-Heavy	x-Heavy	NADAL	Medium	Medium	Heavy
CEBU	Medium	Medium	Heavy	NAGA	Medium	Medium	Heavy
CUMARU	Heavy	x-Heavy	x-Heavy	NANACHANG	Medium	Heavy	Heavy
ETTAY	Medium	Heavy	Heavy	NACKO	x-Heavy	x-Heavy	x-Heavy
GINGUE	Medium	Medium	Heavy	NOBU	x-Heavy	x-Heavy	x-Heavy
GOBI	Light	Medium	Medium	ORIEL	Light	Medium	Medium
HAMA	x-Heavy	x-Heavy	x-Heavy	PALAWAN	Heavy	Heavy	x-Heavy
HIBUA	Light	Medium	Heavy	PANDANG	Medium	Heavy	x-Heavy
JAIPUR	Heavy	Heavy	x-Heavy	PATONG	Medium	Medium	Heavy
KABBABA	xx-Heavy	xx-Heavy	xx-Heavy	PELAGOS	Heavy	Heavy	x-Heavy
KAMI	xx-Heavy	xx-Heavy	xx-Heavy	ROTA	xx-Heavy	xx-Heavy	xx-Heavy
KAPPARI	Heavy	Heavy	x-Heavy	SAKET	Medium	Medium	Heavy
KATANA	x-Heavy	x-Heavy	x-Heavy	SENEGAL	Medium	Heavy	x-Heavy
KATSU	Heavy	Heavy	x-Heavy	SIMUSHIR	Heavy	Heavy	x-Heavy
KHIRI	Medium	Medium	Heavy	SUDAN	x-Heavy	x-Heavy	x-Heavy
KHLONG	Medium	Medium	Heavy	SURAT	Light	Medium	Medium
KOTA	Medium	Medium	Heavy	TAIPEI	Medium	Medium	Heavy
LARGO	Medium	Medium	Heavy	TAKU	Medium	Medium	Heavy
LEMU	Heavy	x-Heavy	x-Heavy	TALISAY	Medium	Heavy	Heavy
LIMA	Medium	Heavy	x-Heavy	TIMOR	Light	Medium	Medium
LOMBOK	Heavy	Heavy	x-Heavy	TUNGSU	Medium	Medium	Heavy
LUMPUR	Medium	Medium	Heavy	UDON	Medium	Medium	Heavy
MAHAI	Heavy	Heavy	x-Heavy	VATADA	x-Heavy	x-Heavy	x-Heavy
MALABON	Medium	Medium	Heavy	VATADA MUMBAI	x-Heavy	x-Heavy	x-Heavy
MANITU	Heavy	Heavy	x-Heavy	YANGLI	Light	Medium	Heavy
MANUS	Medium	Heavy	Heavy	ZAIRE	Medium	Heavy	Heavy

MOTOR SIZING TABLE FOR NATURAL WOVEN SHADES																
MOTORS	Fabric Weight Class	Shade Height (in inches)	Shade Width (in inches)													
			24"	30	36	42	48	54	60	66	72	78	84	90	96	
Magic Wand (LS700)	Light		84	84	84	84	84	84	84	84	84	84	84	84	N/A	N/A
	Medium		84	84	84	84	84	84	84	84	84	76	69	N/A	N/A	
	Heavy		84	84	84	84	84	80	71	63	56	51	46	N/A	N/A	
	x-Heavy		84	84	77	65	55	48	42	38	34	30	28	N/A	N/A	
	xx-Heavy		84	67	55	46	39	34	30	27	24	22	20	N/A	N/A	
Rechargeable Motor with Remote Control (LS1100)	Light		96	96	96	96	96	96	96	96	96	96	96	96	96	
	Medium		96	96	96	96	96	96	96	96	96	96	96	96	96	
	Heavy		96	96	96	96	96	96	96	96	92	84	77	71	65	
	x-Heavy		96	96	96	96	96	88	77	68	61	55	50	46	42	39
	xx-Heavy		96	96	86	73	63	55	49	44	39	36	33	30	28	

for more information,

call us at:

800.828.2500

Photographs courtesy of Louvillite & Mermet USA, Inc.

Fabritec, LLC. | 7531 Coldwater Canyon Ave | North Hollywood | CA, 91605 | t 818.503.8300 | f 818.503.8360 | www.fabritecdesigns.com