



Fabritec, LLC.
 7531 Coldwater Canyon Avenue | North Hollywood | CA | 91605
 tel 800.828.2500 (toll-free) or 818.503.8300 | fax 818.503.8360

Fabritec Solar Solutions™ □ Rollstar™ Order Form

Account # _____ Account Name _____
 Address _____
 City/State/ZIP _____
 Phone _____ Fax _____
 Ordered by _____ Purchase Order # _____
 Sidemark _____ Acct Mgr _____

Ship to _____ Attn _____
 Address _____
 City/State/ZIP _____
 Phone _____
 Date Ordered _____ Date Needed _____
 Ship via _____ Will Call _____ Standard _____ 2-Day _____ Overnight _____

A fully completed order form is required before manufacturing can begin. All orders confirmed in writing.

Line No & Room ID	Shades (Qty)	Mount				WIDTH*			Finished Height	Roll Type		LIFTING SYSTEMS										Light Channel		HEM OPTION DETAILS				Fabric Description					
		IS	OS	Wall	Ceil	Tight Opening	Tip to Tip Width (Bracket to Bracket)	Cloth Width		Reg	Rev	Spring Roller	SL System	Louvolite	Std Cordless + Rail	Cordless Cassette	CCO		Chain Length (see A)	Motors (see B)		Side	Ill	Hem Style (see C)	Hem Bar Color								
																	L	R		L	R				Anod Black	Anod Alum	White						
1.																																	
2.																																	
3.																																	
4.																																	
5.																																	
6.																																	
7.																																	
8.																																	

*About WIDTH:

- Tight Opening** is the actual window measurement, usually an inside mount or other tight fitting area. If provided, we will take a 1/8" allowance for inside mount. For outside mount, this is the actual measurement.
- Tip to Tip** is the same as bracket to bracket. If you provide the tip to tip measurement, this will be the exact size of the shade from tip to tip or outside of bracket to outside of bracket.
- Cloth Width** will be 3/4" to 1 1/4" less than the tip to tip width (or bracket to bracket), depending on the application. Please call for specifics.
- (A)** Chain length cannot be less than 3/4 of the height of the shade.
- (B)** Motor selection and option details must be specified. Please refer to **page 2** of this order form.

I have ordered MOTOR(s) on page 2 of this order form.
 I have ordered VALANCES on page 3 of this order form.

I have ordered OPTIONS on pages 2 & 3 of this order form.
 I have given SPECIAL INSTRUCTIONS on this order form.

C - HEM STYLES (indicate appropriate code in above hem style box)	CODE
Std Pocket (sealed side hems)	SP
Non-Std Pocket (open side hems)	NSP
Flat Hem Bar, Plain	FP
Flat Hem Bar, Shadow Line	FSL
Flat Hem Bar, Wrapped	FW
Round Hem Bar, Plain	RP
Round Hem Bar, Shadow Line	RSL
Round Hem Bar, Wrapped	RW



Fabritec, LLC.
 7531 Coldwater Canyon Avenue | North Hollywood | CA | 91605
 tel 800.828.2500 (toll-free) or 818.503.8300 | fax 818.503.8360

Fabritec Solar Solutions™ □ Rollstar™ Order Form

I would like help with **MOTOR SELECTION** for this Rollstar order.

MOTOR TYPES / AUTOMATED CONTROLS											MOTOR CORDS*									
For Line No(s) from page 1	Qty	Vendor	POWER SUPPLY			TECHNOLOGY			OTHER		Plug-in Cords				Without Plug				After Market Plug	
			Battery	Low Voltage	High Voltage	RTS	Network	DCT	STD Sonesse	UQ Sonesse	3'	6'	12'	24'	3'	6'	12'	24'		

Leave motor limit settings in factory mode.

* Standard motor cords are 6 feet without plugs.

For Line No(s) from page 1	SOMFY REMOTE CONTROLLERS	Color(s)**	Qty	For Line No(s) from page 1	AUTOMATE REMOTE CONTROLLERS	Qty	For Line No(s) from page 1	AUTOMATE OPTIONS	Qty
	1-Ch Hand Held				1-Ch Hand Held			Solar Panel Y-Harness Cable	
	5-Ch Hand Held				15-Ch Hand Held			Automate Recharger***	
	16-Ch Hand Held				1-Ch Wall Mount			Power Supply Li-ion 1.1 Motor	
	1-Ch Wall Mount				2-Ch Wall Mount			Power Supply Li-ion 2.0 Motor	
	5-Ch Wall Mount				15-Ch Wall Mount			Sun Sensor	
								Pulse Wi-Fi/Arc Bridge Kit (Network)	

**Colors vary. Refer to page 56 of your Rollstar Price List.

***At least one is required. Can be used on multiple shades.

For Line No(s) from page 1	SOMFY RTS OPTIONS	Qty	For Line No(s) from page 1	SOMFY TRANSFORMER/DISTRIBUTION PANELS (for low voltage applications)	Qty	For Line No(s) from page 1	SOMFY NETWORK CONTROLS	Color(s)**	Qty
	My Link			1-Motor Transformer with Plug			SDN Intelligent Switch, 6-Scene		
	Chronis RTS Timer			5-Motor Panel			SDN Intelligent Switch, 8-Scene		
	Sunis RTS (Sun Sensor) Timer			10-Motor Panel			RTS to SDN Interface	N/A	
	Sonessa 30 Wire Free Plug-in Charger***			15-Motor Panel			RTS Repeater	N/A	
	Motor Tester			20-Motor Panel			16-Ch Universal RTS Interface	N/A	
				Power Panel (for SDN)					

***At least one is required. Can be used on multiple shades.

**Colors vary. Refer to page 56 of your Rollstar Price List.



VALANCE OPTION DETAILS

For Line No(s) from page 1	Qty	VALANCE TYPES (Please check appropriate box)																	VALANCE COLORS*													
		Flat Valance	Covered Cornice	Cassette Plain 3 1/8" x 2 1/2"	Cassette Plain 3 1/8" x 3 3/8"	Cassette Wrap 3 1/8" x 2 1/2"	Cassette Wrap 3 1/8" x 3 3/8"	Cordless Cassette Plain	Cordless Cassette Wrap	Std Cordless with Rail System	SL-System Snap-on Fascia 3 3/4" x 3 3/8"	SL-System Snap-on Fascia 4 3/8" x 4 1/8"	L-System Fascia 3 3/4" x 3 3/8"	L-System Fascia 4 3/8" x 4 1/8"	4040 Covered Fascia (top & front) 4" x 4"	5" Snap-on Fascia	7" Snap-on Fascia	4045 Headbox 4" x 4 1/2"	5050 Headbox 4 3/4" x 5"	5555 Headbox 5 1/2" x 5 1/2"	7090 Headbox 9" x 7"	Closure Shelf 2 7/8" x 7 7/8"	Anod. Clear	Anod. Black	Anod. Aluminum	Black	White	Bronze				

*Please refer to the colors available for each valance in your Rollstar Price List before filling in your choices in the color boxes above.

VALANCE OPTION DETAILS (continued)

For Line No(s) from page 1	Qty	End Cap		Bottom/Closure Shelf			Mounting Brackets (required)	Intermediate Brackets
		L	R	2 1/2" set	5" set	Custom Color		

TUBE CONNECTORS

For Line No(s) from page 1	Qty	Unicoupler	Double Collapsible Coupler-Brkt	Collapsible Coupler-Brkt	Rollease Easy Link Brkt System	Duo Link	Multi Link	Spring Assist for Multi Link

DUO SHADES & DUO BRACKETS

For Line No(s) from page 1	Qty	Universal Slim Brkt	Dble Vert. Slim Brkt	Dble Vert. Slim Link Brkt	Brkt Covers

BRACKET COVERS, DECORATIVE METAL & STD CORDLESS WITH RAIL BRACKETS

For Line No(s) from page 1	Brkt Covers for CCOs (IM)	Decorative Metal Brackets						Std Cordless with Rail System	
		3 3/8" x 2 1/4"	3" x 2 1/4"	Black	White	Chrome	Pewter	Clip Brkt	L-Brkt

SPECIAL INSTRUCTIONS
