fabritec

WINDOW COVERINGS
TO THE TRADE

Fabritec, LLC.
7531 Coldwater Canyon Avenue | North Hollywood | CA | 91605
tel 800.828.2500 (toll-free) or 818.503.8300 | fax 818.503.8360

A fully completed order form is required before manufacturing can begin. All orders confirmed in writing.

Account # _____ Account Name _____

Ship to _____ Attn _____

Address _____

Address _____

City/State/ZIP _____

City/State/ZIP _____

Phone _____ Fax _____

Phone _____

Ordered by _____ Purchase Order # _____

Date Ordered _____ Date Needed _____

Sidemark _____ Acct Mgr _____

Ship via ☐ Will Call ☐ Standard ☐ 2-Day ☐ Overnight

Line No & Room ID	Shades (Qty)	Mount				WIDTH*			Finished Height	Roll Type		LIFTING SYSTEMS							Light Channel		HEM OPTION DETAILS						Fabric Description
												Smooth Lift	CCO		Chain Length (see A)	Motors (see B)					Hem Style (see C)	Hem Bar Colors				
		IS	OS	Wall	Ceil	Tight Opening	Tip to Tip Width (Bracket to Bracket)	Cloth Width		Reg	Rev		L	R		L	R	Side	Sill			Black	Anod Clear	White	Mill Finish**	
1.																										
2.																										
3.																										
4.																										
5.																										
6.																										
7.																										
8.																										

*About WIDTH:
Tight Opening is the actual window measurement, usually an inside mount or other tight fitting area. If provided, we will take a ⅛" allowance for inside mount. For outside mount, this is the actual measurement.
Tip to Tip is the same as bracket to bracket. If you provide the tip to tip measurement, this will be the exact size of the shade from tip to tip or outside of bracket to outside of bracket.
Cloth Width will be ¾" to 1¾" less than the tip to tip width (or bracket to bracket), depending on the application. Please call for specifics.

(A) Chain length cannot be less than ¾ of the height of the shade.

(B) Motor selection and option details must be specified. Please refer to **page 2** of this order form.

C - HEM STYLES (indicate appropriate code in above hem style box)	CODE
Pocketed Flat Hem Bar (open end, *standard*)	PF
Exposed Flat Hem Bar	EF
Hem Bar (open end)**	HBO
Hem Bar Pocket (sealed hem pocket)**	HBS

**Hem Bar (open end) and Hem Bar Pocket (sealed hem pocket) are available in Mill Finish only.

☐ I have ordered MOTOR(s) on page 2 of this order form.

☐ I have ordered VALANCES on page 3 of this order form.

☐ I have ordered OPTIONS on pages 2 & 3 of this order form.

☐ I have given SPECIAL INSTRUCTIONS on this order form.

fabritec
WINDOW COVERINGS
TO THE TRADE

Fabritec, LLC.
7531 Coldwater Canyon Avenue | North Hollywood | CA | 91605
tel 800.828.2500 (toll-free) or 818.503.8300 | fax 818.503.8360

☐ I would like help with **MOTOR SELECTION** for this Rollstar order.

For Line No(s) from page 1	Qty	Vendor	MOTOR TYPES / AUTOMATED CONTROLS									MOTOR CORDS*								
			POWER SUPPLY			TECHNOLOGY				OTHER		Plug-in Cords				Without Plug				After Market Plug
			Battery	Low Voltage	High Voltage	RTS	Network	DCT	Zigbee	Std Sonesse	UQ Sonesse	3'	6'	12'	24'	3'	6'	12'	24'	

☐ Leave motor limit settings in factory mode.

* Standard motor cords are 6 feet without plugs.

For Line No(s) from page 1	SOMFY REMOTE CONTROLLERS	Color(s)**	Qty
	1-Ch Hand Held		
	5-Ch Hand Held		
	16-Ch Hand Held		
	1-Ch Wall Mount		
	5-Ch Wall Mount		
	○ Ysia 1 ○ Ysia 2	White	

**Colors vary. Refer to your Rollstar Price List.

For Line No(s) from page 1	AUTOMATE REMOTE CONTROLLERS	Qty
	1-Ch Hand Held	
	15-Ch Hand Held	
	1-Ch Wall Mount	
	2-Ch Wall Mount	
	15-Ch Wall Mount	

For Line No(s) from page 1	AUTOMATE OPTIONS	Qty
	Automate Solar Panel	
	Automate Recharger***	
	Power Supply Li-ion 1.1 Motor	
	Power Supply Li-ion 2.0 Motor	
	Sun Sensor	
	Pulse Wi-Fi/Arc Bridge Kit (Network)	

***At least one is requiired. Can be used on multiple shades.

For Line No(s) from page 1	SOMFY RTS OPTIONS	Qty
	My LInk	
	Chronis RTS Timer	
	Sunis RTS (Sun Sensor) Timer	
	Sonesse 30 Wire Free Plug-in Charger***	
	Motor Tester	

***At least one is requiired. Can be used on multiple shades.

For Line No(s) from page 1	SOMFY TRANSFORMER/DISTRIBUTION PANELS (for low voltage applications)	Qty
	1-Motor Transformer with Plug	
	5-Motor Panel	
	10-Motor Panel	
	15-Motor Panel	
	20-Motor Panel	
	Power Panel (for SDN)	

For Line No(s) from page 1	SOMFY NETWORK CONTROLS	Color(s)	Qty
	SDN Intelligent Switch, 6-Scene	White	
	SDN Intelligent Switch, 8-Scene	White	
	RTS to SDN Interface	White	
	RTS Repeater	White	
	16-Ch Universal RTS Interface	White	
	TaHoma RTS/Zigbee Interface	White	
	TaHoma Switch	White	
	TaHoma Switch Ethernet Adpt	White	
	TaHoma Switch WITH Ethernet Adpt	White	
	Smart Plug Zigbee	White	

fabritec
WINDOW COVERINGS TO THE TRADE

Fabritec, LLC.
7531 Coldwater Canyon Avenue | North Hollywood | CA | 91605
tel 800.828.2500 (toll-free) or 818.503.8300 | fax 818.503.8360

Fabritec Solar Solutions™ ▫ Rollstar™ Order Form

p.3 of 3

VALANCE OPTION DETAILS

For Line No(s) from page 1	Qty	Flat Valance	Covered Cornice	Sq Cassette Plain 3½" x 3½"	Sq Cassette Wrap 3½" x 3½"	SL–System Snap-on Fascia 3" x 3"	SL–System Snap-on Fascia 4" x 4"	4040 Covered Fascia (top & front) 4" x 4"	5" Snap-on Fascia 5" x 5"	7" Snap-on Fascia 7⅜" x 5½"	4045 Headbox 4½" x 4"	5050 Headbox 5" x 4¾"	5555 Headbox 5½" x 5½"	7090 Headbox 9" x 7"	Closure Shelf 2⅞" x ⅞"	Closure Shelf Custom Size from 5" down	Anod. Clear	Anod. Black	Anod. Aluminum	Black	White	Bronze	Mill Finished (for closure shelf sets)

*Please refer to the colors available for each valance in your Rollstar Price List before filling in your choices in the color boxes above.

VALANCE OPTION DETAILS (continued)

For Line No(s) from page 1	Qty	End Cap L	End Cap R	Bottom/Closure Shelf 2½" set	Bottom/Closure Shelf 5" set	Bottom/Closure Shelf Custom Color	Mounting Brackets (required)	Intermediate Brackets

TUBE CONNECTORS

For Line No(s) from page 1	Qty	Unicoupler	Double Collapsible Coupler-Brkt	Collapsible Coupler-Brkt	Link Brkt System	Duo Link

DUO SHADES & DUO BRACKETS

For Line No(s) from page 1	Qty	Universal Slim Brkt	Dble Vert. Slim Brkt	Dble Vert. Slim Link Brkt	Brkt Covers

BRACKET COVERS & DECORATIVE METAL BRACKETS

For Line No(s) from page 1	Brkt Covers for CCOs (IM)	Decorative Metal Brackets 3⅜" x 2¼"	3" x 2¼"	Black	White	Pewter

SPECIAL INSTRUCTIONS