



Fabritec, LLC.  
 7531 Coldwater Canyon Avenue | North Hollywood | CA | 91605  
 tel 800.828.2500 (toll-free) or 818.503.8300 | fax 818.503.8360

Fabritec Solar Solutions™ □ Sunstar™ Order Form

Account # \_\_\_\_\_ Account Name \_\_\_\_\_  
 Address \_\_\_\_\_  
 City/State/ZIP \_\_\_\_\_  
 Phone \_\_\_\_\_ Fax \_\_\_\_\_  
 Ordered by \_\_\_\_\_ Purchase Order # \_\_\_\_\_  
 Sidemark \_\_\_\_\_ Acct Mgr \_\_\_\_\_

Ship to \_\_\_\_\_ Attn \_\_\_\_\_  
 Address \_\_\_\_\_  
 City/State/ZIP \_\_\_\_\_  
 Phone \_\_\_\_\_  
 Date Ordered \_\_\_\_\_ Date Needed \_\_\_\_\_  
 Ship via \_\_\_\_\_ Will Call \_\_\_\_\_ Standard \_\_\_\_\_ 2-Day \_\_\_\_\_ Overnight \_\_\_\_\_

A fully completed order form is required before manufacturing can begin. All orders confirmed in writing.

Line No & Room ID	Shades (Qty)	Mount						Factory Duct for Inside Mount Y N	Shade Width	Shade Height	LIFTING SYSTEMS							HEM OPTION DETAILS			Fabric Description		
		IS	OS	Wall	Ceil	Cord					CCO		Slide Winder		Cord-less (Safer) Shade	Chain Length (see A)	Motor (see B)		Hem Style (see C - enter code below)	Hem Color			
						L	R				L	R	L	R			L	R		Anod Blk		Anod Alum	White
1.																							
2.																							
3.																							
4.																							
5.																							
6.																							
7.																							
8.																							

(A) Chain length cannot be less than ¾ of the height of the shade. Standard motor cords are 6 feet.

(B) Motor option details must be specified. Please refer to the back of this order form.

I have ordered a MOTOR(s) on page 2 of this order form.

I have ordered OPTIONS on pages 2 & 3 of this order form.

I have given SPECIAL INSTRUCTIONS on page 3 of this order form.

C - HEM STYLES (indicate appropriate code in above hem style box)	Code
Pocket (sealed side hems)	P
Non-Std Pocket (open side hems)	NSP
Flat Hem Bar, Plain	FP
Flat Hem Bar, Shadow Line	FSL
Flat Hem Bar, Wrapped	FW
Std Round Hem Bar, Plain	SRP
Round Hem Bar, Shadow Line	RSL
Round Hem Bar, Wrapped	RW



Fabritec, LLC.  
 7531 Coldwater Canyon Avenue | North Hollywood | CA | 91605  
 tel 800.828.2500 (toll-free) or 818.503.8300 | fax 818.503.8360

I would like help with **MOTOR SELECTION** for this Sunstar order.

MOTOR TYPES / AUTOMATED CONTROLS													MOTOR CORDS*									
For Line No(s) from page 1	Qty	Vendor	POWER SUPPLY			TECHNOLOGY			OTHER		HELIREEL™		Plug-in Cords				Without Plug			After Market Plug		
			Battery	Low Voltage	High Voltage	RTS	Network	DCT	STD Sonesse	UQ Sonesse	400 Series Motor	500 Series Motor	3'	6'	12'	24'	3'	6'	12'		24'	

Leave motor limit settings in factory mode. \* Standard motor cords are 6 feet without plugs.

For Line No(s) from page 1	SOMFY REMOTE CONTROLLERS	Color(s)**	Qty	For Line No(s) from page 1	AUTOMATE REMOTE CONTROLLERS	Qty	For Line No(s) from page 1	AUTOMATE OPTIONS	Qty
	1-Ch Hand Held				1-Ch Hand Held			Solar Panel Y-Harness Cable	
	5-Ch Hand Held				15-Ch Hand Held			Automate Recharger***	
	16-Ch Hand Held				1-Ch Wall Mount			Power Supply Li-ion 1.1 Motor	
	1-Ch Wall Mount				2-Ch Wall Mount			Power Supply Li-ion 2.0 Motor	
	5-Ch Wall Mount				15-Ch Wall Mount			Sun Sensor	
								Pulse Wi-Fi/Arc Bridge Kit (Network)	

\*\*Colors vary. Refer to page 12 of your Sunstar Price List. \*\*\*At least one is required. Can be used on multiple shades.

For Line No(s) from page 1	SOMFY RTS OPTIONS	Qty	For Line No(s) from page 1	SOMFY TRANSFORMER/DISTRIBUTION PANELS (for low voltage applications)	Qty	For Line No(s) from page 1	SOMFY NETWORK CONTROLS	Color(s)**	Qty
	My Link			1-Motor Transformer with Plug			SDN Intelligent Switch, 6-Scene		
	Chronis RTS Timer			5-Motor Panel			SDN Intelligent Switch, 8-Scene		
	Sunis RTS (Sun Sensor) Timer			10-Motor Panel			RTS to SDN Interface	N/A	
	Sonesse 30 Wire Free Plug-in Charger***			15-Motor Panel			RTS Repeater	N/A	
	Motor Tester			20-Motor Panel			16-Ch Universal RTS Interface	N/A	
				Power Panel (for SDN)					

\*\*\*At least one is required. Can be used on multiple shades. \*\*Colors vary. Refer to page 12 of your Sunstar Price List.



Fabritec, LLC.  
 7531 Coldwater Canyon Avenue | North Hollywood | CA | 91605  
 tel 800.828.2500 (toll-free) or 818.503.8300 | fax 818.503.8360

For Line No(s) from page 1	Qty	OTHER OPTIONS				
		Cord Grip:	White	Natural	Walnut	
		Cleats:	White	Black	Ant Brass	Clear
		Unpended Headrails (for French Doors)				
		Braided Cords				
		Attach to Decorative Valance				
		Cords Forward <i>with</i> Valance			Cords Forward <i>without</i> Valance	
		Top Down Shade				
		Top Down-Bottom Up Shade				

SPECIAL INSTRUCTIONS	