

# Rollstar™

[ROLL SHADES FOR REGULAR, VERTICAL WINDOWS]

SPECIFICATION SHEETS ~ JUNE 2022



fabritec

FOR DESIGNERS AND  
WINDOW COVERING PROFESSIONALS

# Table of Contents

## [ROLLSTAR SPECIFICATION SHEETS]

| INDEX NO. | LIFTING SYSTEM                  | HEM STYLE                           | VALANCE                      | LIGHT CONTROL OPTION              | ASSEMBLY OPTION                                    | PAGE NO. |
|-----------|---------------------------------|-------------------------------------|------------------------------|-----------------------------------|----------------------------------------------------|----------|
| 5.1.1     | Cord & Cleat                    | Lift Rail                           | Fabric Valance Top           | Not Shown                         | Top Down Rollstar,<br>(4040 Fascia on bottom)      | 1        |
| 5.2.27    | SL20 Clutch - CCO               | Hem Bar                             | Not Shown                    | Not Shown                         | Hem Bar & Hem Pocket                               | 2        |
| 5.2.17    | L32 Clutch - CCO                | Hem Bar                             | Not Shown                    | Not Shown                         | N/A                                                | 3        |
| 5.2.18    | L32 Clutch - CCO                | Hem Bar                             | Not Shown                    | Not Shown                         | N/A                                                | 4        |
| 5.2.19    | L32 Clutch - CCO                | Hem Bar                             | Not Shown                    | Not Shown                         | Extension Bracket<br>(for oversized rolls)         | 5        |
| 5.2.20    | L40 & L40 PLUS<br>Clutch - CCO  | Hem Bar                             | Not Shown                    | Not Shown                         | N/A                                                | 6        |
| 5.2.21    | L40 & L40 PLUS<br>Spring Assist | Hem Bar                             | Not Shown                    | Not Shown                         | N/A                                                | 7        |
| 5.2.1A    | L40 Clutch - CCO                | Hem Bar                             | Not Shown                    | Not Shown                         | Hem Bar & Hem Pocket                               | 8        |
| 5.2.22    | L40 PLUS Clutch -<br>CCO        | Hem Bar                             | Not Shown                    | Not Shown                         | N/A                                                | 9        |
| 5.2.23    | L45 & L45 PLUS<br>Clutch - CCO  | Hem Bar                             | Not Shown                    | Not Shown                         | N/A                                                | 10       |
| 5.2.24    | L45 & L45 PLUS<br>Spring Assist | Hem Bar                             | Not Shown                    | Not Shown                         | N/A                                                | 11       |
| 5.2.25    | L45 Clutch - CCO                | Hem Bar                             | Not Shown                    | Not Shown                         | N/A                                                | 12       |
| 5.2.26    | L45 PLUS Clutch -<br>CCO        | Hem Bar                             | Not Shown                    | Not Shown                         | N/A                                                | 13       |
| 5.2.28    | SL10 Clutch - CCO               | Hem Bar                             | 3x3 Snap-on Fascia           | Not Shown                         | SL10 Clutch with<br>3x3 Snap-on Fascia             | 14       |
| 5.2.2A    | L32 and L40 Clutch<br>- CCO     | Hem Bar                             | L-System Fascia (3x3)        | Not Shown                         | L32 and L40 Clutch with<br>L-System Fascia (3x3)   | 15       |
| 5.2.29    | SL10 Clutch - CCO               | Not Shown                           | 4040 Fascia                  | Not Shown                         | N/A                                                | 16       |
| 5.2.3A    | L40 Clutch - CCO                | Not Shown                           | 4040 Fascia                  | Not Shown                         | N/A                                                | 17       |
| 5.2.30    | SL10 Clutch - CCO               | Not Shown                           | 4045 Headbox                 | Not Shown                         | N/A                                                | 18       |
| 5.2.4A    | L40 Clutch - CCO                | Not Shown                           | 4045 Headbox                 | Not Shown                         | N/A                                                | 19       |
| 5.2.31    | SL10 Clutch - CCO               | Not Shown                           | 5050 Headbox                 | Not Shown                         | N/A                                                | 20       |
| 5.2.5A    | L40 Clutch - CCO                | Not Shown                           | 5050 Headbox                 | Not Shown                         | N/A                                                | 21       |
| 5.2.32    | SL20 Clutch - CCO               | Hem Pocket                          | 4045 Headbox                 | One-piece Side &<br>Sill Channels | Darkroom Assembly,<br>Inside Mount                 | 22       |
| 5.2.6A    | L40 Clutch - CCO                | Hem Pocket                          | 4045 Headbox                 | One-piece Side &<br>Sill Channels | Darkroom Assembly,<br>Inside Mount                 | 23       |
| 5.2.33    | L40 Clutch - CCO                | Lift Rail                           | 4040 Fascia,<br>Top & Bottom | Not Shown                         | Top Down Rollstar<br>(4040 Fascia on Top & Bottom) | 24       |
| 5.2.34    | L40 Clutch - CCO                | Lift Rail                           | Fabric Valance Top           | Not Shown                         | Top Down Rollstar<br>(4045 Headbox on Bottom)      | 25       |
| 5.2.35    | SL10 Clutch - CCO               | A. Wrapped Hem Bar<br>B. Hem Pocket | Not Shown                    | Not Shown                         | Corner Application<br>(Regular & Reverse Roll)     | 26       |
| 5.2.8A    | L40 Clutch - CCO                | A. Wrapped Hem Bar<br>B. Hem Pocket | Not Shown                    | Not Shown                         | Corner Application<br>(Regular & Reverse Roll)     | 27       |

# Table of Contents

## [ROLLSTAR SPECIFICATION SHEETS]

| INDEX NO. | LIFTING SYSTEM                            | HEM STYLE                                   | VALANCE               | LIGHT CONTROL OPTION      | ASSEMBLY OPTION                                      | PAGE NO. |
|-----------|-------------------------------------------|---------------------------------------------|-----------------------|---------------------------|------------------------------------------------------|----------|
| 5.2.36    | SL10 Clutch - CCO                         | Hem Pocket                                  | 5050 Headbox          | Not Shown                 | 2-CCO SL10 shades<br>(Mounted in one Headbox)        | 28       |
| 5.2.9A    | L32 Clutch (shown) or<br>L40 Clutch - CCO | Hem Pocket                                  | 5050 Headbox          | Not Shown                 | 2-CCO shades<br>(Mounted in one Headbox)             | 29       |
| 5.2.15    | Duo Link - CCO                            | Hem Bar                                     | N/A                   | Not Shown                 | Duo Link (with common center<br>support bracket)     | 30       |
| 5.2.16    | Multi Link - CCO                          | Hem Bar                                     | N/A                   | Not Shown                 | Multi Link (with shared single<br>control mechanism) | 31       |
| 5.2.37    | SL30 Clutch - CCO                         | Hem Pocket                                  | Not Shown             | Not Shown                 | SL30 Clutch with<br>Spring Assist                    | 32       |
| 5.2.38    | SL30 Clutch - CCO                         | Not Shown                                   | 5050 Headbox          | Not Shown                 | N/A                                                  | 33       |
| 5.2.11A   | L40 Clutch - CCO                          | Not Shown                                   | 5050 Headbox          | Not Shown                 | N/A                                                  | 34       |
| 5.2.12    | Clutch - CCO                              | Hem Bar                                     | Small Cassette        | Not Shown                 | N/A                                                  | 35       |
| 5.2.13    | Clutch - CCO                              | Hem Bar                                     | Large Cassette        | Not Shown                 | N/A                                                  | 36       |
| 5.2.39    | SL15 or SL20 Clutch<br>- CCO              | Exposed Hem Bar                             | 4x4 Snap-on Fascia    | Side Channel              | Blackout System                                      | 37       |
| 5.2.14A   | L40, L40 PLUS & L45<br>Clutch - CCO       | Exposed Hem Bar with<br>Light Control Brush | L-System Fascia (3x3) | Side Channel              | Blackout System                                      | 38       |
| 5.4.5     | Spring Roller                             | Not Shown                                   | Small Cassette        | Not Shown                 | N/A                                                  | 39       |
| 5.4.6     | Spring Roller                             | Not Shown                                   | Large Cassette        | Not Shown                 | N/A                                                  | 40       |
| 5.4.7     | Standard Cordless<br>with Rail System     | Hem Bar                                     | N/A                   | N/A                       | Hem Bar & Hem Pocket                                 | 41       |
| 5.5.17    | Series 400 Motor,<br>Battery & ST30 Motor | Hem Bar                                     | Not Shown             | Not Shown                 | Standard                                             | 42       |
| 5.5.18    | Series 500 Motor                          | Hem Bar                                     | Not Shown             | Not Shown                 | Standard                                             | 43       |
| 5.5.19    | Series 400 Motor,<br>Battery & ST30 Motor | Not Shown                                   | 4040 Fascia           | Not Shown                 | N/A                                                  | 44       |
| 5.5.20    | Series 400 Motor,<br>Battery & ST30 Motor | Not Shown                                   | 4045 Headbox          | Not Shown                 | N/A                                                  | 45       |
| 5.5.21    | Series 500 Motor                          | Not Shown                                   | 5050 Headbox          | Not Shown                 | N/A                                                  | 46       |
| 5.5.22    | Series 500 Motor                          | Hem Pocket                                  | 5050 Headbox          | One-piece Side<br>Channel | Darkroom assembly,<br>Inside Mount                   | 47       |
| 5.5.23    | Series 400 Motor,<br>Battery & ST30 Motor | Lift Rail                                   | Fabric Valance Top    | Not Shown                 | Top Down Rollstar                                    | 48       |
| 5.5.24    | Series 400 Motor,<br>Battery & ST30 Motor | Hem Pocket                                  | 5050 Headbox          | Not Shown                 | 2 Motorized Shades<br>(Mounted in one Headbox)       | 49       |
| 5.5.25    | Series 400 Motor,<br>Battery & ST30 Motor | Hem Bar                                     | 4045 Headbox          | One-piece Side<br>Channel | Darkroom Assembly,<br>Inside Mount                   | 50       |
| 5.5.26    | Series 500 Motor                          | Exposed Hem Bar with<br>Light Control Brush | 4x4 Snap-on Fascia    | Side Channel              | Blackout System                                      | 51       |
| 5.5.27    | Series 500 AC Motor                       | Hem Pocket                                  | 4x4 Snap-on Fascia    | Not Shown                 | Coupler System<br>(With 4 x 4 Fascia Bracket)        | 52       |
| 5.5.28    | Series 500 DC Motor                       | Hem Pocket                                  | 4x4 Snap-on Fascia    | Not Shown                 | Coupler System<br>(With 4 x 4 Fascia Bracket)        | 53       |
| 5.5.29    | Series 500 Motor                          | Hem Pocket                                  | Not Shown             | Not Shown                 | N/A                                                  | 54       |
| 5.5.14    | ST30 & Series 400<br>Motor                | Not Shown                                   | Large Cassette        | Not Shown                 | N/A                                                  | 55       |

# Table of Contents

## [ROLLSTAR SPECIFICATION SHEETS]

| INDEX NO.    | LIFTING SYSTEM                                | HEM STYLE              | VALANCE               | LIGHT CONTROL OPTION   | ASSEMBLY OPTION                                      | PAGE NO. |
|--------------|-----------------------------------------------|------------------------|-----------------------|------------------------|------------------------------------------------------|----------|
| 5.5.30       | Series 500 AC Motor                           | Hem Pocket             | Not Shown             | Not Shown              | AC Motor Coupler System                              | 56       |
| 5.5.31       | Series 500 DC Motor                           | Hem Pocket             | Not Shown             | Not Shown              | DC Motor Coupler System                              | 57       |
| 5.5.32       | 2 Shades on 1 Bracket                         | Hem Bar                | N/A                   | Not Shown              | L-System Duo Bracket                                 | 58       |
| 5.6.1        | Not Shown                                     | Not Shown              | Custom Pockets        | Not Shown              | N/A                                                  | 59       |
| 5.6.1A       | Not Shown                                     | Not Shown              | 5555 & 7090 Headboxes | Not Shown              | N/A                                                  | 60       |
| 5.6.2        | Not Shown                                     | Hem Pocket             | Not Shown             | One-piece Side Channel | One-piece Side Channel                               | 61       |
| 5.6.12       | Clutches SL Series - CCO                      | Not Shown              | N/A                   | N/A                    | Comparison of various Clutch sizes                   | 62       |
| 5.6.13       | Brackets SL Series                            | Not Shown              | N/A                   | N/A                    | Comparison of various Bracket sizes                  | 63       |
| 5.6.3A       | Clutches L Series - CCO                       | Not Shown              | N/A                   | N/A                    | Comparison of various Clutch sizes                   | 64       |
| 5.6.3B       | Clutches L PLUS Series - CCO                  | Not Shown              | N/A                   | N/A                    | Comparison of various Clutch sizes                   | 65       |
| 5.6.20       | Brackets - Double Vertical Slim Series        | Not Shown              | N/A                   | N/A                    | Duo Shades                                           | 66       |
| 5.6.21       | Brackets - Universal Double Series            | Not Shown              | N/A                   | N/A                    | Duo Shades                                           | 67       |
| 5.6.14       | Motorized, Duo Shade                          | Not Shown              | Not Shown             | Not Shown              | Closure & Closure Hanger                             | 68       |
| 5.6.15       | Motorized AC Duo Shade Bracket                | Not Shown              | Not Shown             | Not Shown              | Duo Shades                                           | 69       |
| 5.6.16       | Motorized DC Duo Shade Bracket                | Not Shown              | Not Shown             | Not Shown              | Duo Shades                                           | 70       |
| 5.6.17       | N/A                                           | N/A                    | N/A                   | N/A                    | Rollstar Tube Sizes (Description & Application-p1/3) | 71       |
| 5.6.17 cont. | N/A                                           | N/A                    | N/A                   | N/A                    | Rollstar Tube Sizes (Description & Application-p2/3) | 72       |
| 5.6.17 cont. | N/A                                           | N/A                    | N/A                   | N/A                    | Rollstar Tube Sizes (Description & Application-p3/3) | 73       |
| 5.6.18       | N/A                                           | N/A                    | Complete Collection   | N/A                    | Rollstar Valances Collection (p1/2)                  | 74       |
| 5.6.18 cont. | N/A                                           | N/A                    | Complete Collection   | N/A                    | Rollstar Valances Collection (p2/2)                  | 75       |
| 5.6.19       | N/A                                           | N/A                    | Complete Collection   | N/A                    | Tube/Valance Matrix - SL/Automate/Somfy Systems      | 76       |
| 5.6.19 cont. | N/A                                           | N/A                    | Complete Collection   | N/A                    | Tube/Valance Matrix - SL/Automate/Somfy Systems      | 77       |
| 5.6.19 cont. | N/A                                           | N/A                    | Complete Collection   | N/A                    | Tube/Valance Matrix - L-Systems                      | 78       |
| 5.6.9        | Rollstar-EX                                   | Rectangular & Round    | Headbox & Open Roll   | Not Shown              | Floor or Wall Mount Systems                          | 79       |
| 5.6.10       | Rollstar-EX (Cable, Parts & Hem Bar Assembly) | Round Hem Bar, EXPOSED | N/A                   | N/A                    | Floor or Wall Mount Systems                          | 80       |
| 5.6.11       | N/A                                           | N/A                    | Rollstar-EX Systems   | N/A                    | Rollstar-EX Tube Sizes (Description & Application)   | 81       |


Understanding our Specification Sheets Numbering System .....v

# UNDERSTANDING OUR SPECIFICATION SHEETS

## NUMBERING SYSTEM

Every Specification page has an Index Number on the top right hand corner below the Shade Style.

The illustration below explains our numbering system, and the chart below shows our naming systems for our Specification Sheets.



## Index No. 5.2.27

The **first number** refers to our SHADE STYLE.

5 = Rollstar Shade

The **second number** is our LIFTING SYSTEM.

2 = Continuous Chain Operator (CCO)

The **last number** is a SEQUENTIAL NUMBER in this series.

27 = Sequential Number

The above example means the illustration is a **ROLLSTAR SHADE** with a **CONTINUOUS CHAIN LIFTING SYSTEM**.

### SPECIFICATION SHEETS REFERENCE SYSTEM

#### SHADE STYLES

The **first number** refers to our SHADE STYLE.

**3** = Sunstar Shade

**4** = Curvilinear Trackstar

**5** = Rollstar Shade

**6** = Skystar (Skylight) Shade

**7** = Sloped or Horizontal Trackstar

#### LIFTING SYSTEMS

The **second number** refers to our LIFTING SYSTEM.

**1** = Cord and Cleat

**2** = Continuous Chain Operator (CCO) & Slide Winder

**3** = Wand Operator

**4** = Spring Roller

**5** = Motorization

**6** = Miscellaneous

The **last number** is a SEQUENTIAL NUMBER in this series.

**1** through **99** = Sequential Numbers

# ROLLSTAR

Index No. 5.1.1



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- Cord & Cleat with Spring Tension

### HEM STYLE

- Lift Rail, Round Hem Bar

### TOP TREATMENT



- Fabric Valance Top, optional

### LIGHT CONTROL CHANNEL

- Not shown


### ASSEMBLY OPTION

- Top-Down Rollstar  
4040 Fascia  
(shown on bottom only)




## CLOSE-UP VIEW (Cord & Pulley)

Brackets can be installed directly on the sill or window frame



## FRONT VIEW (Open Hem)



## CLOSE-UP SIDE VIEW (Open Hem is unsealed)

Note: Standard Lift Rail provided unless otherwise specified.  
Round Hem Bar shown in illustration is an optional item.

# ROLLSTAR

Index No. 5.2.27



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- SL20 Clutch - Continuous Chain Operator

## HEM STYLE

- A: Open Hem Pocket

## TOP TREATMENT


- Not shown

## LIGHT CONTROL CHANNEL

- Not shown


## ASSEMBLY OPTION

- Round Hem Bar, *optional*



## FRONT VIEW


(Room side)



## FRONT OF SHADE

(Room side - installed on wall)

## SIDE VIEW



A: OPEN HEM POCKET



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- L32 Clutch - Continuous Chain Operator

### HEM STYLE

- A: Open Hem Pocket

### TOP TREATMENT


- Not shown

### LIGHT CONTROL CHANNEL


- Not shown

### ASSEMBLY OPTION

- Round Hem Bar, *optional*



FRONT VIEW  
(Room side)



A: OPEN HEM POCKET



# ROLLSTAR

Index No. 5.2.18



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- L32 Clutch - Continuous Chain Operator

### HEM STYLE

- A: Open Hem Pocket

### TOP TREATMENT



- Not shown

### LIGHT CONTROL CHANNEL


- Not shown

### ASSEMBLY OPTION

- Round Hem Bar, *optional*




## SIDE VIEWS



Note: For optional bracket covers, deduct  $\frac{1}{4}$ " for inside installation.

## FRONT OF SHADE

(Room side - installed inside window opening)



## A: OPEN HEM POCKET

# ROLLSTAR

Index No. 5.2.19



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- L32 Clutch - Continuous Chain Operator

### HEM STYLE

- A: Open Hem Pocket

### TOP TREATMENT



- Not shown

### LIGHT CONTROL CHANNEL


- Not shown

### ASSEMBLY OPTION

- Extension Bracket for oversized rolls
- Round Hem Bar, *optional*




SIDE VIEWS



Note: For optional bracket covers, deduct  $\frac{1}{4}$ " for inside installation.

## FRONT OF SHADE

(Room side - installed inside window opening)



A: OPEN HEM POCKET

# ROLLSTAR

Index No. 5.2.20



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- L40 & L40 PLUS  
Clutch - Continuous  
Chain Operator

## HEM STYLE

- A: Open Hem Pocket

## TOP TREATMENT


- Not shown

## LIGHT CONTROL CHANNEL


- Not shown

## ASSEMBLY OPTION

- Round Hem Bar, *optional*



FRONT VIEW  
(Room side)



A: OPEN HEM POCKET



At a glance...

**SHADE STYLE**

- Rollstar

**LIFTING SYSTEM**

- L40 & L40 PLUS
- Spring Assist

**HEM STYLE**

- A: Open Hem Pocket

**TOP TREATMENT**


- Not shown

**LIGHT CONTROL CHANNEL**

- Not shown

**ASSEMBLY OPTION**


- Round Hem Bar, *optional*



**L40 and L40 PLUS Spring Assist**

Raise and lower large shades effortlessly!

FRONT VIEW  
(Room side)



A: OPEN HEM POCKET

# ROLLSTAR

Index No. 5.2.1A



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- L40 Clutch - Continuous Chain Operator

## HEM STYLE

- A: Open Hem Pocket

## TOP TREATMENT


- Not shown

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION


- Round Hem Bar, *optional*



## FRONT VIEW


(Room side)

Note: For optional bracket covers, deduct  $\frac{1}{4}$ " for inside installation.



## FRONT OF SHADE

(Room side - installed on wall)



A: OPEN HEM POCKET

## SIDE VIEW

# ROLLSTAR

Index No. 5.2.22



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- L40 PLUS Clutch - Continuous Chain Operator

### HEM STYLE

- A: Open Hem Pocket

### TOP TREATMENT



- Not shown

### LIGHT CONTROL CHANNEL

- Not shown

### ASSEMBLY OPTION

- Round Hem Bar, *optional*




## SIDE VIEWS

Note: For optional bracket covers, deduct  $\frac{1}{4}$ " for inside installation.

## FRONT OF SHADE

(Room side - installed inside window opening)



## A: OPEN HEM POCKET

# ROLLSTAR

Index No. 5.2.23



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- L45 & L45 PLUS  
Clutch - Continuous  
Chain Operator

## HEM STYLE

- A: Open Hem Pocket

## TOP TREATMENT


- Not shown

## LIGHT CONTROL CHANNEL


- Not shown

## ASSEMBLY OPTION

- Round Hem Bar, *optional*



FRONT VIEW  
(Room side)



A: OPEN HEM POCKET



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- L45 & L45 PLUS  
Spring Assist

## HEM STYLE

- A: Open Hem Pocket

## TOP TREATMENT


- Not shown

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION


- Round Hem Bar, *optional*



## L45 and L45 PLUS Spring Assist

Raise and lower large shades effortlessly!

FRONT VIEW  
(Room side)



A: OPEN HEM POCKET



# ROLLSTAR

Index No. 5.2.25



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- L45 Clutch - Continuous Chain Operator

### HEM STYLE

- A: Open Hem Pocket

### TOP TREATMENT



- Not shown

### LIGHT CONTROL CHANNEL

- Not shown

### ASSEMBLY OPTION

- Round Hem Bar, *optional*




## SIDE VIEWS

Note: For optional bracket covers, deduct  $\frac{1}{4}$ " for inside installation.

## FRONT OF SHADE

(Room side - installed inside window opening)



## A: OPEN HEM POCKET

# ROLLSTAR

Index No. 5.2.26



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- L45 PLUS Clutch - Continuous Chain Operator

## HEM STYLE

- A: Open Hem Pocket

## TOP TREATMENT



- Not shown

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

- Round Hem Bar, *optional*




SIDE VIEWS

Note: For optional bracket covers, deduct  $\frac{1}{4}$ " for inside installation.

## FRONT OF SHADE

(Room side - installed inside window opening)



A: OPEN HEM POCKET

# ROLLSTAR

Index No. 5.2.28



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- SL10 Clutch - Continuous Chain Operator

## HEM STYLE

- A: Open Hem Pocket

## TOP TREATMENT



- 3x3 Snap-on Fascia

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

- SL10 Clutch with 3x3 Snap-on Fascia
- Round Hem Bar, *optional*



# ROLLSTAR

Index No. 5.2.2A



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- L32 and L40 Clutch - Continuous Chain Operator

## HEM STYLE

- A: Open Hem Pocket

## TOP TREATMENT



- L-System Fascia (3x3)

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

- L40 Clutch with L-System Fascia (3x3)
- Round Hem Bar, *optional*



A: OPEN HEM POCKET

# ROLLSTAR

Index No. 5.2.29



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- SL10 Clutch - Continuous Chain Operator

## HEM STYLE

- Not shown

## TOP TREATMENT


- 4040 Fascia

## LIGHT CONTROL CHANNEL


- Not shown

## ASSEMBLY OPTION

- N/A



BACK VIEW  
(window side)



# ROLLSTAR

Index No. 5.2.3A



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- L40 Clutch - Continuous Chain Operator

## HEM STYLE

- Not shown

## TOP TREATMENT


- 4040 Fascia

## LIGHT CONTROL CHANNEL


- Not shown

## ASSEMBLY OPTION

- N/A



BACK VIEW  
(window side)



# ROLLSTAR

Index No. 5.2.30



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- SL10 Clutch - Continuous Chain Operator

## HEM STYLE

- Not shown

## TOP TREATMENT



- 4045 Headbox

## LIGHT CONTROL CHANNEL

- Not shown


## ASSEMBLY OPTION

- N/A



# ROLLSTAR

Index No. 5.2.4A



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- L40 Clutch - Continuous Chain Operator

## HEM STYLE

- Not shown

## TOP TREATMENT


- 4045 Headbox

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

- N/A





# ROLLSTAR

Index No. 5.2.31



At a glance...

**SHADE STYLE**

- Rollstar

**LIFTING SYSTEM**

- SL10 Clutch - Continuous Chain Operator

**HEM STYLE**

- Not shown

**TOP TREATMENT**



- 5050 Headbox

**LIGHT CONTROL CHANNEL**

- Not shown

**ASSEMBLY OPTION**

- N/A



# ROLLSTAR

Index No. 5.2.5A



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- L40 Clutch - Continuous Chain Operator

## HEM STYLE

- Not shown

## TOP TREATMENT



- 5050 Headbox

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

- N/A





## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- SL20 Clutch - Continuous Chain Operator

### HEM STYLE

- Hem Pocket

### TOP TREATMENT


- 4045 Headbox

### LIGHT CONTROL CHANNEL

- One-piece Side Channel
- One-piece Sill Channel

### ASSEMBLY OPTION

- Darkroom Assembly, Inside Mount



### CHANNEL NOTE:

To insure the best possible light blockage, specify the optional flat exposed hem bar (ideally with brush on the bottom channel of the hem bar). This will allow the side channels to have the brush in both the front and back edges of the channel.

If a standard bottom hem pocket is specified, the side channel can only accommodate the brush in either the front edge of the channel or the back edge of the channel. Because the brush can only go on one side, the light seepage will be greater.

Unless otherwise specified, the brush colors will match the channel colors. Available in white, grey and black.

# ROLLSTAR

Index No. 5.2.6A



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- L40 Clutch - Continuous Chain Operator

## HEM STYLE

- Hem Pocket

## TOP TREATMENT


- 4045 Headbox

## LIGHT CONTROL CHANNEL

- One-piece Side Channel
- One-piece Sill Channel

## ASSEMBLY OPTION

- Darkroom Assembly, Inside Mount



### CHANNEL NOTE:

To insure the best possible light blockage, specify the optional flat exposed hem bar (ideally with brush on the bottom channel of the hem bar). This will allow the side channels to have the brush in both the front and back edges of the channel.

If a standard bottom hem pocket is specified, the side channel can only accommodate the brush in either the front edge of the channel or the back edge of the channel. Because the brush can only go on one side, the light seepage will be greater.

Unless otherwise specified, the brush colors will match the channel colors. Available in white, grey and black.

# ROLLSTAR

Index No. 5.2.33



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- L40 Clutch - Continuous Chain Operator

### HEM STYLE

- Lift Rail, Round Hem Bar

### TOP TREATMENT



- 4040 Fascia

### LIGHT CONTROL CHANNEL


- Not shown

### ASSEMBLY OPTION

- Top-Down Rollstar  
4040 Fascia  
(shown on both top and bottom)



FRONT VIEW  
(Open Hem)



CLOSE-UP SIDE VIEW  
(Open Hem is unsealed)

Note: Standard Lift Rail provided unless otherwise specified.  
Round Hem Bar shown in illustration is an optional item.

# ROLLSTAR

Index No. 5.2.34



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- L40 Clutch - Continuous Chain Operator

### HEM STYLE

- Lift Rail, Wrapped Round Hem Bar

### TOP TREATMENT



- Fabric Valance Top, optional

### LIGHT CONTROL CHANNEL


- Not shown

### ASSEMBLY OPTION

- Top-Down Rollstar 4045 Headbox (shown on bottom only)



FRONT VIEW  
(Open Hem)



CLOSE-UP SIDE VIEW  
(Open Hem is unsealed)

Note: Standard Lift Rail provided unless otherwise specified.  
Round Hem Bar shown in illustration is an optional item.

# ROLLSTAR

Index No. 5.2.35



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- SL10 Clutch - Continuous Chain Operator

## HEM STYLE

- A - Wrapped Round Hem Bar
- B - Hem Pocket

## TOP TREATMENT

- Not shown



## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

Corner Application

- A - Regular Roll
- B - Reverse Roll



# ROLLSTAR

Index No. 5.2.8A



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- L40 Clutch - Continuous Chain Operator

## HEM STYLE

- A - Wrapped Round Hem Bar
- B - Hem Pocket

## TOP TREATMENT

- Not shown



## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

Corner Application

- A - Regular Roll
- B - Reverse Roll







At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- SL10 Clutch - Continuous Chain Operator

## HEM STYLE

- Hem Pocket

## TOP TREATMENT


- 5050 Headbox

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

- Two CCO SL10 Shades mounted in one Headbox



FRONT VIEW  
(Room side)

# ROLLSTAR

Index No. 5.2.9A



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- L32 Clutch (shown) or L40 Clutch - Continuous Chain Operator

## HEM STYLE

- Hem Pocket

## TOP TREATMENT


- 5050 Headbox

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

- Two CCO Shades mounted in one Headbox



FRONT VIEW  
(Room side)

## NOTE:

- 1) Closure shelf not available with this application.
- 2) Shade height is limited due to roll size.

# ROLLSTAR

Index No. 5.2.15



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- Duo Link - Continuous Chain Operator

### HEM STYLE

- A: Open Hem Pocket

### TOP TREATMENT


- Optional

### LIGHT CONTROL CHANNEL

- Not Shown


### ASSEMBLY OPTION

- Duo Link operation with common center support bracket
- Round Hem Bar, *optional*




## DUO LINK OPERATION

(Systems 40 & 40 PLUS/and Systems 45 & 45 PLUS allows two shades to have fully independent operation whilst sharing a common center support bracket.)



## A: OPEN HEM POCKET



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- Multi Link - Continuous Chain Operator

### HEM STYLE

- A: Open Hem Pocket

### TOP TREATMENT

- Optional

### LIGHT CONTROL CHANNEL


- Not shown

### ASSEMBLY OPTION

- Multi Link operation with shared single control mechanism
- Round Hem Bar, *optional*

## MULTI LINK OPERATION

(System 40 & 40 PLUS/and Systems 45 & 45 PLUS allows multiple shades to be joined together with a shared single control mechanism.)



A: OPEN HEM POCKET



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- SL30 Clutch - Continuous Chain Operator

### HEM STYLE

- Hem Pocket

### TOP TREATMENT


- Not shown

### LIGHT CONTROL CHANNEL

- Not shown

### ASSEMBLY OPTION

- SL30 Clutch with Spring Assist Mechanism



## SPRING ASSIST MECHANISM WITH A SL30 CLUTCH

Ideal for very heavy shades  
(drawing not to scale)

# ROLLSTAR

Index No. 5.2.38



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- SL30 Clutch - Continuous Chain Operator

## HEM STYLE

- Not shown

## TOP TREATMENT


- 5050 Headbox

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

- N/A



**END VIEW**  
(Shown without end cover)

# ROLLSTAR

Index No. 5.2.11A



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- L40 Clutch - Continuous Chain Operator

## HEM STYLE

- Not shown

## TOP TREATMENT


- 5050 Headbox

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

- N/A



**END VIEW**  
(Shown without end cover)

# ROLLSTAR

Index No. 5.2.12



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- Clutch - Continuous Chain Operator

## HEM STYLE

- A: Open Hem Pocket

## TOP TREATMENT


- Small Cassette

## LIGHT CONTROL CHANNEL


- Not shown

## ASSEMBLY OPTION

- Round Hem Bar, *optional*



FRONT TOP VIEW  
(Room side)



A: OPEN HEM POCKET



# ROLLSTAR

Index No. 5.2.13



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- Clutch - Continuous Chain Operator

## HEM STYLE

- A: Open Hem Pocket

## TOP TREATMENT


- Large Cassette

## LIGHT CONTROL CHANNEL


- Not shown

## ASSEMBLY OPTION

- Round Hem Bar, *optional*



## FRONT TOP VIEW (Room side)



A: OPEN HEM POCKET

# ROLLSTAR

Index No. 5.2.39



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- SL15 or SL20 Clutch - Continuous Chain Operator

## HEM STYLE

- Exposed Hem Bar


## TOP TREATMENT

- 4x4 Snap-on Fascia

## LIGHT CONTROL CHANNEL

- Side Channel

## ASSEMBLY OPTION




### CHANNEL NOTE:

To insure the best possible light blockage, specify the optional flat exposed hem bar (ideally with brush on the bottom channel of the hem bar). This will allow the side channels to have the brush in both the front and back edges of the channel.

If a standard bottom hem pocket is specified, the side channel can only accommodate the brush in either the front edge of the channel or the back edge of the channel. Because the brush can only go on one side, the light seepage will be greater.

Unless otherwise specified, the brush colors will match the channel colors. Available in white, grey and black.



CLOSE-UP VIEW  
(Exposed Hem Bar and End Cap)

# ROLLSTAR

Index No. 5.2.14A



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- L40, L40 PLUS & L45  
Clutch - Continuous  
Chain Operator

## HEM STYLE

- Exposed Hem Bar  
with Light Control Brush


## TOP TREATMENT

- L-System Fascia (3x3)

## LIGHT CONTROL CHANNEL

- Side Channel

## ASSEMBLY OPTION




### CHANNEL NOTE:

To insure the best possible light blockage, specify the optional flat exposed hem bar (ideally with brush on the bottom channel of the hem bar). This will allow the side channels to have the brush in both the front and back edges of the channel.

If a standard bottom hem pocket is specified, the side channel can only accommodate the brush in either the front edge of the channel or the back edge of the channel. Because the brush can only go on one side, the light seepage will be greater.

Unless otherwise specified, the brush colors will match the channel colors. Available in white, grey and black.



## CLOSE-UP VIEW

(Exposed Hem Bar with Light Control Brush and End Cap)

# ROLLSTAR

Index No. 5.4.5



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- Spring Roller

### HEM STYLE

- Not shown

### TOP TREATMENT



- Small Cassette

### LIGHT CONTROL CHANNEL

- Not shown

### ASSEMBLY OPTION

- N/A



Note: Cassettes are fully assembled at factory with shade, brackets and end caps attached to fascia and dust cover. Complete unit is easily snapped into the mounting brackets during installation.

# ROLLSTAR

Index No. 5.4.6



At a glance...

**SHADE STYLE**

- Rollstar

**LIFTING SYSTEM**

- Spring Roller

**HEM STYLE**

- Not shown

**TOP TREATMENT**


- Large Cassette

**LIGHT CONTROL CHANNEL**


- Not shown

**ASSEMBLY OPTION**

- N/A



**FRONT VIEW**  
(Room side)



Note: Cassettes are fully assembled at factory with shade, brackets and end caps attached to fascia and dust cover. Complete unit is easily snapped into the mounting brackets during installation.



# ROLLSTAR

Index No. 5.4.7




## CEILING MOUNT STANDARD CORDLESS WITH RAIL SYSTEM SHADE

(showing regular roll and  
reverse roll options)



L-bracket  
(for wall mount  
installations)



L-bracket  
(side view)

### At a glance...

#### SHADE STYLE

- Rollstar

#### LIFTING SYSTEM

- Standard Cordless with Rail System

#### HEM STYLE

- A. Open Hem Pocket

#### TOP TREATMENT

- N/A

#### LIGHT CONTROL CHANNEL



- N/A

#### ASSEMBLY OPTION

- Round Hem Bar, optional

## WALL MOUNT STANDARD CORDLESS WITH RAIL SYSTEM SHADE


(showing regular roll and reverse roll options)



A: OPEN HEM POCKET

# ROLLSTAR

Index No. 5.5.17



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- Series 400 Motor
- Battery & ST30 Motor

### HEM STYLE

- A: Open Hem Pocket

### TOP TREATMENT



- Not shown

### LIGHT CONTROL CHANNEL


- Not shown

### ASSEMBLY OPTION

- Round Hem Bar, *optional*



A: OPEN HEM POCKET




Detail of Endcap




At a glance...

- SHADE STYLE**
  - Rollstar
- LIFTING SYSTEM**
  - Series 500 Motor
- HEM STYLE**
  - A: Open Hem Pocket
- TOP TREATMENT**
  - Not shown
- LIGHT CONTROL CHANNEL**
  - Not shown
- ASSEMBLY OPTION**
  - Round Hem Bar, *optional*



FRONT VIEW  
(Room side)





# ROLLSTAR

Index No. 5.5.19



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- Series 400 Motor
- Battery & ST30 Motor

## HEM STYLE

- Not shown

## TOP TREATMENT


- 4040 Fascia

## LIGHT CONTROL CHANNEL


- Not shown

## ASSEMBLY OPTION

- N/A



## BACK VIEW (Window side)



# ROLLSTAR

Index No. 5.5.20



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- Series 400 Motor
- Battery & ST30 Motor

## HEM STYLE

- Not shown

## TOP TREATMENT


- 4045 Headbox

## LIGHT CONTROL CHANNEL

- Not shown


## ASSEMBLY OPTION

- N/A



## BACK VIEW

(Window side, for REGULAR ROLL)



## BACK VIEW

(Window side, for REGULAR ROLL)

# ROLLSTAR

Index No. 5.5.21



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- Series 500 Motor

## HEM STYLE

- Not shown

## TOP TREATMENT



- 5050 Headbox

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

- N/A



# ROLLSTAR

Index No. 5.5.22



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- Series 500 Motor

## HEM STYLE

- Hem Pocket

## TOP TREATMENT




- 5050 Headbox

## LIGHT CONTROL CHANNEL

- One-piece side channel

## ASSEMBLY OPTION

- Darkroom assembly,  
Inside mount



### CHANNEL NOTE:

To insure the best possible light blockage, specify the optional flat exposed hem bar (ideally with brush on the bottom channel of the hem bar). This will allow the side channels to have the brush in both the front and back edges of the channel.

If a standard bottom hem pocket is specified, the side channel can only accommodate the brush in either the front edge of the channel or the back edge of the channel. Because the brush can only go on one side, the light seepage will be greater.

Unless otherwise specified, the brush colors will match the channel colors. Available in white, grey and black.

# ROLLSTAR

Index No. 5.5.23



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- Series 400 Motor
- Battery & ST30 Motor

### HEM STYLE

- Lift Rail, Round Hem Bar

### TOP TREATMENT


- Fabric Valance Top, Optional

### LIGHT CONTROL CHANNEL


- Not shown

### ASSEMBLY OPTION


- Top-Down Rollstar



**FRONT VIEW**  
(Room side)



**FRONT VIEW**  
(Open Hem)



**CLOSE-UP SIDE VIEW**  
(Open Hem is unsealed)

Note: Standard Lift Rail provided unless otherwise specified.  
Round Hem Bar shown in illustration is an optional item.

# ROLLSTAR

Index No. 5.5.24



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- Series 400 Motor
- Battery & ST30 Motor

## HEM STYLE

- Hem Pocket

## TOP TREATMENT


- 5050 Headbox

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

- Two Motorized Shades mounted in one Headbox



## FRONT VIEW (Room side)

### NOTE:

- 1) Closure shelf not available with this application.
- 2) Shade height is limited due to roll size.

# ROLLSTAR

Index No. 5.5.25



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- Series 400 Motor
- Battery & ST30 Motor

## HEM STYLE

- Hem Bar

## TOP TREATMENT




- 4045 Headbox

## LIGHT CONTROL CHANNEL

- One-piece side channel

## ASSEMBLY OPTION

- Darkroom assembly, inside mount



### CHANNEL NOTE:


To insure the best possible light blockage, specify the optional flat exposed hem bar (ideally with brush on the bottom channel of the hem bar). This will allow the side channels to have the brush in both the front and back edges of the channel.

If a standard bottom hem pocket is specified, the side channel can only accommodate the brush in either the front edge of the channel or the back edge of the channel. Because the brush can only go on one side, the light seepage will be greater.

Unless otherwise specified, the brush colors will match the channel colors. Available in white, grey and black.



## At a glance...



### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- Series 500 Motor

### HEM STYLE

- Exposed Hem Bar with Light Control Brush

### TOP TREATMENT

- 4x4 Snap-on Fascia

### LIGHT CONTROL CHANNEL

- Side Channel

### ASSEMBLY OPTION

- Blackout system

### CHANNEL NOTE:

To insure the best possible light blockage, specify the optional flat exposed hem bar (ideally with brush on the bottom channel of the hem bar). This will allow the side channels to have the brush in both the front and back edges of the channel.

If a standard bottom hem pocket is specified, the side channel can only accommodate the brush in either the front edge of the channel or the back edge of the channel. Because the brush can only go on one side, the light seepage will be greater.

Unless otherwise specified, the brush colors will match the channel colors. Available in white, grey and black.




# ROLLSTAR

Index No. 5.5.27



At a glance...



## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- Series 500 AC Motor

## HEM STYLE

- Hem Pocket

## TOP TREATMENT

- 4x4 Snap-on Fascia

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

- AC Motor-Coupler System with 4x4 Fascia Bracket

**CLOSE-UP VIEW**  
(Collapsible Coupler +  
Intermediate Fascia Bracket)



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- Series 500 DC Motor

### HEM STYLE

- Hem Pocket

### TOP TREATMENT


- 4x4 Snap-on Fascia

### LIGHT CONTROL CHANNEL

- Not shown

### ASSEMBLY OPTION

- DC Motor-Coupler System with 4x4 Fascia Bracket




# ROLLSTAR

Index No. 5.5.29



At a glance...



## SHADE STYLE

- Rollstar Open Roll

## LIFTING SYSTEM

- Series 500 Motor

## HEM STYLE

- Hem Pocket

## TOP TREATMENT

- Not shown

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

- N/A

# ROLLSTAR

Index No. 5.5.14



## At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- Series ST30 & Series 400 Motors

### HEM STYLE

- Not shown

### TOP TREATMENT



- Large Cassette

### LIGHT CONTROL CHANNEL

- Not shown

### ASSEMBLY OPTION


- N/A



Note: Cassettes are fully assembled at factory with shade, brackets and end caps attached to fascia and dust cover. Complete unit is easily snapped into the mounting brackets during installation.



At a glance...



## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- Series 500 AC Motor

## HEM STYLE

- Hem Pocket

## TOP TREATMENT

- Not shown

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

- AC Motor-Coupler System

# ROLLSTAR

Index No. 5.5.31



At a glance...

## SHADE STYLE

- Rollstar

## LIFTING SYSTEM

- Series 500 DC Motor

## HEM STYLE

- Hem Pocket

## TOP TREATMENT


- Not shown

## LIGHT CONTROL CHANNEL

- Not shown

## ASSEMBLY OPTION

- DC Motor-Coupler System



# ROLLSTAR

Index No. 5.5.32



## At a glance...

### SHADE STYLE

- Sunstar (front shade)
- Rollstar (back shade)

### LIFTING SYSTEM

- 2 shades on 1 bracket

### HEM STYLE

- Hem Bar

### TOP TREATMENT


- N/A

### LIGHT CONTROL CHANNEL

- Not shown


### ASSEMBLY OPTION

- L-System Duo Bracket



SIDE VIEW

FRONT VIEWS  
(Room side, looking down from top)



# ROLLSTAR

Index No. 5.6.1



At a glance...

**SHADE STYLE**

- Not shown

**LIFTING SYSTEM**

- Not shown

**HEM STYLE**

- Not shown

**TOP TREATMENT**


- Custom Pockets

**LIGHT CONTROL CHANNEL**

- Not shown

**ASSEMBLY OPTION**

- N/A



## COMPARISON OF CUSTOM POCKET SIZES





## At a glance...

### SHADE STYLE

- Not shown

### LIFTING SYSTEM

- Not shown

### HEM STYLE

- Not shown

### TOP TREATMENT


- 5555 & 7090 Headboxes

### LIGHT CONTROL CHANNEL

- Not shown

### ASSEMBLY OPTION


- N/A



## 5555 & 7090 HEADBOXES



## ONE-PIECE SIDE CHANNEL WITH SHADE FRONT VIEW



At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- Not shown

### HEM STYLE

- Hem Pocket

### TOP TREATMENT


- Not shown

### LIGHT CONTROL CHANNEL

- One-piece side channel

### ASSEMBLY OPTION

- One-piece side channel



## SIDE CHANNEL DETAIL

### CHANNEL NOTE:

To insure the best possible light blockage, specify the optional flat exposed hem bar (ideally with brush on the bottom channel of the hem bar). This will allow the side channels to have the brush in both the front and back edges of the channel.

If a standard bottom hem pocket is specified, the side channel can only accommodate the brush in either the front edge of the channel or the back edge of the channel. Because the brush can only go on one side, the light seepage will be greater.

Unless otherwise specified, the brush colors will match the channel colors. Available in white, grey and black.



## CONTINUOUS CHAIN OPERATION (CCO) SL-CLUTCH SIZES

At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- SL30, SL20, SL15 & SL10  
Clutch - Continuous  
Chain Operator

### HEM STYLE

- Not shown

### TOP TREATMENT


- N/A

### LIGHT CONTROL CHANNEL

- N/A

### ASSEMBLY OPTION

- Comparison of various  
clutch sizes





## BRACKETS SL-BRACKET SIZES

At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- SL30, SL20, SL15 & SL10  
Clutch - Continuous Chain  
Operator

### HEM STYLE

- Not shown

### TOP TREATMENT


- N/A

### LIGHT CONTROL CHANNEL

- N/A

### ASSEMBLY OPTION

- Comparison of various  
bracket sizes





## CONTINUOUS CHAIN OPERATION (CCO) L-CLUTCH SIZES

At a glance...

### SHADE STYLE

- Rollstar or Sunstar

### LIFTING SYSTEM

- L32, L40, & L45  
Clutches - Continuous  
Chain Operator

### HEM STYLE

- Not shown

### TOP TREATMENT


- N/A

### LIGHT CONTROL CHANNEL

- N/A

### ASSEMBLY OPTION

- Comparison of various  
clutch sizes





## CONTINUOUS CHAIN OPERATION (CCO) L PLUS-CLUTCH SIZES

At a glance...

### SHADE STYLE

- Rollstar

### LIFTING SYSTEM

- L32 PLUS, L40 PLUS, & L45 PLUS Clutches - Continuous Chain Operator

### HEM STYLE

- Not shown

### TOP TREATMENT


- N/A

### LIGHT CONTROL CHANNEL

- N/A

### ASSEMBLY OPTION

- Comparison of various clutch sizes





## DOUBLE VERTICAL SLIM BRACKET & BRACKET COVER

At a glance...

**SHADE STYLE**

- Rollstar

**LIFTING SYSTEM**

- SL Clutches and Automate Motors

**HEM STYLE**

- N/A

**TOP TREATMENT**


- N/A

**LIGHT CONTROL CHANNEL**


- N/A

**ASSEMBLY OPTION**


- Duo Shades



INSIDE FRONT VIEW




SIDE VIEW



ANGLED VIEW



## UNIVERSAL DOUBLE BRACKET & BRACKET COVER



At a glance...

**SHADE STYLE**

- Rollstar

**LIFTING SYSTEM**

- SL Clutches and Automate Motors

**HEM STYLE**

- N/A

**TOP TREATMENT**

- N/A


**LIGHT CONTROL CHANNEL**

- N/A


**ASSEMBLY OPTION**

- Duo Shades

INSIDE FRONT VIEW



SIDE VIEW




ANGLED VIEW





## CUSTOM HEADBOX

### Application A: Shades Stacked



### At a glance...

#### SHADE STYLE

- Rollstar, Duo Shade

#### LIFTING SYSTEM

- Motorized

#### HEM STYLE

- Not shown

#### TOP TREATMENT

- Not shown

#### LIGHT CONTROL CHANNEL

- Not shown

#### ASSEMBLY OPTION

- With Closure and Closure Hanger

## CLOSURE SHELF/HANGER

*Optional* Stand-Alone closure shelf and closure hanger.

(sold separately for wood valances).


Extruded closure shelf will be cut down based on specs.

SHOWN ABOVE: 5" CLOSURE SET.

(2 1/2" CLOSURE SET AVAILABLE)

## CUSTOM POCKET

### Application B: Shades Side by Side




Note: Custom box dimensions are driven by shade size

## SIDE VIEWS



## DOUBLE BRACKETS FOR AC MOTOR (open roll shades)



At a glance...

### SHADE STYLE

- Rollstar, Duo Shade

### LIFTING SYSTEM

- Motorized (AC Motors only)

### HEM STYLE

- Not shown

### TOP TREATMENT

- Not shown


### LIGHT CONTROL CHANNEL

- Not shown

### ASSEMBLY OPTION


- Duo Shades

## SIDE VIEW OF BRACKETS





## DOUBLE BRACKETS FOR DC MOTOR (open roll shades)



### At a glance...

#### SHADE STYLE

- Rollstar, Duo Shade

#### LIFTING SYSTEM

- Motorized (DC Motors only)

#### HEM STYLE

- Not shown

#### TOP TREATMENT

- Not shown


#### LIGHT CONTROL CHANNEL

- Not shown

#### ASSEMBLY OPTION

- Duo Shades

### SIDE VIEW OF BRACKETS



# ROLLSTAR

Index No. 5.6.17



At a glance...

## SHADE STYLE

- Rollstar Tubes

## LIFTING SYSTEM

- SL-Systems - Continuous Chain Operators and Automate Motors

## HEM STYLE

- N/A

## TOP TREATMENT





- N/A

## LIGHT CONTROL CHANNEL

- N/A

## ASSEMBLY OPTION

- N/A

| TUBE SIZE/DESCRIPTION                                                                                      | APPLICATION                           |             |             |             |      |      |                  |                             |               |               |                |
|------------------------------------------------------------------------------------------------------------|---------------------------------------|-------------|-------------|-------------|------|------|------------------|-----------------------------|---------------|---------------|----------------|
|                                                                                                            | ROLLEASE<br>Continuous Cord Operators |             |             |             |      |      |                  | ROLLEASE<br>Automate Motors |               |               |                |
|                                                                                                            | SL10<br>CCO                           | SL15<br>CCO | SL20<br>CCO | SL30<br>CCO | G200 | G400 | Spring<br>Assist | Li-ion<br>1.1               | Li-ion<br>2.0 | Li-ion<br>3.0 | Li-ion<br>10.0 |
|  1 1/4" with Key Drives   | •                                     |             |             |             |      |      |                  |                             |               |               |                |
|  1 1/2" with Key Drives   | •                                     | •           | •           |             |      |      |                  | •                           | •             |               |                |
|  2" with Key Drives       |                                       |             | •           | •           | •    |      | •                |                             | •             | •             |                |
|  2 1/2" with Key Drives   |                                       |             |             | •           | •    | •    | •                |                             |               | •             | •              |
|  3 1/4" with Key Drives |                                       |             |             |             |      | •    | •                |                             |               | •             | •              |

# ROLLSTAR

Index No. 5.6.17 cont.



At a glance...

## SHADE STYLE

- Rollstar Tubes

## LIFTING SYSTEM

- Somfy Motors

## HEM STYLE

- N/A

## TOP TREATMENT





- N/A

## LIGHT CONTROL CHANNEL

- N/A

## ASSEMBLY OPTION

- N/A

| TUBE SIZE/DESCRIPTION                                                                                            | APPLICATION  |                                         |                           |                                       |                                             |                            |                            |                                  |
|------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------------------|---------------------------|---------------------------------------|---------------------------------------------|----------------------------|----------------------------|----------------------------------|
|                                                                                                                  | SOMFY MOTORS |                                         |                           |                                       |                                             |                            |                            |                                  |
|                                                                                                                  | R28 Battery  | Sonesse 30 Wire Free Li-ion RTS Battery | DC50 (Ultra Quiet) Series | Sonesse 30 (ST30) (Quiet) Low Voltage | Sonesse 30 (ST30) (Ultra Quiet) Low Voltage | Sonesse (Quiet) 400 Series | Sonesse (Quiet) 500 Series | Sonesse (Ultra Quiet) 500 Series |
|  1½" with Key Drives            | •            | •                                       |                           | •                                     | •                                           |                            |                            |                                  |
|  1½" Groove Tube                |              |                                         |                           |                                       |                                             | •                          |                            |                                  |
|  2" Groove Tube                 |              |                                         |                           |                                       |                                             |                            | •                          |                                  |
|  2" with Key Drives             |              | •                                       |                           | •                                     | •                                           | •                          |                            |                                  |
|  2¼" with Key Drives            |              |                                         | •                         |                                       |                                             |                            |                            | •                                |
|  2⅜" with Key Drives           |              |                                         |                           |                                       |                                             |                            | •                          |                                  |
|  2½" with Key Drives          |              |                                         |                           |                                       |                                             |                            | •                          |                                  |
|  3¼" with Key Drives          |              |                                         |                           |                                       |                                             |                            | •                          |                                  |
|  4" Smooth                    |              |                                         |                           |                                       |                                             |                            | •                          |                                  |
|  5" Smooth                    |              |                                         |                           |                                       |                                             |                            | •                          |                                  |
|  5" D-Tube (for heavy shades) |              |                                         |                           |                                       |                                             |                            | •                          |                                  |

# ROLLSTAR

Index No. 5.6.17 cont.



At a glance...

## SHADE STYLE

- Rollstar Tubes

## LIFTING SYSTEM

- L-Systems - Continuous Chain Operators, Cordless and Somfy Motors

## HEM STYLE

- N/A

## TOP TREATMENT






- N/A

## LIGHT CONTROL CHANNEL

- N/A

## ASSEMBLY OPTION

- N/A

| TUBE SIZE/DESCRIPTION                                                                                                          | APPLICATION                           |                    |            |                    |            |                    |                            |                                |                              |               |                        |                        |
|--------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|--------------------|------------|--------------------|------------|--------------------|----------------------------|--------------------------------|------------------------------|---------------|------------------------|------------------------|
|                                                                                                                                | LOUVOLITE<br>Continuous Cord Operator |                    |            |                    |            |                    |                            | Cord-<br>less                  | SOMFY<br>Motors              |               |                        |                        |
|                                                                                                                                | L32<br>CCO                            | L32<br>PLUS<br>CCO | L40<br>CCO | L40<br>PLUS<br>CCO | L45<br>CCO | L45<br>PLUS<br>CCO | Large<br>Spring<br>Assist* | Cord-<br>less<br>Cas-<br>sette | R28<br>Bat-<br>tery<br>Motor | ST30<br>Motor | Series<br>400<br>Motor | Series<br>500<br>Motor |
|  1 1/4" with<br>Key Drive                     | •                                     | •                  |            |                    |            |                    |                            |                                |                              |               |                        |                        |
|  1 1/2" with<br>2 Key Drives                  |                                       |                    | •          | •                  |            |                    | •                          | •                              | •                            | •             |                        |                        |
|  1 3/4" with<br>3 Key Drives                  |                                       |                    |            |                    | •          | •                  | •                          |                                |                              | •             |                        |                        |
|  1 3/4" with<br>3 Key Drives<br>(thick wall) |                                       |                    |            |                    | •          | •                  |                            |                                |                              | •             |                        |                        |
|  2 1/8"<br>(thick wall)                     |                                       |                    |            |                    |            |                    |                            |                                |                              |               | •                      |                        |

\* Spring assist may be desirable in situations where you have multiple or large shades.

# ROLLSTAR

Index No. 5.6.18



At a glance...

## SHADE STYLE

- Rollstar Valances

## LIFTING SYSTEM

- N/A

## HEM STYLE

- N/A

## TOP TREATMENT










- Complete Collection (page 1 of 2)

## LIGHT CONTROL CHANNEL

- N/A

## ASSEMBLY OPTION

- N/A

| DESCRIPTION                                                                                                                                        | Dust Cover Included | Bottom Shelf Included | End Cap Included  | Back Cover Included | Reverse Roll Available     | Notes                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-----------------------|-------------------|---------------------|----------------------------|----------------------------------|
|  <p>Small Cassette<br/>3½"H x 2½"D</p>                            | Yes                 | N/A                   | Yes               | N/A                 | Yes                        | Face can be fabric wrapped       |
|  <p>Large Cassette<br/>3½"H x 3¾"D</p>                            | Yes                 | N/A                   | Yes               | N/A                 | Yes                        | Face can be fabric wrapped       |
|  <p>Snap-on Fascia<br/>3"H x 3"D</p>                              | N/A                 | Yes                   | Must be specified | Must be specified   | No                         |                                  |
|  <p>L-System Fascia<br/>3x3 Small (Snap-on)<br/>3¾"H x 3¾"D</p>   | N/A                 | Yes                   | Must be specified | N/A                 | No                         |                                  |
|  <p>Snap-on Fascia<br/>4"H x 4"D</p>                             | Must be specified   | Yes                   | Must be specified | Must be specified   | No                         |                                  |
|  <p>L-System Fascia<br/>4x4 Large (Snap-on)<br/>4¾"H x 4¾"D</p> | N/A                 | Yes                   | Must be specified | N/A                 | No                         |                                  |
|  <p>4040 Covered Fascia<br/>4"H x 4"D</p>                       | Yes                 | Must be specified     | Must be specified | N/A                 | Yes (without Bottom Shelf) | Shadow line on face and bracket  |
|  <p>5" Fascia (Snap-on)<br/>5"H x 5"D</p>                       | N/A                 | Yes                   | Must be specified | N/A                 | Yes (if Fascia is flipped) | Can be used for small duo shades |
|  <p>7" Fascia (Snap-on)<br/>7¾"H x 5½"W</p>                     | N/A                 | Yes                   | Must be specified | N/A                 | No                         | Not available as reverse roll    |

# ROLLSTAR

Index No. 5.6.18 cont.



At a glance...

## SHADE STYLE

- Rollstar Valances

## LIFTING SYSTEM

- N/A

## HEM STYLE

- N/A

## TOP TREATMENT






- Complete Collection (page 2 of 2)

## LIGHT CONTROL CHANNEL

- N/A

## ASSEMBLY OPTION

- N/A

| DESCRIPTION                                                                                                                                | Dust Cover Included | Bottom Shelf Included | End Cap Included  | Back Cover Included | Reverse Roll Available | Notes                               |
|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-----------------------|-------------------|---------------------|------------------------|-------------------------------------|
|  <p>4045 Headbox<br/>4½"H x 4"D</p>                       | Yes                 | Must be specified     | Must be specified | Yes                 | Yes                    | Groove on back for bracket          |
|  <p>5050 Headbox<br/>5"H x 4¾"D</p>                       | Yes                 | Must be specified     | Must be specified | Yes                 | Yes                    |                                     |
|  <p>5555 Headbox<br/>5½"H x 5½"D</p>                     | Yes                 | Yes                   | Must be specified | Yes                 | Yes                    |                                     |
|  <p>7090 Headbox<br/>9"H x 7"D</p>                      | Yes                 | Yes                   | Must be specified | Yes                 | Yes                    | For very large shades or two shades |
|  <p>Hanger<br/>¾"W x 2¼"H<br/>Shelf<br/>5"W x 7⁄8"H</p> | N/A                 | Yes                   | N/A               | N/A                 | N/A                    | For wood boxes                      |



# ROLLSTAR

Index No. 5.6.19.



At a glance...

## SHADE STYLE

- Tube/Valance Matrix

## LIFTING SYSTEM

- N/A

## HEM STYLE

- N/A

## TOP TREATMENT

- For SL Clutches, Automate and Somfy Motor Systems

## LIGHT CONTROL CHANNEL

- N/A

## ASSEMBLY OPTION

- N/A

|                                                                 | 1¼" Tube with Key Drives | 1½" Tube with Key Drives | 1½" Groove Tube | 2" Groove Tube | 2" Tube with Key Drives | 2¼" Tube with Key Drives | 2¾" Tube with Key Drives | 2½" Tube with Key Drives | 3¼" Tube with Key Drives |
|-----------------------------------------------------------------|--------------------------|--------------------------|-----------------|----------------|-------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| DESCRIPTION                                                     |                          |                          |                 |                |                         |                          |                          |                          |                          |
| Small Cassette<br>3⅞"H x 2½"D<br>                               | •                        |                          |                 |                |                         |                          |                          |                          |                          |
| Large Cassette<br>3⅞"H x 3⅞"D<br>                               | •                        | •                        | •               |                |                         |                          |                          |                          |                          |
| Snap-on Fascia<br>3"H x 3"D<br>                                 | •                        | •                        | •               |                |                         |                          |                          |                          |                          |
| Snap-on Fascia<br>4"H x 4"D<br>                                 | •                        | •                        | •               | •              | •                       | •                        | •                        | •                        | •                        |
| 5" Fascia Panel (Snap-on)<br>                                   | •                        | •                        | •               | •              | •                       | •                        | •                        | •                        | •                        |
| 7" Fascia Panel (Snap-on)<br>Not available as reverse rolls<br> | •                        | •                        | •               | •              | •                       | •                        | •                        | •                        | •                        |
| 4040 Covered Fascia<br>4"H x 4"D<br>                            | •                        | •                        | •               | •              | •                       |                          |                          |                          |                          |
| 4045 Headbox<br>4½"H x 4"D<br>                                  | •                        | •                        | •               | •              | •                       |                          |                          |                          |                          |
| 5050 Headbox<br>5"H x 4¾"D<br>                                  | •                        | •                        | •               | •              | •                       | •                        | •                        | •                        | •                        |
| 5555 Headbox<br>5½"H x 5½"D<br>                                 | •                        | •                        | •               | •              | •                       | •                        | •                        | •                        | •                        |
| 7090 Headbox<br>9"H x 7"D<br>                                   | •                        | •                        | •               | •              | •                       | •                        | •                        | •                        | •                        |
| Custom Pocket<br>(Call for details)                             |                          |                          |                 |                |                         |                          |                          |                          |                          |

# ROLLSTAR

Index No. 5.6.19 cont.



At a glance...

## SHADE STYLE

- Tube/Valance Matrix

## LIFTING SYSTEM

- N/A

## HEM STYLE

- N/A

## TOP TREATMENT

- For SL Clutches, Automate and Somfy Motor Systems

## LIGHT CONTROL CHANNEL

- N/A

## ASSEMBLY OPTION

- N/A

|                                     | 4" Smooth | 5" Smooth | 5" D-Tube (for heavy shades) |
|-------------------------------------|-----------|-----------|------------------------------|
| DESCRIPTION                         |           |           |                              |
| 5050 Headbox<br>5"H x 4¾"D<br>      | •         |           |                              |
| 5555 Headbox<br>5½"H x 5½"D<br>     | •         | •         |                              |
| 7090 Headbox<br>9"H x 7"D<br>       | •         | •         | •                            |
| Custom Pocket<br>(Call for details) |           |           |                              |

# ROLLSTAR

Index No. 5.6.19 cont.



At a glance...

## SHADE STYLE

- Tube/Valance Matrix

## LIFTING SYSTEM

- N/A

## HEM STYLE

- N/A

## TOP TREATMENT







- For L-Systems

## LIGHT CONTROL CHANNEL

- N/A

## ASSEMBLY OPTION

- N/A

|                                                                                                                                   | 1¼"<br>Tube<br>with Key<br>Drive                                                  | 1½"<br>Tube<br>with Key<br>Drives                                                 | 1¾"<br>Tube<br>with Key<br>Drives,<br>Smooth                                      | 1¾"<br>Tube<br>with Key<br>Drives,<br>Smooth<br>(thick wall)                      | 2⅛"<br>Tube<br>with Key<br>Drives,<br>Smooth<br>(thick wall)                      |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| DESCRIPTION                                                                                                                       |  |  |  |  |  |
| L-System Fascia<br>3x3 (Snap-on)<br>3¾"H x 3⅝"D  |                                                                                   | •                                                                                 | •                                                                                 |                                                                                   |                                                                                   |
| L-System Fascia<br>4x4 (Snap-on)<br>4⅝"H x 4⅛"D  |                                                                                   | •                                                                                 | •                                                                                 | •                                                                                 |                                                                                   |
| 4040<br>Covered Fascia<br>4"H x 4"D              | •                                                                                 | •                                                                                 | •                                                                                 | •                                                                                 |                                                                                   |
| 4045 Headbox<br>4½"H x 4"D                       | •                                                                                 | •                                                                                 | •                                                                                 | •                                                                                 | *                                                                                 |
| 5050 Headbox<br>5"H x 4¾"D                      | •                                                                                 | •                                                                                 | •                                                                                 | •                                                                                 | *                                                                                 |
| 5555 Headbox<br>5½"H x 5½"D                    | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 |
| 7090 Headbox<br>9"H x 7"D                      | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 | *                                                                                 |
| Custom Pocket<br>(Call for details)                                                                                               |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |

\* Depends on shade height or for special application. Call for assistance.

# ROLLSTAR-EX

Index No. 5.6.9



At a glance...

## SHADE STYLE

- Rollstar-EX

## LIFTING SYSTEMS

- Clutch - Continuous Chain Operator (exterior)
- DC50 Low Voltage, Series 400 & 500 Motors

## HEM STYLES

- Rectangular Hem Bar
- Round Hem Bar, Exposed
- Round Hem Bar, Pocket

## TOP TREATMENT


- Headbox
- Open Roll

## LIGHT CONTROL CHANNEL

- Not shown


## ASSEMBLY OPTION

- Floor-Mount
- Wall-Mount



# ROLLSTAR-EX

Index No. 5.6.10



## At a glance...

### SHADE STYLE

- N/A

### LIFTING SYSTEM

- N/A

### HEM STYLE

- Round Hem Bar, Exposed

### TOP TREATMENT

- N/A


### LIGHT CONTROL CHANNEL

- N/A


### ASSEMBLY OPTION

- Floor Mount
- Wall Mount


### HEM BAR OPTIONS:



Rectangular Hem Bar, EXPOSED WITH BRUSH  
(Hem Bar: 1" deep x 2 1/8" high)



Round Hem Bar, EXPOSED  
(Hem Bar: 1 5/8" diameter)



Round Hem Bar, POCKET  
(Hem Bar: 1 5/8" dia; pocket size: 3/4")

COLORS AVAILABLE: White or Black

# ROLLSTAR-EX

Index No. 5.6.11



At a glance...

## SHADE STYLE

- Tube/Valance Matrix

## LIFTING SYSTEM

- N/A

## HEM STYLE

- N/A

## TOP TREATMENT

- For Rollstar-EX Systems

## LIGHT CONTROL CHANNEL

- N/A

## ASSEMBLY OPTION

- N/A

|                                     | 1¼"<br>Tube<br>with Key<br>Drives | 1½"<br>Tube<br>with Key<br>Drives | 1½"<br>Groove<br>Tube | 2"<br>Groove<br>Tube | 2"<br>Tube<br>with Key<br>Drives | 2¼"<br>Tube<br>with Key<br>Drives | 2⅝"<br>Tube<br>with Key<br>Drives | 2½"<br>Tube<br>with Key<br>Drives | 3¼"<br>Tube<br>with Key<br>Drives |
|-------------------------------------|-----------------------------------|-----------------------------------|-----------------------|----------------------|----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| DESCRIPTION                         |                                   |                                   |                       |                      |                                  |                                   |                                   |                                   |                                   |
| 5050 Headbox<br>5"H x 4¾"D<br>      | •                                 | •                                 | •                     | •                    | •                                | •                                 | •                                 | •                                 | •                                 |
| 5555 Headbox<br>5½"H x 5½"D<br>     | •                                 | •                                 | •                     | •                    | •                                | •                                 | •                                 | •                                 | •                                 |
| 7090 Headbox<br>9"H x 7"D<br>       | •                                 | •                                 | •                     | •                    | •                                | •                                 | •                                 | •                                 | •                                 |
| Custom Pocket<br>(Call for details) |                                   |                                   |                       |                      |                                  |                                   |                                   |                                   |                                   |

Note: Reverse Roll available for floor mounts only.