

Rollstar-EX™

[Exterior Shades for Vertical Applications]

RETAIL PRICE LIST

JULY 2025



Solar Solutions™

When the sun is a problem... **solar solutions** is the answer

Overview3

Fabric Groups & Page References3

How to Price a Rollstar-EX™ Shade4

General Information, Pricing and Motorization 4 through 8

Warranty.....6

Rollstar-EX™ Pricing Charts..... 9 through 11

OVERVIEW

Rollstar-EX™ shades are designed and engineered for outdoor use. A vertical shade employing roll shade technology and held in place with stainless steel cables on either side. Compact when drawn up, requiring little space when the shade is up. The perfect addition to a California room.

Manual or Motorized controls ensure smooth, convenient operation. A wide selection of fabric choices offer color, texture, view and performance. Headboxes protect the shade and the lifting mechanisms, and add a finished look. Steel mounted cables attach to the walls or floor.

Exterior solar shades are even more effective at reducing ultraviolet radiation than indoor shades. They reduce heat and glare, fading of furniture and carpet, and in general greatly reduce all the damage, discomfort, and annoyance caused by the sun.

Fabrics suited for outdoor use in our Rollstar-EX™ systems are listed in chart below.

FABRIC GROUPS & PAGE REFERENCES

PATTERN NAME	Price Group	Page No.	Max. Width	Openness Factor	Fabric Type	Fabric Weight	Exterior Warranty
SPECIAL ORDER	N/A		N/A	N/A	N/A	N/A	N/A
NANO 95	6		126"	5%	Solar Exterior	Heavy	15 years
NATTE 5%	14		122"	5%	Solar Exterior	Medium	10 years
SUNTEX 95 & SUNTEX 95 MATTE	6		126"	5%	Solar Exterior	Heavy	10 years

*NOTE: We have a fabric openness guide card attached to our Solar Solutions Sample Book. Please refer to this card if you'd like to see or compare the openness of any solar fabrics.

GENERAL PRICING INFORMATION

HOW TO PRICE A ROLLSTAR-EX™ SHADE

- Select a fabric. See table of contents for fabrics on previous page. Turn to the price group for the exterior fabric you have chosen.
- Add a Lifting System to your shade. CCOs, DC50 Low Voltage Motors, and Sonesse 400 & 500 Series Motors are available. See pages 7 to 8 for options, instructions and pricing.
- Add a Headbox if desired. See options below.
- Then add the price of a Rollstar-EX assembly. See facing page.
- Hem bar options are available. See facing page.

HEADBOXES

Custom Colors: Call for pricing.

Custom Headboxes: Call for pricing.

PRICING




4045 & 5050 HEADBOXES

5050 Headbox (5"H x 4¾"D): \$65.00 per ft.

- **Options - Closure Shelf:** \$8.00 per ft.
- **Endcaps:** \$59.00 per pr.

Colors: Anodized Clear, Anodized Black and White.



5555 HEADBOX

5555 Headbox (5½"H x 5½"D): \$120.00 per ft.

- **Options - Endcaps:** \$40.00 per pr.
- **Colors:** Anodized Clear and White.

5555 Headbox (5½"H x 5½ "D): \$268.00 per ft.

- **Options - Endcaps:** \$106.00 per pr.
- **Colors:** Anodized Black.



7090 HEADBOX

7090 Headbox (9"H x 7"D): \$224.00 per ft.

- **Options - Endcaps:** \$40.00 per pr.
- **Colors:** Anodized Clear and White.

7090 Headbox (9"H x 7"D): \$368.00 per ft.

- **Options - Endcaps:** \$116.00 per pr.
- **Colors:** Anodized Black.

DETAILS

- Covers shade completely.
 - Top cover prevents dust line.
 - Back and front hide shade from inside and outside.
 - Optional shelf hides shade when up.
 - **Regular roll only.**
 - Reverse roll is not available with Rollstar-EX shades.
-
- Large Headbox.
 - For larger shades that require large tubes
 - Ideal for *Duo shade application*
 - Covers shade completely; top cover prevents dust line.
 - Back and front hide shade from inside and outside.
 - Includes a universal closure shelf that allows for a **regular roll.**
 - Reverse roll is not available with Rollstar-EX shades.
-
- Oversized Headbox.
 - For very large shades that require very large tubes
 - Ideal for *Duo shade application*
 - Top cover prevents dust line.
 - Back and front hide shade from inside and outside.
 - Includes a universal closure shelf that allows for a **regular roll.**
 - Reverse roll is not available with Rollstar-EX shades.

ROLLSTAR-EX ASSEMBLY


UNIVERSAL BRACKET ASSEMBLIES

- **Rectangular Hem Bar:** \$550.00 + \$20.00 per foot of width
- **Round Hem Bar, *Exposed*:** \$670.00 + \$12.00 per foot of width
- **Round Hem Bar, *With Pocket*:** \$670.00 + \$12.00 per foot of width

HEM BARS

Our guide wire spring loaded end cap will adjust automatically for wind, or any other vibrations in the cable.

- The rectangular hem bar is 1" deep x 2½" high.
- The large round hem bar is 1⅝" diameter.



A few things you need to know...

- Headbox with endcaps will be 2¼" wider than the tip to tip dimensions to allow for cable brackets.
- Maximum width is 192"; maximum height is 144".
- You will need a ⅛" stainless steel **cable cutter** to install: \$66.00
- **Outdoor rated plug** recommended for motorized shades: \$84.00
- Weather resistant/Outdoor patio remote controllers recommended. **1-Channel Remote:** \$210.00
5-Channel Remote: \$334.00

MOTORIZATION

We will help you choose from a wide selection of motorization and control options.

120V HARDWIRED QUIET & ULTRA QUIET MOTORS can be plugged into an outlet or hardwired directly into the home/building's electrical system. These motor systems are most widely used because of their versatility. They can be operated by a variety of control options including Remote Controls, Wall Switches, RS 232/485 Network/Home Automation, Smart Phones or Tablet Apps. These are very powerful motors that can lift any size shade. Interior and Exterior applications.

HOME AUTOMATION MOTORIZATION: Our motors (or any motor you specify) can be controlled by any Home Automation System by using an appropriate Interface. For help with Home Automation or any motorization questions, contact our experienced Technical Support Department at 800.828.2500.

All shade motors and controls are completely assembled and pre-programmed at our factory.

ROLLSTAR-EX™

FIVE YEAR WARRANTY

Fabritec guarantees ROLLSTAR-EX™ shades to be free of fabrication and material defects for up to five years, provided the product is properly installed and is owned by the original purchaser at the time of the claim. This warranty is limited to rework or replacement only, and Fabritec retains the right to determine how a fabrication defect will be corrected. Replacements will be made to the original specifications only. Standard production lead times will apply.

This warranty does not cover conditions or damage resulting from the following:

- Misuse or abuse of the product
- Any damage resulting from improper installation
- Weather damage
- Normal wear and tear

This warranty does not cover collateral costs such as installation and shipping. If you should have a problem with a product, contact your Sales Services Representative with a description of the problem and a request for a Return Authorization. No merchandise return will be accepted without a Return Authorization.

FABRITEC Motor Warranty

FIVE YEAR WARRANTY

Fabritec guarantees the performance of all of its motors for a period of five years. This warranty does not apply in cases of abuse, either intentional or unintentional, including failure to wire a motor to factory specifications. Any claim must be made by the original purchaser.

Defective motors must be returned for inspection via a trackable shipping method.

This warranty does not cover collateral costs such as installation and shipping. If you should have a problem with a product, contact your Sales Services Representative with a description of the problem and a request for a Return Authorization. No merchandise return will be accepted without a Return Authorization.

MOTOR PRICING

MOTORIZED LIFTING SYSTEMS

For your convenience and to be certain you have included everything required for a motorized installation in your pricing to your customer, we have bundled the price of the motor along with all of the other parts and pieces that are necessary into an all-inclusive MOTOR ASSEMBLY price for each type of motor.

SOMFY MOTORS

Sonesse 30 (ST30) - Low Voltage Motor

- 24V DC, 2 Nm Motor.
- Minimum shade size is 18½" wide.
- Lifts up to 17 lbs.
- Includes a 7½ ft. pigtail cord.
- Speed RPM 28.
- Sound level ≤ 44 dBA.
- \$850.00 Standard.
- \$850.00 RTS plus the cost of a Remote Controller of your choice.
- \$930.00 Network.
- \$980.00 Zigbee plus the cost of a Remote Controller of your choice.

DC50 Series (Ultra Quiet) – Low Voltage Motor

- 24V DC, 4 Nm Motor.
- Minimum shade size is 36" wide.
- Lifts up to 30 lbs.
- Speed RPM 10 - 25 adjustable.
- Sound level ≤ 38 dBA.
- Available in RTS (Remote) and Network RS485.
- \$1,260.00 each plus the cost of a Transformer option and the Remote Controller of your choice.
- \$1,440.00 each for Network motor, plus the cost of a Transformer option.

Sonesse 400 Series – Heavy Duty Motors

- 120V AC Motors.
- Includes 10 ft. integrated pigtail cord.
- Can be hardwired or plugged in.
- Available as RTS (Remote) motors.
- \$990.00 each for a Remote Control Motor, plus the cost of the Remote Controller of your choice.
- \$1,040.00 each for Zigbee motor.

– Sonesse 404 Motor

- 120V AC, 4 Nm Motor.
- Minimum shade size is 23¾" wide.
- Lifts up to 34 lbs.
- Speed RPM 36.
- Sound level ≤ 45 dBA.

– Sonesse 406 Motor

- 120V AC, 6 Nm Motor.
- Minimum shade size is 24½" wide.
- Lifts up to 52 lbs.
- Speed RPM 24.
- Sound level ≤ 45 dBA.

Sonesse 500 Series – Heavy Duty Motors

- 120V AC Motors.
- Includes 6½ ft. pigtail cord.
- Can be hardwired or plugged in.
- Available as RTS (Remote) and Network motors.
- \$990.00 each for a Remote Control Motor, plus the cost of the Remote Controller of your choice.
- \$1,200.00 each for Network Motor.
- Add \$200.00 for a *Ultra Quiet Motor*.
(RTS min. shade size is 37"; RS485 min. shade size is 38½")

– Sonesse 506 Motor

- 120V AC, 6 Nm Motor.
- Minimum shade size is 30¾" wide.
- Lifts up to 52 lbs.
- Speed RPM 32.
- Sound level ≤ 45 dBA.

– Sonesse 510 Motor

- 120V AC, 10 Nm Motor.
- Minimum shade size is 30¾" wide.
- Lifts up to 87 lbs.
- Speed RPM 32.
- Sound level ≤ 47 dBA.

– Sonesse 506 (Ultra Quiet) Motor

- 120V AC, 6 Nm Motor.
- Minimum shade size is 37" wide.
- Lifts up to 52 lbs.
- Speed RPM 24.
- Sound level ≤ 38 dBA

Note: Most motorized shade assemblies require about 3½" of depth for installation.

SOMFY REMOTE CONTROLLERS

- **Single-Channel Remote Controller (handheld):** \$150.00 each.
- **Single-Channel Remote Controller (wall mount):** \$334.00 each.
Can operate a single shade or a single group of shades.
- **Five-Channel Remote Controller (handheld):** \$186.00 each.
- **Five-Channel Remote Controller (wall mount):** \$350.00 each.
Can operate 5 individual shades, or 5 groups of shades, and can also operate all shades in a group, or all groups.
- Single-Channel and Five-Channel Remote Controllers are available in white or black.
- **Sixteen-Channel Remote Controller (handheld):** \$594.00 each.
Can operate 16 individual shades, or 16 groups of shades, and can also operate all shades in a group, or all groups.
- Sixteen-Channel Remote Controllers are available in white or silver.
- **1-Channel Outdoor Patio Remote Controller:** \$210.00 each.
- **5-Channel Outdoor Patio Remote Controller:** \$334.00 each.

Note: These controllers are radio signal devices, which means they do not have to be aimed at a receiver. They will work as long as they are within range of the motor assembly, i.e. within 65 feet, which covers most houses.

MOTOR PRICING

SOMFY NETWORK CONTROLS

- **SDN Intelligent Switch:** A programmable switch for network motors that allows you to set scenes.
 - **A Six-Scene option:** \$336.00
 - **A Eight-Scene option:** \$360.00
 Programmable switch available in white or black.
- **RTS to SDN Interface:** \$240.00
A device that will allow one to control a network motor with a RTS remote controller or RTS wall mount switch.

SOMFY NETWORK ACCESSORIES

- **Sixteen-Channel Universal RTS Interface:** \$1,100.00 each.
The interface is used to communicate between home automation system and motor/controls. It is capable of individual or group control. Up to 16 channels are available.
Converts IR, RS232, RS485 to RTS to control Somfy RF motors.
- **RTS Repeater:** \$482.00 each.
The Repeater extends the range of all Somfy RTS controllers. Normal signal range is approximately 60 feet. RTS repeater extends range an additional 70 feet.
Simply plugs into any standard 110V AC electrical outlet. Should be placed at least halfway between sending device (remote control/wall switch/RTS interface) and the motor. Features an LED light that confirms the unit is receiving the signal. No programming needed.

SOMFY'S ADDITIONAL MOTORIZATION OPTIONS

- **TaHoma® RTS/Zigbee Interface:** \$636.00 each.
A smart home experience. Allows you to operate your motorized shades with your favorite mobile device/or tablet interface, whether you are at home or not, or integrate with third-party systems. TaHoma works with Google Assistant and Amazon Alexa, allowing for natural voice commands to control shades.
- **TaHoma® Switch:** \$420.00 each.
The TaHoma switch can control up to 60 Zigbee products and 40 channels of RTS motorized products. The app enables integration of third-party Zigbee products and complete access from anywhere. This device can control exterior shades that are within range, but is not designed for exterior placement.
- **TaHoma® Switch Ethernet Adaptor:** \$64.00 each.
- **TaHoma® Switch with Ethernet Adaptor:** \$472.00 each.
The Ethernet Adaptor connects the TaHoma switch directly to the network for users with under-performing WiFi.
- **Smart Plug Zigbee:** \$96.00 each.
The Smart Plug extends the Zigbee radio range for motorized window coverings.

SOMFY'S ADDITIONAL MOTORIZATION OPTIONS (CONTINUED)

- **Ysia 1 Channel Remote Control Zigbee:** \$136.00 each.
- **Ysia 5 Channel Remote Control Zigbee:** \$180.00 each.
Ysia offers a simple, direct control for Zigbee motors. Available in a white finish.

Timers:

- **Chronis RTS:** \$472.00 each.
Allows you to operate your motorized shades at any specific time of the day.
- **Sunis RTS (Sun Sensor):** \$516.00 each.
Allows your motorized shades to automatically rise and lower as the sun moves across the sky.

Plug-in Cords

Plug-in cords eliminate the need for an electrician when using remote control motors.

PLUG-IN CORDS (with molded 90° NEMA plug)				
Length of cord	3 feet	6 feet	12 feet	24 feet
Price	\$70	\$80	\$94	\$148

After Market Plug (attached to pigtail): \$35.00 each.

After Market Outdoor Rated Plug: \$84.00

Transformer/Distribution Panels are used in situations in which you may have more than one Low Voltage Motor (ST30 or DC50). This can be a cost-saving device in many situations.

- **1-Motor Transformer with Plug:** \$116.00
- **5-Motor Panel:** \$1,922.00
- **10-Motor Panel:** \$2,892.00
- **15-Motor Panel:** \$3,746.00
- **20-Motor Panel:** \$4,536.00
- **Power Panel (for SDN):** \$3,400.0

Motor Tester

Used to test a motorized system without the aid of an electrician. Highly recommended for every installer.

- \$230.00 each.

Wire Free Li-ion Plug-in Charger

Comes with a 6-foot cable. Plugs into household outlet to restore the battery energy. A single recharger can be used to charge multiple motors.

- \$46.00 each.

SPECIAL ORDER SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
SPECIAL ORDER	-	-	-	-	-

For Motorization Options, refer to the motor and pricing options on pages 7-8.

		Width in inches															Rollst-EX Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156				
Height in inches	36"	132	144	156	180	198	216	234	262	272	280	304	332	352	384	460	590	618	850	944	974	1012	1168	1190				
	42	136	148	162	190	210	230	250	280	290	298	322	354	376	544	588	704	738	966	1066	1100	1144	1306	1334				
	48	140	154	172	202	224	246	266	298	308	332	350	372	466	552	648	766	804	1036	1134	1170	1218	1380	1412				
	54	144	160	182	214	236	260	284	316	326	350	368	390	474	606	648	766	984	1086	1134	1170	1218	1380	1412				
	60	148	166	192	226	250	274	300	334	344	372	386	408	482	606	648	766	984	1088	1134	1172	1218	1382	1412				
	66	152	174	202	236	262	290	316	352	362	390	404	426	538	620	648	940	986	1088	1134	1172	1218	1382	1412				
	72	156	182	210	248	276	304	332	368	402	414	422	444	546	622	650	940	986	1088	1134	1172	1218	1382	1412				
	78	162	192	220	260	288	318	348	386	420	432	442	464	552	622	650	946	1040	1094	1140	1178	1224	1438	1468				
	84	168	200	230	270	302	332	364	404	438	452	460	480	570	632	662	960	1058	1112	1160	1198	1246	1460	1828				
	90	180	212	244	290	324	356	388	422	456	470	478	552	590	652	856	984	1084	1138	1188	1228	1324	1490	1860				
	96	186	220	254	302	336	370	404	440	474	488	496	570	626	674	878	1058	1108	1164	1214	1304	1354	1522	1890				
	102	192	228	264	314	350	386	422	476	498	506	514	594	652	696	900	1082	1134	1190	1290	1332	1384	1886	1922				
	108	200	236	274	324	362	400	438	494	516	524	532	612	672	716	924	1106	1158	1266	1318	1362	1414	1918	1954				
	114	206	244	284	336	376	414	454	512	534	542	550	630	692	904	946	1130	1232	1292	1346	1390	1442	1948	2000				
	120	212	252	294	348	388	428	470	530	552	560	618	648	712	926	968	1202	1256	1318	1372	1418	1472	1978	3128				
	126	222	264	306	364	406	448	490	552	574	582	640	666	764	946	1040	1226	1282	1344	1400	1446	1956	3034	3238				
132	228	272	314	374	418	462	506	568	592	648	658	684	864	1048	1196	1338	1398	1466	1528	1580	2814	3046	3248					
138	234	280	324	386	432	476	540	586	610	668	676	750	872	1056	1204	1346	1408	1476	1538	1590	2826	3058	3332					
144	240	288	334	398	444	492	556	610	676	686	694	768	998	1164	1262	1408	1472	1544	1608	1676	2902	3136	3334					

GROUP 6 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight	Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
NANO 95	126"	5%	Yes	Yes	Heavy						
SUNTEX 95	126"	5%	Yes	Yes	Heavy						
SUNTEX 95 MATTE	126"	5%	Yes	Yes	Heavy						

For Motorization Options, refer to the motor and pricing options on pages 7-8.

	Width in inches															Rollstar-EX Shades											
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156				
Height in inches	36"	152	168	186	214	238	262	284	318	340	360	378	430	436	458	470	662	704	744	1044	1078	1120	1280	1306			
	42	158	178	196	230	256	282	308	344	368	388	408	460	468	490	590	694	740	780	1082	1118	1162	1324	1352			
	48	166	186	210	246	274	302	330	368	394	418	468	490	498	522	674	780	832	876	1178	1216	1266	1430	1464			
	54	172	194	224	262	294	324	354	394	422	446	500	522	530	602	698	804	858	1156	1206	1246	1296	1462	1496			
	60	178	206	238	280	312	344	376	420	450	474	530	552	564	626	720	828	884	1184	1234	1276	1328	1496	1530			
	66	186	216	252	296	330	364	400	444	476	504	560	588	594	728	744	852	1078	1374	1434	1484	1542	1720	1762			
	72	192	228	266	312	348	386	422	470	504	560	592	618	626	752	768	876	1078	1374	1434	1484	1544	1720	1762			
	78	200	240	280	328	366	406	446	494	532	590	626	648	656	776	792	900	1310	1374	1434	1484	1544	1720	1762			
	84	210	252	292	344	384	426	468	520	558	622	656	680	686	798	816	924	1312	1378	1438	1488	1546	1724	1766			
	90	224	268	312	368	412	456	500	544	586	652	688	710	718	830	846	954	1322	1388	1448	1498	1558	1734	1778			
	96	234	280	326	384	430	476	524	570	612	680	718	740	826	860	878	1224	1332	1398	1458	1510	1570	1746	1790			
	102	242	290	340	400	450	498	546	596	670	710	748	778	864	892	912	1256	1340	1408	1468	1520	1580	1758	1802			
	108	252	302	352	418	468	518	568	620	698	738	780	808	894	924	944	1290	1376	1444	1506	1560	1622	1802	1848			
	114	262	314	366	434	486	540	592	646	724	768	810	840	924	956	976	1322	1412	1482	1546	1600	1664	1846	1956			
	120	270	326	380	450	504	560	614	672	752	796	840	870	956	988	1008	1354	1446	1518	1584	1640	1706	1888	2000			
	126	282	340	396	470	528	584	642	700	784	830	876	900	986	1020	1268	1386	1482	1556	1622	1680	1748	1994	2490			
132	290	350	410	486	546	606	664	726	810	858	906	932	1016	1052	1298	1420	1518	1592	1662	1720	1852	2038	2534				
138	300	362	424	502	564	626	688	750	838	888	936	1038	1048	1082	1332	1452	1552	1630	1700	1762	1894	2082	2652				
144	310	374	438	518	582	646	710	804	866	916	968	1068	1078	1166	1414	1536	1644	1724	1798	1926	2000	2192	2684				

GROUP 14 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
NATTÉ	122"	5%	Yes	Yes	Medium


Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight

For Motorization Options, refer to the motor and pricing options on pages 7-8.

		Width in inches															Rollst-EX Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156				
Height in inches	36"	186	212	238	276	308	340	372	414	444	472	500	542	564	586	596	796	854	900	1192	1258	1308	1474	1508				
	42	198	226	256	300	334	370	406	452	486	516	546	604	612	634	722	846	906	956	1276	1318	1370	1540	1578				
	48	210	242	276	324	362	402	440	490	526	560	614	650	658	682	822	950	1016	1070	1390	1438	1496	1670	1712				
	54	220	256	296	348	390	434	476	528	568	604	662	698	706	780	882	990	1062	1356	1438	1490	1548	1726	1768				
	60	232	272	318	372	418	464	510	566	610	648	722	746	758	820	922	1030	1106	1404	1488	1540	1602	1780	1826				
	66	244	290	338	398	446	496	546	604	652	694	770	798	806	926	964	1070	1438	1750	1826	1892	1968	2162	2222				
	72	256	308	360	422	474	528	580	642	692	758	816	844	852	966	1004	1110	1438	1750	1826	1894	1968	2162	2222				
	78	268	324	380	446	502	558	614	680	734	802	868	892	900	1006	1044	1152	1668	1750	1826	1894	1970	2162	2222				
	84	282	342	402	470	530	590	650	718	776	850	916	940	946	1066	1084	1192	1672	1754	1830	1896	1972	2166	2226				
	90	300	364	428	504	566	630	692	758	816	894	962	986	994	1114	1132	1240	1682	1764	1840	1908	1984	2178	2238				
	96	314	382	448	528	594	662	728	796	858	952	1010	1034	1108	1162	1180	1514	1690	1774	1850	1918	1994	2188	2250				
	102	330	398	468	552	622	692	762	834	924	996	1058	1088	1162	1210	1228	1562	1700	1784	1860	1928	2006	2200	2262				
	108	344	416	490	576	650	724	798	872	964	1040	1104	1134	1208	1258	1278	1612	1754	1840	1920	1990	2070	2266	2330				
	114	358	434	510	602	678	756	832	910	1006	1084	1152	1182	1256	1308	1326	1660	1808	1896	1978	2052	2134	2332	2462				
	120	372	452	532	626	706	786	866	948	1048	1130	1198	1230	1324	1356	1376	1710	1862	1952	2036	2112	2196	2398	2530				
126	388	472	554	654	738	822	906	990	1094	1178	1250	1276	1370	1404	1640	1760	1914	2008	2096	2174	2260	2526	3014					
132	402	488	576	678	766	854	940	1028	1146	1222	1298	1324	1418	1452	1688	1828	1968	2064	2154	2234	2386	2592	3082					
138	416	506	596	702	794	884	976	1066	1188	1266	1344	1434	1466	1500	1736	1878	2022	2120	2212	2296	2450	2658	3222					
144	430	524	618	728	822	916	1010	1128	1230	1310	1392	1482	1512	1600	1836	1980	2130	2234	2330	2482	2578	2792	3280					

Solar Solutions™

When the sun is a problem... **solar solutions** is the answer



Photos courtesy of Louvolite :: Mermet, USA :: Perfect Shade Corp :: Phifer, Inc :: Vertilux

stay inspired online...
www.fabritecdesigns.com

