

Rollstar™

[Roll Shades for Regular, Vertical Windows]

RETAIL PRICE LIST

January 2025



Solar Solutions™

When the sun is a problem... **solar solutions** is the answer

Fabric Groups & Page References	2 & 3
General Information & Options Pricing.....	4 through 47
Fabric Weights & Tube Sizing Charts for Manual/Motorized Shades.....	11 through 43
Fabritec's SAFER SHADES™	22
Warranty.....	48
Rollstar Pricing Charts.....	49 through 68
Helpful Hints.....	70
Reference Charts	71 through 73
Fabric Openness Guide Card	Solar Solutions Sample Book

PATTERN NAME	Price Group	Page No.	Max. Width	Openness Factor	Fabric Type	Fabric Weight	Exterior Warranty	Deck No.
BALMORAL BLACKOUT	14	63	118"	N/A	Blackout	Medium	N/A	17
BALMORAL PRIVACY	11	60	118"	N/A	Decorative	Ultralight	N/A	17
BASIC BLACKOUT	1	50	72"	N/A	Blackout	Medium	N/A	8
BASKETWEAVE PLUS 3%	6	55	118"	3%	Solar	Medium	N/A	5
BASKETWEAVE PLUS 5%	5	54	118"	5%	Solar	Medium	N/A	see deck 5*
C.O.M./SPECIAL ORDER	0	49	N/A	N/A	N/A	N/A	N/A	N/A
DARWIN BLACKOUT	11	60	110"	N/A	Blackout	Medium	N/A	21
ELEMENTAL	9	58	94"	N/A	Decorative	Ultralight	N/A	26
E-SCREEN 0.5%	11	60	122"	0.5%	Solar	Heavy	5 years	see deck 11*
E-SCREEN 1%	12	61	122"	1%	Solar	Medium	5 years	see deck 11*
E-SCREEN 3%	10	59	122"	3%	Solar	Medium	5 years	11
E-SCREEN 5%	9	58	122"	5%	Solar	Light	5 years	see deck 11*
E-SCREEN 10%	9	58	122"	10%	Solar	Light	5 years	see deck 11*
E-SCREEN KOOLBLACK 0.5%	18	67	122"	0.5%	Solar	Heavy	5 years	see deck 11*
E-SCREEN KOOLBLACK 1%	17	66	122"	1%	Solar	Medium	5 years	see deck 11*
E-SCREEN KOOLBLACK 3%	17	66	122"	3%	Solar	Medium	5 years	11
E-SCREEN KOOLBLACK 5%	16	65	122"	5%	Solar	Light	5 years	see deck 11*
E-SCREEN KOOLBLACK 10%	16	65	122"	10%	Solar	Light	5 years	see deck 11*
FLOCKÉ	19	68	94"	N/A	Blackout	Heavy	N/A	16
FUN FIBER	2	51	72"	N/A	Decorative	Ultralight	N/A	26
HAMPTON BLACKOUT	15	64	110"	N/A	Blackout	Medium	N/A	22
HILLCREST	5	54	110"	N/A	Decorative	Ultralight	N/A	25
ICE	8	57	114"	N/A	Decorative	Ultralight	N/A	24
KLEENSCREEN	5	54	118"	N/A	Blackout	X-Heavy	N/A	4
LUCCA	6	55	118"	N/A	Blackout	Medium	N/A	8
MERIDIAN	6	55	118"	N/A	Blackout	Medium	N/A	9
MIA BLACKOUT	16	65	94"	N/A	Blackout	Light	N/A	18
MIA PRIVACY	13	62	94"	N/A	Decorative	Ultralight	N/A	18
MIAMI BLACKOUT	14	63	110"	N/A	Blackout	Medium	N/A	21 & 22

Cover photo: Courtesy of Coulisse.

PATTERN NAME	Price Group	Page No.	Max. Width	Openness Factor	Fabric Type	Fabric Weight	Exterior Warranty	Deck No.
MOMBASSA BLACKOUT	18	67	118"	N/A	Blackout	Medium	N/A	21
MOMBASSA PRIVACY	15	64	118"	N/A	Decorative	Ultralight	N/A	19 & 20
M-SCREEN 3%	10	59	122"	3%	Solar	Medium	5 years	12
NANO 95	6	55	126"	5%	Solar Exterior	Heavy	15 years	contact us for details
NATAL BLACKOUT	13	62	98"	N/A	Blackout	Medium	N/A	21
NATTE 5%	14	63	122"	5%	Solar Exterior	Medium	10 years	contact us for details
NEW PRIVACY	1	50	78"	N/A	Decorative	Ultralight	N/A	26
PALM BEACH BLACKOUT	11	60	118"	N/A	Blackout	Medium	N/A	9
PARIS SHEER	15	64	118"	N/A	Decorative	Ultralight	N/A	19 & 20
SALVADOR SHEER	13	62	94"	N/A	Decorative	Ultralight	N/A	19 & 20
SHEERWEAVE 2360	9	58	126"	10%	Solar	Light	5 years	see deck 1*
SHEERWEAVE 2390	10	59	126"	5%	Solar	Medium	5 years	see deck 1*
SHEERWEAVE 2410	10	59	126"	3%	Solar	Medium	5 years	1
SHEERWEAVE 2500	12	61	126"	1%	Solar	Heavy	5 years	see deck 1*
SHEERWEAVE 4400	10	59	126"	3%	Solar	X-Heavy	5 years	2
SHEERWEAVE 4800	12	61	126"	1%	Solar	X-Heavy	5 years	2
SHEERWEAVE 5000	10	59	98"	Varies (3%-5%)	Solar	Heavy	5 years	23
SHEERWEAVE 7001	15	64	118"	N/A	Blackout	Medium	N/A	3
SHEERWEAVE 7400	11	60	118"	N/A	Blackout	Medium	N/A	14
SHEERWEAVE 7450	6	55	118"	N/A	Decorative	Medium	N/A	14
SHEERWEAVE 7800	11	60	118"	N/A	Blackout	Medium	N/A	13
SHEERWEAVE 7850	11	60	118"	N/A	Decorative	Ultralight	N/A	13
SNOW	14	63	114"	N/A	Blackout	Medium	N/A	24
SOLIDITY	8	57	110"	N/A	Blackout	Light	N/A	25
SPRING	8	57	114"	N/A	Decorative	Ultralight	N/A	24
S-SCREEN 4%	12	61	122"	4%	Solar	X-Heavy	5 years	10
SUNTEX 95 & 95 MATTE	6	55	126"	5%	Solar Exterior	Heavy	10 years	contact us for details
TRELLIS	7	56	82"	N/A	Decorative	Ultralight	N/A	26
TULIP	7	56	82"	N/A	Decorative	Ultralight	N/A	26
TWILL 1%	6	55	118"	1%	Solar	Medium	N/A	6
TWILL 3%	5	54	118"	3%	Solar	Medium	N/A	see deck 6*
VIZELA	16	65	94"	N/A	Decorative	Light	N/A	16
VX SCREEN 3101 1%	4	53	118"	1%	Solar	Medium	N/A	see deck 7*
VX SCREEN 3103 3%	3	52	118"	3%	Solar	Medium	N/A	7
VX SCREEN 3105 5%	3	52	118"	5%	Solar	Medium	N/A	see deck 7*
WANING	15	64	114"	N/A	Blackout	Medium	N/A	24
WAXING	11	60	114"	N/A	Decorative	Ultralight	N/A	24
WINCHESTER SHEER	15	64	118"	N/A	Decorative	Ultralight	N/A	19 & 20
WINTER	14	63	114"	N/A	Blackout	Medium	N/A	24
ZORA TWILIGHT	8	57	126"	N/A	Blackout	Medium	N/A	15

*NOTE: We have a fabric openness guide card attached to our Solar Solutions Sample Book. Please refer to this card if you'd like to see or compare the openness of any solar fabrics.

GENERAL PRICING INFORMATION

The **ROLLSTAR price charts** in this price list are for **manually operated ROLLSTAR shades**. Prices include an **SL-System (Skyline) Clutch**. However, other lifting systems can be specified at no additional charge, including the Classic Spring Roller System. Standard colors are black and white.


For **MOTORIZED SHADES**, see our easy-to-use Motor Pricing on pages 44 through 49 .

For pictures, illustrations, and detailed information on fabrics, lifting systems, top treatments (i.e. headboxes, fascias and valances), bottom rail choices and light control, see our **SAMPLE BOOK**.

CASSETTES AND FASCIAS

Custom Colors: Call for pricing.

PRICING



SQUARE CASSETTE

Square Cassette: \$39.00 per foot.

- **Cassette:** 3½"H x 3½"D

Wrapped Sq Cassette: \$53.00 per foot.

- **Cassette:** 3½"H x 3½"D

(Not available on certain materials. See page 73 for fabric list.)

Cassette Colors: White, Anodized Clear and Black

End Cap Colors: White, Grey, Black, Espresso and Tan.



SL-SYSTEM SNAP-ON FASCIA


3x3 SL-System Fascia (3"H x 3"D): \$21.00 per ft.

- **Mounting Brackets (Required):** \$20.00 per pr.
- **Options - Endcaps:** \$4.00 per pr.

4x4 SL-System Fascia (4"H x 4"D): \$25.00 per ft.

- **Mounting Brackets (Required):** \$24.00 per pr.
- **Options - Endcaps:** \$4.00 per pr.

Colors: Anodized Clear, Black, White and Bronze



4040 COVERED FASCIA

4040 Fascia (4"H x 4"D): \$37.00 per ft.

- **Options - Closure Shelf:** \$9.00 per ft.
- **Endcaps:** \$40.00 per pr.

Colors: Anodized Clear, Anodized Black and White

DETAILS

- Shipped pre-installed in CASSETTE.
 - Easy installation, snaps into brackets.
 - Fabric-wrapped option.
 - Flush-fit color coded end caps.
 - Fabric brush to reduce light gaps.
 - Lifting Systems.
 - Continuous Chain, Battery and DC motor.
 - **Regular roll or reverse roll.**
-
- 3x3 SL-System Fascias can accommodate our SL10, SL15 and SL20 clutches.
 - 4x4 SL-System Fascias can accommodate all our SL clutches and G400 clutches.
 - Simple, no frills.
 - Built-in shelf to hide shade.
 - Simple snap-on installation.
 - **Regular roll only.**
-
- Designer look.
 - Shadow line reveal across face.
 - Matching shadow line across end caps.
 - Optional shelf to hide shade when up.
 - Covered top prevents dust line.
 - Built-in bracket channel for easy shade install.
 - **Regular roll or reverse roll.**


NOTE: Cassettes and Fascias on this page can accommodate some motors. Please refer to Fascia and Headbox Sizing Charts for Motorized Shades on pages 24 to 43 for more detailed information.

GENERAL PRICING INFORMATION

CASSETTES AND FASCIAS (continued)

Custom Colors: Call for pricing.


PRICING



5" SNAP-ON FASCIA

- 5" Fascia** (5"H x 5"D): \$31.00 per ft.
- **Mounting Brackets (Required):** \$98.00 per pr.
 - **Options - Endcaps:** \$16.00 per pr.

Colors: Anodized Clear, White and Bronze



7" SNAP-ON FASCIA

- 7" Fascia** (7¾"H x 5½"D): \$57.00 per ft.
- **Mounting Brackets (Required):** \$318.00 per pr.
 - **Intermediate Bracket:** \$600.00 each
 - **Options - Endcaps:** \$16.00 per pr.

Colors: Anodized Clear, Black, White and Bronze

DETAILS

- Designed for SL-System clutches, Automate and Somfy motors.
- *Duo shade application* available.
- **Regular roll only.**

- Designed for Somfy 400 and 500 Series motors.
- Specifically for use on *Duo shade systems*.
- **Regular roll only.**

NOTE: Fascias on this page can accommodate some motors. Please refer to Fascia and Headbox Sizing Charts for Motorized Shades on pages 24 to 43 for more detailed information.

GENERAL PRICING INFORMATION

HEADBOXES

Custom Colors: Call for pricing.

Custom Headboxes: Call for pricing.

PRICING



4045 & 5050 HEADBOXES


4045 Headbox (4½"H x 4"D): \$49.00 per ft.

- **Options - Closure Shelf:** \$8.00 per ft.
- **Endcaps:** \$54.00 per pr.

5050 Headbox (5"H x 4¾"D): \$65.00 per ft.

- **Options - Closure Shelf:** \$8.00 per ft.
- **Endcaps:** \$59.00 per pr.

Colors: Anodized Clear, Anodized Black and White.



5555 HEADBOX

5555 Headbox (5½"H x 5½"D): \$120.00 per ft.

- **Options - Endcaps:** \$40.00 per pr.
- **Colors:** Anodized Clear and White.

5555 Headbox (5½"H x 5½"D): \$268.00 per ft.

- **Options - Endcaps:** \$106.00 per pr.
- **Colors:** Anodized Black.



7090 HEADBOX

7090 Headbox (9"H x 7"D): \$224.00 per ft.

- **Options - Endcaps:** \$40.00 per pr.
- **Colors:** Anodized Clear and White.

7090 Headbox (9"H x 7"D): \$368.00 per ft.

- **Options - Endcaps:** \$116.00 per pr.
- **Colors:** Anodized Black.

DETAILS

- Covers shade completely.
 - Top prevents dust line.
 - Back and front hide shade from inside and outside.
 - Optional shelf hides shade when up.
 - **Regular roll or reverse roll.**
-
- Large Headbox.
 - For larger shades that require large tubes
 - Ideal for *Duo shade application*
 - Covers shade completely.
 - Top prevents dust line.
 - Back and front hide shade from inside and outside.
 - Includes a universal closure shelf that allows for a **regular roll or reverse roll.**
-
- Oversized Headbox.
 - For very large shades that require very large tubes
 - Ideal for *Duo shade application*
 - Top cover prevents dust line.
 - Back and front hide shade from inside and outside.
 - Includes a universal closure shelf that allows for a **regular roll or reverse roll.**

NOTE: Headboxes on this page can accommodate some motors. Please refer to Fascia and Headbox Sizing Charts for Motorized Shades on pages 24 to 43 for more detailed information.

GENERAL PRICING INFORMATION

Additional Options that are commonly used with Headboxes

CUSTOM BRACKETS & POCKETS AVAILABLE

Call for specifics.

HANGER & CLOSURE SHELF SETS

Hanger & Closure Shelf Set (for hiding shades in ceiling pockets):

- **2½" Closure Shelf Set:** \$8.00 per linear ft.
- **5" Closure Shelf Set:** \$14.00 per linear ft.

(Note: Closure Shelf Sets are mill finished. Custom colors available. Call for quote.)

LIGHT CONTROL CHANNELS

2½" Side and Sill Channel (for blackout systems)

- \$15.00 per ft.

Side and Sill Channel Brushes (for better light control)

- No charge.

DUO SHADES IN HEADBOXES


Excellent solution when sun control and privacy are required in the same window. Manual and motorized control options are available for Duo Shades.

Duo Shades will fit in a variety of headboxes including 5050, 5555 and 7090 headboxes. However, due to the variation in shade sizes, material thickness and lifting mechanisms, the headbox size will vary.

Please call our Sales Services Department at 800.828.2500 for more details.

DUO SHADE BRACKETS

PRICING



DOUBLE VERTICAL SLIM BRACKETS

Double Vertical Slim Brackets: \$19.00 per pr.


Double Vertical Slim Link Bracket System (for coupled applications): \$84.00 per set.

Bracket Covers: \$10.00 per pr.

Colors: Black and White.

DETAILS

- Designed for the SL-System clutches, Automate and Somfy motors (with the exception of the Somfy 500 Series motors).
- Slim, compacted profile.
- Ideal for 4" cased window openings.
- Specifically for *Duo shades application*.
- Double vertical slim link brackets available with easy link drives for coupled Duo shades.



UNIVERSAL BRACKETS

Universal Slim Brackets: \$19.00 per pr.

Bracket Covers: \$10.00 per pr.

Colors: Black and White.

- Designed for the SL-System clutches, Automate and Somfy motors (with the exception of the Somfy 500 Series motors).
- Slim, compacted profile.
- Ideal for wall installations.
- Specifically for *Duo shades application*.


FLAT VALANCES AND CORNICES

PRICING



FLAT VALANCE

Flat Valance: See pricing charts on pages 51 through 71.



COVERED CORNICE

Covered Cornice: See pricing charts on pages 51 through 71.

DETAILS

- Made from the same fabric as the shade.
- They conceal the shade and create a more tailored look.


- Made from wood.
- Cornices are covered with the shade fabric.

ADDITIONAL SHADE OPTIONS

BOTTOM UP ROLLSTARS

(Shade roll at the bottom of opening; closes from the bottom up; maximum size 96" x 96")

- **Continuous Chain Assembly:** Add \$166.00.
- **Motor Assembly:** Add \$166.00 plus price of Motor.



Bottom Up Rollstar

TUBE CONNECTORS

Unicoupler - For shades that are at an angle to each other, e.g. in a bay window. Limited to 3 shades connected by two Unicouplers, operated by a single lifting mechanism.

\$150.00 per coupler.

Double Collapsible Coupler & Bracket - For 3 shades connected by 2 couplers (Note: $\frac{7}{8}$ " gap between shades).

\$384.00 per coupler.

Collapsible Coupler & Bracket - For 2 shades connected by 1 coupler (Note: $\frac{7}{8}$ " gap between shades).

\$192.00 per coupler.

Link Bracket System - For coupling multiple shade bands with one control (Note: $\frac{3}{4}$ " gap between shades).


\$62.00 each.

Dual Link Bracket System - For coupling shade bands with independent controls (Note: 1" gap between shades).


No charge.

HEM BARS

- **Pocketed Flat Hem Bar (Open End):** Standard for Rollstar shades. No charge.
- **Exposed Flat Hem Bar:** Available upon request. No charge.
- **Hem Bar Colors:** White, Anodized Clear and Black.



Pocketed Flat Hem Bar, (Open End) - Standard



Exposed Flat Hem Bar, (Available upon request)



End Caps

NON-STANDARD SHADE APPLICATIONS

Shade Band

- For replacement shades only.
- The customer will be adding their own motor and tube (or clutch assembly).
- We do not supply the tube, motor, crown, drive, clutch, idler or brackets.
- Add 16" for the wrap.
- Contact us for pricing.

Motor-Ready Shade (aka Open Tube Shade)

- We supply the fabric, hem and tube.
- The customer will be adding their own motor.
- We do not supply the crown, drive or brackets.
- Tube specifications needed up front.
- Contact us for pricing.

Customer's Own Material (aka Retrofit Shade)

- We make the Rollstar shade.
- The customer sends us their motor, drive, crown and brackets.
- Tube specifications needed up front.
- Contact us for pricing.

Shade Panel (aka Dead Panel or Banner Shade)

- A stationary shade with a bottom hem, usually mounted to a board.
- It is not intended for any lifting system.
- Any fabric can be used.
- Contact us for pricing.

BRACKETS

Bracket Covers for CCOs: No charge.

Will be provided on all outside mount installations.

Bracket covers must be requested for inside mount applications.

Decorative Metal Brackets

- Add a high-end finished look to the shade.
- Available in black, white and pewter.
- Two projection sizes - $3\frac{3}{8}$ "L x $2\frac{1}{4}$ "W
- 3"L x $2\frac{1}{4}$ "W
- Cannot be used with a $3\frac{1}{2}$ " tube or greater.
- \$44.00 per pair.



Pewter

Black

White

Decorative Metal Brackets


ADDITIONAL SHADE OPTIONS

RAILROADED FABRICS

A railroaded fabric is a fabric that has been turned sideways, using the fabric width for the height of the shade, as illustrated below. Most fabrics can be railroaded, but not all.

Refer to the back of the sample swatch cards or the pricing charts on pages 61 to 80 to see if your fabric can be railroaded.

If a fabric is railroaded, the height of your shade will be limited to the width of the fabric less what is required to wrap around the roller tube (8" to 14" depending on tube size).



SEAMED FABRICS

Some fabrics, when railroaded, can be seamed horizontally to increase the height of your shade. However, the seam may be visible.

We will always place a seam in the least noticeable location. Some fabrics cannot be seamed.

Refer to the back of the sample swatch card to see if your fabric can be seamed.







Photo courtesy of Mermet, USA.

GROUP 1 FABRIC WEIGHTS FOR SL-SYSTEM | ULTRALIGHT

Clutch Tubes and Fabric Weight Matrix Chart (for fabric weights ≤ 8.0 oz/sq yd)



Note: The various clutch/tube combinations are shown at the ideal shade size limit. For example, an SL15 clutch in combination with a 1½" tube is shown in the dark brown colored area above. This combination can be used for smaller shade sizes that fall in the medium and light brown colors to the left of the chart. However, there will be a surcharge (see pricing on the facing page). This clutch/tube combination should not be used for larger shade sizes.

FASCIA SIZING CHART FOR MANUAL SHADES

Use this chart to determine which fascia will work with the manual shade you have chosen.

CCO SIZE	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA
							
SL10	1¼"	Yes	Yes	Yes	Yes	Yes	Yes
SL10	1½"	Yes	Yes	Yes	Yes	Yes	Yes
SL15	1½"	Yes	Yes	Yes	Yes	Yes	Yes
SL20	2"	Yes	Yes	Yes	Yes	Yes	Yes
SL30	2"	No	No	Yes	Yes	Yes	Yes
SL30	2½"	No	No	Yes	Yes	No	Yes
G400	2½"	N/A	N/A	N/A	N/A	N/A	N/A
G400	3¼"	N/A	N/A	N/A	N/A	N/A	N/A

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MANUAL SHADE TUBE-SIZING CHART FOR SL-SYSTEM

Continuous Chain Operated (CCO) Shades

	TUBE SIZES/DESCRIPTION				
	1¼" with Key Drives	1½" with Key Drives	2" with Key Drives	2½" with Key Drives	3¼" with Key Drives
APPLICATION/ SL-System CCO's					
SL10 CCO					
SL15 CCO					
SL20 CCO					
SL30 CCO					
G400				N/A	N/A
SPRING ASSIST			•	•	•

HEADBOX SIZING CHART FOR MANUAL SHADES

Use this chart to determine which headbox will work with the manual shade you have chosen.


CCO SIZE	TUBE SIZE	4045 HEADBOX	5050 HEADBOX**	5555 HEADBOX**	7090 HEADBOX**	UPGRADE SURCHARGES CONTINUOUS CHAIN OPERATOR	
						Lifting System/Tube Size	\$
						G400 with 3¼" tube	300.00
SL10	1¼"	Yes	Yes	Yes	Yes	SL30/G400 with 2½" tube	150.00
SL10	1½"	Yes	Yes	Yes	Yes	SL30 with 2" tube	90.00
SL15	1½"	Yes	Yes	Yes	Yes	SL20 with 2" tube	66.00
SL20	2"	Yes	Yes	Yes	Yes	SL15 with 1½" tube	18.00
SL30	2"	Yes	Yes	Yes	Yes	SL10 with 1½" tube	18.00
SL30	2½"	Yes	Yes	Yes	Yes		
G400	2½"	N/A	N/A	N/A	N/A		
G400	3¼"	N/A	N/A	N/A	N/A		

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

GROUP 2 FABRIC WEIGHTS FOR SL-SYSTEM | LIGHT

Clutch Tubes and Fabric Weight Matrix Chart (for fabric weights 8.1 oz to 11.0 oz/sq yd)



Note: The various clutch/tube combinations are shown at the ideal shade size limit. For example, an SL15 clutch in combination with a 1½" tube is shown in the dark brown colored area above. This combination can be used for smaller shade sizes that fall in the medium and light brown colors to the left of the chart. However, there will be a surcharge (see pricing on the facing page). This clutch/tube combination should not be used for larger shade sizes. Spring Assist may be desirable in situations where you have heavier, larger shades. See dotted outline area above. The Spring Assist reduces the pull force required to lift heavier shades.

FASCIA SIZING CHART FOR MANUAL SHADES

Use this chart to determine which fascia will work with the manual shade you have chosen.

CCO SIZE	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA
							
SL10	1¼"	Yes	Yes	Yes	Yes	Yes	Yes
SL10	1½"	Yes	Yes	Yes	Yes	Yes	Yes
SL15	1½"	Yes	Yes	Yes	Yes	Yes	Yes
SL20	2"	Yes	Yes	Yes	Yes	Yes	Yes
SL30	2"	No	No	Yes	Yes	Yes	Yes
SL30	2½"	No	No	Yes	Yes	No	Yes
G400	2½"	N/A	N/A	N/A	N/A	N/A	N/A
G400	3¼"	N/A	N/A	N/A	N/A	N/A	N/A

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MANUAL SHADE TUBE-SIZING CHART FOR SL-SYSTEM

Continuous Chain Operated (CCO) Shades

	TUBE SIZES/DESCRIPTION				
	1¼" with Key Drives	1½" with Key Drives	2" with Key Drives	2½" with Key Drives	3¼" with Key Drives
APPLICATION/ SL-System CCO's					
SL10 CCO					
SL15 CCO					
SL20 CCO					
SL30 CCO					
G400				N/A	N/A
SPRING ASSIST			•	•	•

HEADBOX SIZING CHART FOR MANUAL SHADES

Use this chart to determine which headbox will work with the manual shade you have chosen.


CCO SIZE	TUBE SIZE	4045 HEADBOX	5050 HEADBOX**	5555 HEADBOX**	7090 HEADBOX**	UPGRADE SURCHARGES CONTINUOUS CHAIN OPERATOR	
						Lifting System/Tube Size	\$
SL10	1¼"	Yes	Yes	Yes	Yes	G400 with 3¼" tube	300.00
SL10	1½"	Yes	Yes	Yes	Yes	SL30/G400 with 2½" tube	150.00
SL15	1½"	Yes	Yes	Yes	Yes	SL30 with 2" tube	90.00
SL20	2"	Yes	Yes	Yes	Yes	SL20 with 2" tube	66.00
SL30	2"	Yes	Yes	Yes	Yes	SL15 with 1½" tube	18.00
SL30	2½"	Yes	Yes	Yes	Yes	SL10 with 1½" tube	18.00
G400	2½"	N/A	N/A	N/A	N/A	Spring Assist	230.00
G400	3¼"	N/A	N/A	N/A	N/A		

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

GROUP 3 FABRIC WEIGHTS FOR SL-SYSTEM | MEDIUM

Clutch Tubes and Fabric Weight Matrix Chart (for fabric weights 11.1 oz to 14.5 oz/sq yd)



Note: The various clutch/tube combinations are shown at the ideal shade size limit. For example, an SL15 clutch in combination with a 1½" tube is shown in the dark brown colored area above. This combination can be used for smaller shade sizes that fall in the medium and light brown colors to the left of the chart. However, there will be a surcharge (see pricing on the facing page). This clutch/tube combination should not be used for larger shade sizes. Spring Assist may be desirable in situations where you have heavier, larger shades. See dotted outline area above. The Spring Assist reduces the pull force required to lift heavier shades.

FASCIA SIZING CHART FOR MANUAL SHADES

Use this chart to determine which fascia will work with the manual shade you have chosen.

CCO SIZE	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA
							
SL10	1¼"	Yes	Yes	Yes	Yes	Yes	Yes
SL10	1½"	Yes	Yes	Yes	Yes	Yes	Yes
SL15	1½"	Yes	Yes	Yes	Yes	Yes	Yes
SL20	2"	Yes	Yes	Yes	Yes	Yes	Yes
SL30	2"	No	No	Yes	Yes	Yes	Yes
SL30	2½"	No	No	Yes	Yes	No	Yes
G400	2½"	N/A	No	Yes	Yes	No	Yes
G400	3¼"	N/A	No	No	Yes	No	No

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MANUAL SHADE TUBE-SIZING CHART FOR SL-SYSTEM

Continuous Chain Operated (CCO) Shades

	TUBE SIZES/DESCRIPTION				
	1¼" with Key Drives	1½" with Key Drives	2" with Key Drives	2½" with Key Drives	3¼" with Key Drives
APPLICATION/ SL-System CCO's					
SL10 CCO					
SL15 CCO					
SL20 CCO					
SL30 CCO					
G400					
SPRING ASSIST			•	•	•

HEADBOX SIZING CHART FOR MANUAL SHADES

Use this chart to determine which headbox will work with the manual shade you have chosen.


CCO SIZE	TUBE SIZE	4045 HEADBOX	5050 HEADBOX**	5555 HEADBOX**	7090 HEADBOX**	UPGRADE SURCHARGES CONTINUOUS CHAIN OPERATOR	
						Lifting System/Tube Size	\$
SL10	1¼"	Yes	Yes	Yes	Yes	G400 with 3¼" tube	300.00
SL10	1½"	Yes	Yes	Yes	Yes	SL30/G400 with 2½" tube	150.00
SL15	1½"	Yes	Yes	Yes	Yes	SL30 with 2" tube	90.00
SL20	2"	Yes	Yes	Yes	Yes	SL20 with 2" tube	66.00
SL30	2"	Yes	Yes	Yes	Yes	SL15 with 1½" tube	18.00
SL30	2½"	Yes	Yes	Yes	Yes	SL10 with 1½" tube	18.00
G400	2½"	Yes	Yes	Yes	Yes	Spring Assist	230.00
G400	3¼"	No	Yes	Yes	Yes		

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

GROUP 4 FABRIC WEIGHTS FOR SL-SYSTEM | HEAVY

Clutch Tubes and Fabric Weight Matrix Chart (for fabric weights 14.6 oz to 17.5 oz/sq yd)



Note: The various clutch/tube combinations are **shown at the ideal shade size limit**. For example, an SL15 clutch in combination with a 1½" tube is shown in the dark brown colored area above. This combination can be used for smaller shade sizes that fall in the medium and light brown colors to the left of the chart. *However, there will be a surcharge (see pricing on the facing page).* **This clutch/tube combination should not be used for larger shade sizes.** Spring Assist may be desirable in situations where you have heavier, larger shades. See dotted outline area above. The Spring Assist reduces the pull force required to lift heavier shades.

FASCIA SIZING CHART FOR MANUAL SHADES

Use this chart to determine which fascia will work with the manual shade you have chosen.

CCO SIZE	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA
							
SL10	1¼"	Yes	Yes	Yes	Yes	Yes	Yes
SL10	1½"	Yes	Yes	Yes	Yes	Yes	Yes
SL15	1½"	Yes	Yes	Yes	Yes	Yes	Yes
SL20	2"	Yes	Yes	Yes	Yes	Yes	Yes
SL30	2"	No	No	Yes	Yes	Yes	Yes
SL30	2½"	No	No	Yes	Yes	No	Yes
G400	2½"	N/A	No	Yes	Yes	No	Yes
G400	3¼"	N/A	No	No	Yes	No	No

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MANUAL SHADE TUBE-SIZING CHART FOR SL-SYSTEM

Continuous Chain Operated (CCO) Shades

	TUBE SIZES/DESCRIPTION				
	1¼" with Key Drives	1½" with Key Drives	2" with Key Drives	2½" with Key Drives	3¼" with Key Drives
APPLICATION/ SL-System CCO's					
SL10 CCO					
SL15 CCO					
SL20 CCO					
SL30 CCO					
G400					
SPRING ASSIST			•	•	•

HEADBOX SIZING CHART FOR MANUAL SHADES

Use this chart to determine which headbox will work with the manual shade you have chosen.


CCO SIZE	TUBE SIZE	4045 HEADBOX	5050 HEADBOX**	5555 HEADBOX**	7090 HEADBOX**	UPGRADE SURCHARGES CONTINUOUS CHAIN OPERATOR	
						Lifting System/Tube Size	\$
SL10	1¼"	Yes	Yes	Yes	Yes	G400 with 3¼" tube	300.00
SL10	1½"	Yes	Yes	Yes	Yes	SL30/G400 with 2½" tube	150.00
SL15	1½"	Yes	Yes	Yes	Yes	SL30 with 2" tube	90.00
SL20	2"	Yes	Yes	Yes	Yes	SL20 with 2" tube	66.00
SL30	2"	N/A	N/A	N/A	N/A	SL15 with 1½" tube	18.00
SL30	2½"	Yes	Yes	Yes	Yes	SL10 with 1½" tube	18.00
G400	2½"	Yes	Yes	Yes	Yes	Spring Assist	230.00
G400	3¼"	No	Yes	Yes	Yes		

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

GROUP 5 FABRIC WEIGHTS FOR SL-SYSTEM | X-HEAVY

Clutch Tubes and Fabric Weight Matrix Chart (for fabric weights ≥ 17.6 oz/sq yd)



FASCIA SIZING CHART FOR MANUAL SHADES

Use this chart to determine which fascia will work with the manual shade you have chosen.

CCO SIZE	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA
							
SL10	1¼"	Yes	Yes	Yes	Yes	Yes	Yes
SL10	1½"	Yes	Yes	Yes	Yes	Yes	Yes
SL15	1½"	Yes	Yes	Yes	Yes	Yes	Yes
SL20	2"	Yes	Yes	Yes	Yes	Yes	Yes
SL30	2"	No	No	Yes	Yes	Yes	Yes
SL30	2½"	No	No	Yes	Yes	No	Yes
G400	2½"	N/A	No	Yes	Yes	No	Yes
G400	3¼"	N/A	No	No	Yes	No	No

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MANUAL SHADE TUBE-SIZING CHART FOR SL-SYSTEM

Continuous Chain Operated (CCO) Shades

	TUBE SIZES/DESCRIPTION				
	1¼" with Key Drives	1½" with Key Drives	2" with Key Drives	2½" with Key Drives	3¼" with Key Drives
APPLICATION/ SL-System CCO's					
SL10 CCO					
SL15 CCO					
SL20 CCO					
SL30 CCO					
G400					
SPRING ASSIST			•	•	•

HEADBOX SIZING CHART FOR MANUAL SHADES

Use this chart to determine which headbox will work with the manual shade you have chosen.

CCO SIZE	TUBE SIZE	4045 HEADBOX	5050 HEADBOX**	5555 HEADBOX**	7090 HEADBOX**	UPGRADE SURCHARGES CONTINUOUS CHAIN OPERATOR	
						Lifting System/Tube Size	\$
SL10	1¼"	Yes	Yes	Yes	Yes	G400 with 3¼" tube	300.00
SL10	1½"	Yes	Yes	Yes	Yes	SL30/G400 with 2½" tube	150.00
SL15	1½"	Yes	Yes	Yes	Yes	SL30 with 2" tube	90.00
SL20	2"	Yes	Yes	Yes	Yes	SL20 with 2" tube	66.00
SL30	2"	Yes	Yes	Yes	Yes	SL15 with 1½" tube	18.00
SL30	2½"	Yes	Yes	Yes	Yes	SL10 with 1½" tube	18.00
G400	2½"	Yes	Yes	Yes	Yes	Spring Assist	230.00
G400	3¼"	No	Yes	Yes	Yes		

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

CHILD SAFETY AND SAFER SHADES™

Because we care about the well-being of children, we are committed to offering window covering products that make our shades safer. For that reason, we have designed Safer Shades with features that meet or exceed the Window Covering Manufacturer Association's (WCMA/ANSI) recommendation. **When selling shades in a home with small children, alert your customer to the availability of Rollstar™ Safer Shades from Fabritec.**

SAFER SHADE FEATURES

- Roller shades have emerged as one of the safest options for window treatments, particularly in homes with children or pets. They offer a safer and more versatile alternative to traditional window coverings. The most significant safety advantage of roller shades is their cordless operation.
- We have developed a variety of Safer Shade lifting options. Below, we have detailed features of each of these lifting systems to help in deciding the best option for a specific situation.

MANUALLY OPERATED SAFER SHADES

Cordless Lifting System:

This Safer Shade does not require a pull cord to lift the shade. Shade raises gently with a slight pull on the bottom rail. Shade lowers manually by pulling on the bottom rail.

The advantage of this shade is that there is never any dangling cord to worry about. The maximum size of the shade you can lift with this system is approximately 84" wide x 84" high.

Continuous Chain Operator (CCO) Lifting System:

The Continuous Chain Operator (CCO) Lifting System is available as a Safer Shade. The advantage of this system is that there are never any dangling cords. In addition, all our CCO's come with a special, easy-to-install chain guard to prevent children from harming themselves with the chain loop.

Dangling cords are a serious danger to small, unsuspecting children, and for their safety, all cords are installed with a mandatory chain guard which comes with our shades.

MOTORIZED SAFER ROLLSTAR SHADES

Motorized Rollstar Shades:

Our motorized Rollstar shades are the ultimate in safety and convenience! With no dangling cords or chain loops, this lifting system insures that children will not get tangled up! To raise or lower a shade requires only the push of a button.

Motorized operating systems are available in a variety of configurations and price points to address a broad range of applications including Home Automation Systems.

WHO IS RESPONSIBLE FOR SAFETY?

Remind your customers that regardless of the lengths the window covering industry has gone to in making shades safer for small children to be around, the primary responsibility for protecting children from danger lies with the parent. That responsibility includes making certain that **any corded window covering product that does not meet safety standards, and even those that do, be kept out of reach of children.**

MOTORIZATION

NO NEED TO WORRY!

We will help you choose from a wide selection of motorization and control options.

BATTERY POWERED MOTORS are easy to install and easy to operate. No electrician required. Battery motors are low voltage. These motors can be controlled by Remote Controllers, Wall Switches, Smart Phones or Tablet Apps. Selected motors are home automation compatible. Battery motors have a wide range of lifting capacities. Interior applications only.


24V DC QUIET MOTORS are low voltage motors that come with a transformer and are plugged into an outlet or hardwired directly into a low voltage panel. These motors are available with a variety of control options including Remote Controls, Wall Switches, RS485 Network/Home Automation, Smart Phones or Tablet Apps. They have have a lifting capacity of 17 to 35 lbs and are capable of operating medium to very large shades. Interior applications only.

120V HARDWIRED QUIET & ULTRA QUIET MOTORS can be plugged into an outlet or hardwired directly into the home/building's electrical system. These motor systems are most widely used because of their versatility. They can be operated by a variety of control options including Remote Controls, Wall Switches, RS 232/485 Network/Home Automation, Smart Phones or Tablet Apps. These are very powerful motors that can lift any size shade. Interior and Exterior applications.

HOME AUTOMATION MOTORIZATION: Our motors (or any motor you specify) can be controlled by any Home Automation System by using an appropriate Interface. For help with Home Automation or any motorization questions, contact our experienced Technical Support Department at 800.828.2500.

All shade motors and controls are completely assembled and pre-programmed at our factory.

GROUP 1 FABRIC WEIGHTS FOR ROLLESE AUTOMATE MOTORS | ULTRALIGHT
Motors and Fabric Weight Matrix Chart (for fabric weights ≤ 8.0 oz/sq yd)



Note: The various motor/tube combinations are **shown at the maximum shade size limit**. For example, a Li-ion 2.0 motor on a 2" tube in the butterscotch colored area above can also be used for shade sizes that fall in the tan and sand colored areas to the left of the chart. **It should not be used for larger shade sizes**. The dotted line represents the maximum size of our price list. For shades that fall outside this line, please call for pricing.

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.

LI-ION MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD-BOX	5050 HEAD-BOX**	5555 HEAD-BOX**	7090 HEAD-BOX**
Li-ion 1.1	1½"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Li-ion 2.0	1½"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Li-ion 2.0	2"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Li-ion 3.0	2"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MOTOR/TUBE-SIZING CHART FOR ROLLEASE AUTOMATE MOTORS

Motorized Shades

	TUBE SIZES/DESCRIPTION			
	1½" with Key Drives	2" with Key Drives	2½" with Key Drives	3¼" with Key Drives
APPLICATION/ Automate Motors				
Li-ion 1.1 Battery				
Li-ion 2.0 Battery				
Li-ion 3.0 Battery				
Li-ion 10.0 Battery			N/A	

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.


LI-ION MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD- BOX	5050 HEAD- BOX**	5555 HEAD- BOX**	7090 HEAD- BOX**
											
Li-ion 3.0	2½"	No	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Li-ion 10.0	2½"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Li-ion 3.0	3¼"	No	No	No	Yes	No	No	No	No	Yes	Yes
Li-ion 10.0	3¼"	No	No	No	Yes	No	No	No	No	Yes	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

GROUP 2 FABRIC WEIGHTS FOR ROLLEASE AUTOMATE MOTORS | LIGHT

Motors and Fabric Weight Matrix Chart (for fabric weights 8.1 oz to 11.0 oz/sq yd)



Note: The various motor/tube combinations are **shown at the maximum shade size limit**. For example, a Li-ion 2.0 motor on a 2" tube in the butterscotch colored area above can also be used for shade sizes that fall in the tan and sand colored areas to the left of the chart. **It should not be used for larger shade sizes**. The dotted line represents the maximum size of our price list. For shades that fall outside this line, please call for pricing.

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.

LI-ION MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD-BOX	5050 HEAD-BOX**	5555 HEAD-BOX**	7090 HEAD-BOX**
											
Li-ion 1.1	1½"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Li-ion 2.0	1½"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Li-ion 2.0	2"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Li-ion 3.0	2"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MOTOR/TUBE-SIZING CHART FOR ROLLEASE AUTOMATE MOTORS

Motorized Shades

	TUBE SIZES/DESCRIPTION			
	1½" with Key Drives	2" with Key Drives	2½" with Key Drives	3¼" with Key Drives
APPLICATION/ Automate Motors				
Li-ion 1.1 Battery				
Li-ion 2.0 Battery				
Li-ion 3.0 Battery				
Li-ion 10.0 Battery				

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.


LI-ION MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD- BOX	5050 HEAD- BOX**	5555 HEAD- BOX**	7090 HEAD- BOX**
											
Li-ion 3.0	2½"	No	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Li-ion 10.0	2½"	No	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Li-ion 3.0	3¼"	No	No	No	Yes	No	No	No	No	Yes	Yes
Li-ion 10.0	3¼"	No	No	No	Yes	No	No	No	No	Yes	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

GROUP 3 FABRIC WEIGHTS FOR ROLLEASE AUTOMATE MOTORS | MEDIUM

Motors and Fabric Weight Matrix Chart (for fabric weights 11.1 oz to 14.5 oz/sq yd)



Note: The various motor/tube combinations are **shown at the maximum shade size limit**. For example, a Li-ion 2.0 motor on a 2" tube in the butterscotch colored area above can also be used for shade sizes that fall in the tan and sand colored areas to the left of the chart. **It should not be used for larger shade sizes.** The dotted line represents the maximum size of our price list. For shades that fall outside this line, please call for pricing.

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.

LI-ION MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD-BOX	5050 HEAD-BOX**	5555 HEAD-BOX**	7090 HEAD-BOX**
Li-ion 1.1	1½"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Li-ion 2.0	1½"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Li-ion 2.0	2"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Li-ion 3.0	2"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MOTOR/TUBE-SIZING CHART FOR ROLLEASE AUTOMATE MOTORS

Motorized Shades

	TUBE SIZES/DESCRIPTION			
	1½" with Key Drives	2" with Key Drives	2½" with Key Drives	3¼" with Key Drives
APPLICATION/ Automate Motors				
Li-ion 1.1 Battery				
Li-ion 2.0 Battery				
Li-ion 3.0 Battery				
Li-ion 10.0 Battery				

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.


LI-ION MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD- BOX	5050 HEAD- BOX**	5555 HEAD- BOX**	7090 HEAD- BOX**
											
Li-ion 3.0	2½"	No	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Li-ion 10.0	2½"	No	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Li-ion 3.0	3¼"	No	No	No	Yes	No	No	No	No	Yes	Yes
Li-ion 10.0	3¼"	No	No	No	Yes	No	No	No	No	Yes	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

GROUP 4 FABRIC WEIGHTS FOR ROLLEASE AUTOMATE MOTORS | HEAVY

Motors and Fabric Weight Matrix Chart (for fabric weights 14.6 oz to 17.5 oz/sq yd)



Note: The various motor/tube combinations are **shown at the maximum shade size limit**. For example, a Li-ion 2.0 motor on a 2" tube in the butterscotch colored area above can also be used for shade sizes that fall in the tan and sand colored areas to the left of the chart. **It should not be used for larger shade sizes**. The dotted line represents the maximum size of our price list. For shades that fall outside this line, please call for pricing.

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.

LI-ION MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD-BOX	5050 HEAD-BOX**	5555 HEAD-BOX**	7090 HEAD-BOX**
											
Li-ion 1.1	1½"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Li-ion 2.0	1½"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Li-ion 2.0	2"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Li-ion 3.0	2"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MOTOR/TUBE-SIZING CHART FOR ROLLEASE AUTOMATE MOTORS

Motorized Shades

	TUBE SIZES/DESCRIPTION			
	1½" with Key Drives	2" with Key Drives	2½" with Key Drives	3¼" with Key Drives
APPLICATION/ Automate Motors				
Li-ion 1.1 Battery				
Li-ion 2.0 Battery				
Li-ion 3.0 Battery				
Li-ion 10.0 Battery				

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES


Use this chart to determine which headbox will work with the motorized shade you have chosen.

LI-ION MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD- BOX	5050 HEAD- BOX**	5555 HEAD- BOX**	7090 HEAD- BOX**
											
Li-ion 3.0	2½"	No	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Li-ion 10.0	2½"	No	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Li-ion 3.0	3¼"	No	No	No	Yes	No	No	No	No	Yes	Yes
Li-ion 10.0	3¼"	No	No	No	Yes	No	No	No	No	Yes	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

GROUP 5 FABRIC WEIGHTS FOR ROLLEASE AUTOMATE MOTORS | X-HEAVY
Motors and Fabric Weight Matrix Chart (for fabric weights ≥ 17.6 oz/sq yd)



Note: The various motor/tube combinations are **shown at the maximum shade size limit**. For example, a Li-ion 2.0 motor on a 2" tube in the butterscotch colored area above can also be used for shade sizes that fall in the tan and sand colored areas to the left of the chart. **It should not be used for larger shade sizes**. The dotted line represents the maximum size of our price list. For shades that fall outside this line, please call for pricing.

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.

LI-ION MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD-BOX	5050 HEAD-BOX**	5555 HEAD-BOX**	7090 HEAD-BOX**
Li-ion 1.1	1½"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Li-ion 2.0	1½"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Li-ion 2.0	2"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Li-ion 3.0	2"	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MOTOR/TUBE-SIZING CHART FOR ROLLEASE AUTOMATE MOTORS

Motorized Shades

	TUBE SIZES/DESCRIPTION			
	1½" with Key Drives	2" with Key Drives	2½" with Key Drives	3¼" with Key Drives
APPLICATION/ Automate Motors				
Li-ion 1.1 Battery				
Li-ion 2.0 Battery				
Li-ion 3.0 Battery				
Li-ion 10.0 Battery				N/A

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.


LI-ION MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD- BOX	5050 HEAD- BOX**	5555 HEAD- BOX**	7090 HEAD- BOX**
											
Li-ion 3.0	2½"	No	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Li-ion 10.0	2½"	No	No	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Li-ion 3.0	3¼"	No	No	No	Yes	No	No	No	No	Yes	Yes
Li-ion 10.0	3¼"	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

GROUP 1 FABRIC WEIGHTS FOR SOMFY MOTORS | ULTRALIGHT

Motors and Fabric Weight Matrix Chart (for fabric weights ≤ 8.0 oz/sq yd)



Note: The various motor/tube combinations are **shown at the maximum shade size limit**. For example, a Sonesse 30 Motor on a 2" tube shown in the dark brown area above can also be used for shade sizes that fall in the tan or sand colored areas to the left of the chart. **It should not be used for larger shade sizes**. The dotted line represents the maximum size of our price charts. For larger shades that fall outside this dotted line, please call us for pricing.

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.

SOMFY MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD-BOX	5050 HEAD-BOX**	5555 HEAD-BOX**	7090 HEAD-BOX**
R28	1½"	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 30	1½"	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 40/ Sonesse 400	1½"	Yes/No	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 30	2"	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 40/ Sonesse 400	2"	Yes/No	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 500	2"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500 UQ	2¼"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MOTOR/TUBE-SIZING CHART FOR SOMFY MOTORS

Motorized Shades

	TUBE SIZES/DESCRIPTION										
	1½" with Key Drives	1½" Groove Tube	2" Groove Tube	2" with Key Drives	2¼" with Key Drives	2⅜" with Key Drives	2½" with Key Drives	3¼" with Key Drives	4" Smooth	5" Smooth	5" D-Tube (for heavy tubes)
APPLICATION/ Somfy Motors											
R28 Battery											
Sonesse 30 Wire Free Li-ion RTS Battery											
DC50 (Ultra Quiet) Low Voltage											
Sonesse 30 (ST30) - Low Voltage											
Sonesse 30 (ST30) - (Ultra Quiet) Low Voltage											
Sonesse 40 and Sonesse 400 Series Heavy Duty											
Sonesse 500 Series Heavy Duty											
Sonesse 500 Series (Ultra Quiet)											

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.


SOMFY MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD- BOX	5050 HEAD- BOX**	5555 HEAD- BOX**	7090 HEAD- BOX**
											
DC50	2¼"	No	No	Yes	No	N/A	No	No	Yes	Yes	Yes
Sonesse 500	2½"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500	2⅜"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500	3¼"	No	No	No	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500	4"	No	No	No	No	No	No	No	No	Yes	Yes
Sonesse 500	5"	No	No	No	No	No	No	No	No	No	Yes
Sonesse 500	5" D	No	No	No	No	No	No	No	No	No	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

GROUP 2 FABRIC WEIGHTS FOR SOMFY MOTORS | LIGHT

Motors and Fabric Weight Matrix Chart (for fabric weights 8.1 oz to 11.0 oz/sq yd)



Note: The various motor/tube combinations are **shown at the maximum shade size limit**. For example, a Sonesse 30 Motor on a 2" tube shown in the dark brown area above can also be used for shade sizes that fall in the tan or sand colored areas to the left of the chart. **It should not be used for larger shade sizes**. The dotted line represents the maximum size of our price charts. For larger shades that fall outside this dotted line, please call us for pricing.

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.

SOMFY MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD-BOX	5050 HEAD-BOX**	5555 HEAD-BOX**	7090 HEAD-BOX**
R28	1½"	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 30	1½"	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 40/ Sonesse 400	1½"	Yes/No	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 30	2"	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 40/ Sonesse 400	2"	Yes/No	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 500	2"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500 UQ	2¼"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MOTOR/TUBE-SIZING CHART FOR SOMFY MOTORS

Motorized Shades

	TUBE SIZES/DESCRIPTION										
	1½" with Key Drives	1½" Groove Tube	2" Groove Tube	2" with Key Drives	2¼" with Key Drives	2⅜" with Key Drives	2½" with Key Drives	3¼" with Key Drives	4" Smooth	5" Smooth	5" D-Tube (for heavy tubes)
APPLICATION/ Somfy Motors											
R28 Battery											
Sonesse 30 Wire Free Li-ion RTS Battery											
DC50 (Ultra Quiet) Low Voltage											
Sonesse 30 (ST30) - Low Voltage											
Sonesse 30 (ST30) - (Ultra Quiet) Low Voltage											
Sonesse 40 and Sonesse 400 Series Heavy Duty											
Sonesse 500 Series Heavy Duty											
Sonesse 500 Series (Ultra Quiet)											

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.


SOMFY MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD-BOX	5050 HEAD-BOX**	5555 HEAD-BOX**	7090 HEAD-BOX**
											
DC50	2¼"	No	No	Yes	No	N/A	No	No	Yes	Yes	Yes
Sonesse 500	2½"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500	2⅜"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500	3¼"	No	No	No	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500	4"	No	No	No	No	No	No	No	No	Yes	Yes
Sonesse 500	5"	No	No	No	No	No	No	No	No	No	Yes
Sonesse 500	5" D	No	No	No	No	No	No	No	No	No	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

GROUP 3 FABRIC WEIGHTS FOR SOMFY MOTORS | MEDIUM

Motors and Fabric Weight Matrix Chart (for fabric weights 11.1 oz to 14.5 oz/sq yd)



Note: The various motor/tube combinations are **shown at the maximum shade size limit**. For example, a Sonesse 30 Motor on a 2" tube shown in the dark brown area above can also be used for shade sizes that fall in the tan or sand colored areas to the left of the chart. **It should not be used for larger shade sizes**. The dotted line represents the maximum size of our price charts. For larger shades that fall outside this dotted line, please call us for pricing.

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.

SOMFY MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD-BOX	5050 HEAD-BOX**	5555 HEAD-BOX**	7090 HEAD-BOX**
R28	1½"	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonnesse 30	1½"	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonnesse 40/ Sonnesse 400	1½"	Yes/No	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonnesse 30	2"	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonnesse 40/ Sonnesse 400	2"	Yes/No	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonnesse 500	2"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Sonnesse 500 UQ	2¼"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MOTOR/TUBE-SIZING CHART FOR SOMFY MOTORS

Motorized Shades

	TUBE SIZES/DESCRIPTION										
	1½" with Key Drives	1½" Groove Tube	2" Groove Tube	2" with Key Drives	2¼" with Key Drives	2⅜" with Key Drives	2½" with Key Drives	3¼" with Key Drives	4" Smooth	5" Smooth	5" D-Tube (for heavy tubes)
APPLICATION/ Somfy Motors											
R28 Battery											
Sonesse 30 Wire Free Li-ion RTS Battery											
DC50 (Ultra Quiet) Low Voltage											
Sonesse 30 (ST30) - Low Voltage											
Sonesse 30 (ST30) - (Ultra Quiet) Low Voltage											
Sonesse 40 and Sonesse 400 Series Heavy Duty											
Sonesse 500 Series Heavy Duty											
Sonesse 500 Series (Ultra Quiet)											

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.


SOMFY MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD- BOX	5050 HEAD- BOX**	5555 HEAD- BOX**	7090 HEAD- BOX**
											
DC50	2¼"	No	No	Yes	No	N/A	No	No	Yes	Yes	Yes
Sonesse 500	2½"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500	2⅜"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500	3¼"	No	No	No	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500	4"	No	No	No	No	No	No	No	No	Yes	Yes
Sonesse 500	5"	No	No	No	No	No	No	No	No	No	Yes
Sonesse 500	5" D	No	No	No	No	No	No	No	No	No	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

GROUP 4 FABRIC WEIGHTS FOR SOMFY MOTORS | HEAVY

Motors and Fabric Weight Matrix Chart (for fabric weights 14.6 oz to 17.5 oz/sq yd)



Note: The various motor/tube combinations are shown at the maximum shade size limit. For example, a Sonesse 30 Motor on a 2" tube shown in the dark brown area above can also be used for shade sizes that fall in the tan or sand colored areas to the left of the chart. It should not be used for larger shade sizes. The dotted line represents the maximum size of our price charts. For larger shades that fall outside this dotted line, please call us for pricing.

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.

SOMFY MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD-BOX	5050 HEAD-BOX**	5555 HEAD-BOX**	7090 HEAD-BOX**
R28	1½"	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 30	1½"	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 40/ Sonesse 400	1½"	Yes/No	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 30	2"	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 40/ Sonesse 400	2"	Yes/No	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 500	2"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500 UQ	2¼"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MOTOR/TUBE-SIZING CHART FOR SOMFY MOTORS

Motorized Shades

	TUBE SIZES/DESCRIPTION										
	1½" with Key Drives	1½" Groove Tube	2" Groove Tube	2" with Key Drives	2¼" with Key Drives	2⅜" with Key Drives	2½" with Key Drives	3¼" with Key Drives	4" Smooth	5" Smooth	5" D-Tube (for heavy tubes)
APPLICATION/ Somfy Motors											
R28 Battery											
Sonesse 30 Wire Free Li-ion RTS Battery											
DC50 (Ultra Quiet) Low Voltage											
Sonesse 30 (ST30) - Low Voltage											
Sonesse 30 (ST30) - (Ultra Quiet) Low Voltage											
Sonesse 40 and Sonesse 400 Series Heavy Duty											
Sonesse 500 Series Heavy Duty											
Sonesse 500 Series (Ultra Quiet)											

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.


SOMFY MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD-BOX	5050 HEAD-BOX**	5555 HEAD-BOX**	7090 HEAD-BOX**
											
DC50	2¼"	No	No	Yes	No	N/A	No	No	Yes	Yes	Yes
Sonesse 500	2½"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500	2⅜"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500	3¼"	No	No	No	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500	4"	No	No	No	No	No	No	No	No	Yes	Yes
Sonesse 500	5"	No	No	No	No	No	No	No	No	No	Yes
Sonesse 500	5" D	No	No	No	No	No	No	No	No	No	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

GROUP 5 FABRIC WEIGHTS FOR SOMFY MOTORS | X-HEAVY

Motors and Fabric Weight Matrix Chart (for fabric weights ≥ 17.6 oz/sq yd)



Note: The various motor/tube combinations are **shown at the maximum shade size limit**. For example, a Sonesse 30 Motor on a 2" tube shown in the dark brown area above can also be used for shade sizes that fall in the tan or sand colored areas to the left of the chart. **It should not be used for larger shade sizes**. The dotted line represents the maximum size of our price charts. For larger shades that fall outside this dotted line, please call us for pricing.

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.

SOMFY MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD-BOX	5050 HEAD-BOX**	5555 HEAD-BOX**	7090 HEAD-BOX**
R28	1½"	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 30	1½"	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 40/ Sonesse 400	1½"	Yes/No	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 30	2"	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 40/ Sonesse 400	2"	Yes/No	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes
Sonesse 500	2"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500 UQ	2¼"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MOTOR/TUBE-SIZING CHART FOR SOMFY MOTORS

Motorized Shades

	TUBE SIZES/DESCRIPTION										
	1½" with Key Drives	1½" Groove Tube	2" Groove Tube	2" with Key Drives	2¼" with Key Drives	2⅜" with Key Drives	2½" with Key Drives	3¼" with Key Drives	4" Smooth	5" Smooth	5" D-Tube (for heavy tubes)
APPLICATION/ Somfy Motors											
R28 Battery											
Sonesse 30 Wire Free Li-ion RTS Battery											
DC50 (Ultra Quiet) Low Voltage											
Sonesse 30 (ST30) - Low Voltage											
Sonesse 30 (ST30) - (Ultra Quiet) Low Voltage											
Sonesse 40 and Sonesse 400 Series Heavy Duty											
Sonesse 500 Series Heavy Duty											
Sonesse 500 Series (Ultra Quiet)											

FASCIA AND HEADBOX SIZING CHART FOR MOTORIZED SHADES

Use this chart to determine which headbox will work with the motorized shade you have chosen.

SOMFY MOTOR	TUBE SIZE	SQUARE CASSETTE*	3 X 3 SNAP-ON FASCIA*	4 X 4 SNAP-ON FASCIA	5" SNAP-ON FASCIA**	7" SNAP-ON FASCIA**	4040 COVERED FASCIA	4045 HEAD- BOX	5050 HEAD- BOX**	5555 HEAD- BOX**	7090 HEAD- BOX**
											
DC50	2¼"	No	No	Yes	No	N/A	No	No	Yes	Yes	Yes
Sonesse 500	2½"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500	2⅜"	No	No	Yes	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500	3¼"	No	No	No	Yes	Yes	No	No	Yes	Yes	Yes
Sonesse 500	4"	No	No	No	No	No	No	No	No	Yes	Yes
Sonesse 500	5"	No	No	No	No	No	No	No	No	No	Yes
Sonesse 500	5" D	No	No	No	No	No	No	No	No	No	Yes

*Shade height may be limited by material weight/thickness and internal roller tube diameter. Call for details.

**Ideal for Duo Shades.

MOTOR PRICING

MOTORIZED LIFTING SYSTEMS

For your convenience and to be certain you have included everything required for a motorized installation in your pricing to your customer, we have bundled the price of the motor along with all of the other parts and pieces that are necessary into an all-inclusive MOTOR ASSEMBLY price for each type of motor.

Our motorized lifting systems, network accessories, remote controllers and network controls are grouped under their manufacturer names—ROLLEASE AND SOMFY.

For *additional details* on the MOTORS, refer to pages 74 and 75.

ROLLEASE MOTORS

Rollease Automate Li-ion 0.7

- Battery operated motor with built in Lithium-ion rechargeable battery.
- With remote control operation.
- Minimum shade size is 22½".
- 0.7 Nm lithium battery motor.
- Lifts up to 6 lbs.
- Speed RPM 28 (adjustable to 20 for a quieter solution).
- Sound level ≤ 35 dBA
- \$620.00 plus the cost of the Recharger and the Remote Controllers of your choice.

Rollease Automate Li-ion 1.1 with external battery

- Battery operated motor with external Lithium-ion rechargeable battery.
- With remote control operation.
- For narrow shade sizes as small as 14½".
- 1.1 Nm lithium battery motor.
- Lifts up to 9 lbs.
- Speed RPM 40 (adjustable to 30 or 20).
- Sound level ≤ 46 dBA.
- \$730.00 includes Motor Assembly with Battery Pack and batteries. Select from a choice of Remote Controllers and add the cost of the controller.

Rollease Automate Li-ion 2.0

- Battery operated motor with built in Lithium-ion rechargeable battery.
- With remote control operation.
- Minimum shade size is 28½".
- 2.0 Nm lithium battery motor.
- Lifts 13 to 17 lbs.
- Speed RPM 28 (adjustable to 24 or 20).
- Sound level ≤ 44 dBA.
- \$730.00 plus the cost of the Recharger and the Remote Controllers of your choice.

ROLLEASE MOTORS (CONTINUED)

Rollease Automate Li-ion 3.0

- Battery operated motor with built in Lithium-ion rechargeable battery.
- With remote control operation.
- Minimum shade size is 38¼".
- 3.0 Nm lithium battery motor.
- Lifts 20 to 26 lbs.
- Speed RPM 28 (adjustable to 24 or 20).
- Sound level ≤ 53 dBA.
- \$870.00 plus the cost of the Recharger and the Remote Controllers of your choice.

Rollease Automate Li-ion 10.0

- Battery operated motor with built in Lithium-ion rechargeable battery.
- With remote control operation.
- Minimum shade size is 36¼".
- 10.0 Nm lithium battery motor.
- Lifts 53 to 69 lbs.
- Speed RPM 9 (adjustable to 8 or 6).
- Sound level ≤ 42 dBA.
- \$950.00 plus the cost of the Recharger and the Remote Controllers of your choice.

ROLLEASE AUTOMATE ACCESSORIES

Remote Controllers

- **Single-Channel Remote Controller (handheld):** \$166.00 each.
- **Single-Channel Remote Controller (wall mount):** \$134.00 each.
Can operate a single shade or a single group of shades.
Available in white only.
- **Two-Channel Remote Controller (wall mount):** \$144.00 each.
Can operate two shades or two group of shades.
Available in white only.
- **Fifteen-Channel Remote Control with Levelling Control (handheld):** \$196.00 each.
- **Fifteen-Channel Remote Control (wall mount):** \$158.00 each.
Can be custom programmed for any number of channels (up to 15 channels and within those channels you can have any number of individual or group channels.)

ROLLEASE ADDITIONAL MOTORIZATION OPTIONS

- **Automate Solar Panel:** \$300.00 each.
- **Automate Solar Panel Y-Harness Cable:** \$22.00 each.
- **Automate Recharger:** \$74.00 each.
This comes with a 12 foot cable. Plugs into the household outlet to restore the battery energy. A single recharger can be used to charge multiple motors.
- **Automate Power Supply for Rollease Automate Li-ion 1.1 Motor:** \$84.00 each.
- **Automate Power Supply for Rollease Automate Li-ion 2.0 Motor:** \$186.00 each.
Transformer that converts AC power into low voltage for constant power to the motor. Can only be used with individual motors.

MOTOR PRICING

ROLLEASE ADDITIONAL MOTORIZATION OPTIONS (CONTINUED)

- **Automate Sun Sensor:** \$100.00 each.
Internal sun sensor for automatic shade control. Three modes of operation (close, close-open and shade detect modes), four light sensitivity levels and low battery indicator.

ROLLEASE NETWORK ACCESSORIES

- **Automate Pulse Wi-Fi/Arc Bridge Kit:** \$570.00 each.
Interface for communication with phones, tablets or home automation.

SOMFY MOTORS

Somfy R28 Battery Motor

- Battery operated motor with an external battery wand.
- With radio remote control operation.
- Minimum shade size is 16½" wide. (Battery wand is mounted vertically)
- 1.1 Nm AA lithium battery motor.
- Lifts up to 9 lbs.
- Speed RPM 28.
- Sound level ≤ 48 dBA.
- \$650.00 RTS includes the Motor Assembly with Battery Pack and batteries. Select from a choice of Remote Controllers and add the cost of the controller.
- \$700.00 Zigbee includes the Motor Assembly with Battery Pack and batteries. Select from a choice of Remote Controllers and add the cost of the controller.
- Add \$230.00 for the Solar Pack Recharger for the Battery Pack.

Somfy R28 Li-ion Battery Motor

- Battery operated motor with an internal battery.
- With remote control operation.
- Minimum shade size is 25" wide.
- 1.1 Nm lithium battery motor.
- Lifts up to 9 lbs.
- Speed RPM 10 - 28.
- Sound level ≤ 48 dBA.
- \$650.00 RTS plus the cost of the Recharger and the Remote Controller of your choice.
- \$700.00 Zigbee plus the cost of the Recharger and the Remote Controller of your choice.

SOMFY MOTORS (continued)

Sonesse 30 Wire Free Li-ion RTS (Ultra Quiet) Battery Motor

- Battery operated motor with an internal battery.
- With remote control operation.
- Minimum shade size is 27½" wide.
- 2.0 Nm lithium battery motor.
- Lifts up to 17 lbs.
- Speed RPM 10 - 28.
- Sound level ≤ 38 dBA.
- \$690.00 RTS plus the cost of the Recharger and the Remote Controller of your choice.
- \$740.00 Zigbee plus the cost of the Recharger and the Remote Controller of your choice.

Sonesse 40 Wire Free Li-ion RTS Battery Motor

- Battery operated motor with an internal battery.
- With remote control operation.
- Minimum shade size is 28½" wide.
- 3.0 Nm lithium battery motor.
- Lifts up to 34 lbs.
- Speed RPM 20.
- Sound level ≤ 45 dBA.
- \$880.00 plus the cost of the Recharger and the Remote Controller of your choice.
- \$930.00 Zigbee plus the cost of the Recharger and the Remote Controller of your choice.

Sonesse 30 (ST30) - Low Voltage Motor

- 24V DC, 2 Nm Motor.
- Minimum shade size is 18½" wide.
- Lifts up to 17 lbs.
- Includes a 7½ ft. pigtail cord.
- Speed RPM 28.
- Sound level ≤ 44 dBA.
- \$850.00 Standard.
- \$850.00 RTS plus the cost of a Remote Controller of your choice.
- \$930.00 Network.
- \$980.00 Zigbee plus the cost of a Remote Controller of your choice.

DC50 Series (Ultra Quiet) – Low Voltage Motor

- 24V DC, 4 Nm Motor.
- Minimum shade size is 36" wide.
- Lifts up to 30 lbs.
- Speed RPM 10 - 25 adjustable.
- Sound level ≤ 38 dBA.
- Available in RTS (Remote) and Network RS485.
- \$1,260.00 each plus the cost of a Transformer option and the Remote Controller of your choice.
- \$1,440.00 each for Network motor, plus the cost of a Transformer option.

MOTOR PRICING

SOMFY MOTORS (continued)

Sonesse 400 Series – Heavy Duty Motors

- 120V AC Motors.
- Includes 10 ft. integrated pigtail cord.
- Can be hardwired or plugged in.
- Available as RTS (Remote) motors.
- \$990.00 each for a Remote Control Motor, plus the cost of the Remote Controller of your choice.
- \$1,040.00 each for Zigbee motor.

– Sonesse 404 Motor

- 120V AC, 4 Nm Motor.
- Minimum shade size is 23¾" wide.
- Lifts up to 34 lbs.
- Speed RPM 36.
- Sound level ≤ 45 dBA.

– Sonesse 406 Motor

- 120V AC, 6 Nm Motor.
- Minimum shade size is 24¾" wide.
- Lifts up to 52 lbs.
- Speed RPM 24.
- Sound level ≤ 45 dBA.

Sonesse 500 Series – Heavy Duty Motors

- 120V AC Motors.
- Includes 6½ ft. pigtail cord.
- Can be hardwired or plugged in.
- Available as RTS (Remote) and Network motors.
- \$990.00 each for a Remote Control Motor, plus the cost of the Remote Controller of your choice.
- \$1,200.00 each for Network Motor.
- Add \$200.00 for a *Ultra Quiet Motor*.
(RTS min. shade size is 37"; RS485 min. shade size is 38½")

– Sonesse 506 Motor

- 120V AC, 6 Nm Motor.
- Minimum shade size is 30¾" wide.
- Lifts up to 52 lbs.
- Speed RPM 32.
- Sound level ≤ 45 dBA.

– Sonesse 510 Motor

- 120V AC, 10 Nm Motor.
- Minimum shade size is 30¾" wide.
- Lifts up to 87 lbs.
- Speed RPM 32.
- Sound level ≤ 47 dBA.

– Sonesse 506 (Ultra Quiet) Motor

- 120V AC, 6 Nm Motor.
- Minimum shade size is 37" wide.
- Lifts up to 52 lbs.
- Speed RPM 24.
- Sound level ≤ 38 dBA

Note: Most motorized shade assemblies require about 3½" of depth for installation.

SOMFY REMOTE CONTROLLERS

- **Single-Channel Remote Controller (handheld):** \$150.00 each.
- **Single-Channel Remote Controller (wall mount):** \$334.00 each.
Can operate a single shade or a single group of shades.

- **Five-Channel Remote Controller (handheld):** \$186.00 each.
- **Five-Channel Remote Controller (wall mount):** \$350.00 each.
Can operate 5 individual shades, or 5 groups of shades, and can also operate all shades in a group, or all groups.

Single-Channel and Five-Channel Remote Controllers are available in white or black.

- **Sixteen-Channel Remote Controller (handheld):** \$594.00 each.
Can operate 16 individual shades, or 16 groups of shades, and can also operate all shades in a group, or all groups.

Sixteen-Channel Remote Controllers are available in white or silver.

Note: These controllers are radio signal devices, which means they do not have to be aimed at a receiver. They will work as long as they are within range of the motor assembly, i.e. within 65 feet, which covers most houses.

SOMFY NETWORK CONTROLS

- **SDN Intelligent Switch:** A programmable switch for network motors that allows you to set scenes.
– **A Six-Scene option:** \$336.00
– **A Eight-Scene option:** \$360.00
Programmable switch available in white or black.

- **RTS to SDN Interface:** \$240.00

A device that will allow one to control a network motor with a RTS remote controller or RTS wall mount switch.

SOMFY NETWORK ACCESSORIES

- **Sixteen-Channel Universal RTS Interface:** \$1,100.00 each.
The interface is used to communicate between home automation system and motor/controls. It is capable of individual or group control. Up to 16 channels are available.
Converts IR, RS232, RS485 to RTS to control Somfy RF motors.
- **RTS Repeater:** \$482.00 each.
The Repeater extends the range of all Somfy RTS controllers. Normal signal range is approximately 60 feet. RTS repeater extends range an additional 70 feet.
Simply plugs into any standard 110V AC electrical outlet. Should be placed at least halfway between sending device (remote control/wall switch/RTS interface) and the motor. Features an LED light that confirms the unit is receiving the signal. No programming needed.

MOTOR PRICING

SOMFY'S ADDITIONAL MOTORIZATION OPTIONS

- **TaHoma® RTS/Zigbee Interface:** \$636.00 each.
A smart home experience. Allows you to operate your motorized shades with your favorite mobile device/or tablet interface, whether you are at home or not, or integrate with third-party systems. TaHoma works with Google Assistant and Amazon Alexa, allowing for natural voice commands to control shades.
- **TaHoma® Switch:** \$420.00 each.
The TaHoma switch can control up to 60 Zigbee products and 40 channels of RTS motorized products. The app enables integration of third-party Zigbee products and complete access from anywhere.
- **TaHoma® Switch Ethernet Adaptor:** \$64.00 each.
- **TaHoma® Switch with Ethernet Adaptor:** \$472.00 each.
The Ethernet Adaptor connects the TaHoma switch directly to the network for users with under-performing WiFi.
- **Smart Plug Zigbee:** \$96.00 each.
The Smart Plug extends the Zigbee radio range for motorized window coverings.
- **Ysia 1 Channel Remote Control Zigbee:** \$136.00 each.
- **Ysia 5 Channel Remote Control Zigbee:** \$180.00 each.
Ysia offers a simple, direct control for Zigbee motors. Available in a white finish.

Timers:

- **Chronis RTS:** \$472.00 each.
Allows you to operate your motorized shades at any specific time of the day.
- **Sunis RTS (Sun Sensor):** \$516.00 each.
Allows your motorized shades to automatically rise and lower as the sun moves across the sky.

Plug-in Cords

Plug-in cords eliminate the need for an electrician when using remote control motors.

PLUG-IN CORDS (with molded 90° NEMA plug)				
Length of cord	3 feet	6 feet	12 feet	24 feet
Price	\$70	\$80	\$94	\$148

After Market Plug (attached to pigtail): \$35.00 each.

Transformer/Distribution Panels are used in situations in which you may have more than one Low Voltage Motor (ST30 or DC50). This can be a cost-saving device in many situations.

- **1-Motor Transformer with Plug:** \$116.00
- **5-Motor Panel:** \$1,922.00
- **10-Motor Panel:** \$2,892.00
- **15-Motor Panel:** \$3,746.00
- **20-Motor Panel:** \$4,536.00
- **Power Panel (for SDN):** \$3,400.00

SOMFY'S ADDITIONAL MOTORIZATION OPTIONS (continued)

Motor Tester

Used to test a motorized system without the aid of an electrician. Highly recommended for every installer.

- \$230.00 each.

Wire Free Li-ion Plug-in Charger

Comes with a 6-foot cable. Plugs into household outlet to restore the battery energy. A single recharger can be used to charge multiple motors.

- \$46.00 each.

FABRITEC'S ADDITIONAL MOTORIZATION OPTIONS

Bracket and Coupler

Under certain conditions, one motor can lift more than one shade. To do so requires a bracket and coupler (3 shades maximum).

- Add \$192.00 for one bracket and coupler for 2 shades operated on one motor.
- Add \$384.00 for two brackets and couplers for 3 shades operated on one motor.

If you need:

- Contract Pricing.
- Lutron Motors.
- Retrofit Lutron or Customer's Own Motors.
- 4-Wire Standard Motor available as Special Order.
- To integrate a shade into an electronic Home Automation System.
- Our In-House Automation Specialist.

Call us at 800.828.2500.

PLEASE NOTE: RUSH ORDERS

Rush orders will incur a **surcharge of 25%**.

ROLLSTAR™

FIVE YEAR WARRANTY

Fabritec guarantees ROLLSTAR™ roller shades to be free of fabrication and material defects for up to five years, provided the product is properly installed and is owned by the original purchaser at the time of the claim. This warranty is limited to rework or replacement only, and Fabritec retains the right to determine how a fabrication defect will be corrected. Replacements will be made to the original specifications only. Standard production lead times will apply.

This warranty does not cover conditions or damage resulting from the following:

- Misuse or abuse of the product
- Any damage resulting from improper installation
- Weather damage
- Normal wear and tear

This warranty does not cover collateral costs such as installation and shipping. If you should have a problem with a product, contact your Sales Services Representative with a description of the problem and a request for a Return Authorization. No merchandise return will be accepted without a Return Authorization.

FABRITEC Motor Warranty

FIVE YEAR WARRANTY

Fabritec guarantees the performance of all of its motors for a period of five years. This warranty does not apply in cases of abuse, either intentional or unintentional, including failure to wire a motor to factory specifications. Any claim must be made by the original purchaser.

Defective motors must be returned for inspection via a trackable shipping method.

This warranty does not cover collateral costs such as installation and shipping. If you should have a problem with a product, contact your Sales Services Representative with a description of the problem and a request for a Return Authorization. No merchandise return will be accepted without a Return Authorization.



fabritec, llc. | 7531 Coldwater Canyon Ave | North Hollywood | CA, 91605 | 818 503 8300 (tel) | 818 503 8360 (fax)

C.O.M./SPECIAL ORDER SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
C.O.M./SPECIAL ORDER	-	-	-	-	-

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

		Width in inches												Rollstar Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	132	144	156	180	198	216	234	262	272	280	304	332	352	384	460	590	618	850	944	974	1012	1168	1190	
	42	136	148	162	190	210	230	250	280	290	298	322	354	376	544	588	704	738	966	1066	1100	1144	1306	1334	
	48	140	154	172	202	224	246	266	298	308	332	350	372	466	552	648	766	804	1036	1134	1170	1218	1380	1412	
	54	144	160	182	214	236	260	284	316	326	350	368	390	474	606	648	766	984	1086	1134	1170	1218	1380	1412	
	60	148	166	192	226	250	274	300	334	344	372	386	408	482	606	648	766	984	1088	1134	1172	1218	1382	1412	
	66	152	174	202	236	262	290	316	352	362	390	404	426	538	620	648	940	986	1088	1134	1172	1218	1382	1412	
	72	156	182	210	248	276	304	332	368	402	414	422	444	546	622	650	940	986	1088	1134	1172	1218	1382	1412	
	78	162	192	220	260	288	318	348	386	420	432	442	464	552	622	650	946	1040	1094	1140	1178	1224	1438	1468	
	84	168	200	230	270	302	332	364	404	438	452	460	480	570	632	662	960	1058	1112	1160	1198	1246	1460	1828	
	90	180	212	244	290	324	356	388	422	456	470	478	552	590	652	856	984	1084	1138	1188	1228	1324	1490	1860	
96	186	220	254	302	336	370	404	440	474	488	496	570	626	674	878	1058	1108	1164	1214	1304	1354	1522	1890		
102	192	228	264	314	350	386	422	476	498	506	514	594	652	696	900	1082	1134	1190	1290	1332	1384	1886	1922		
108	200	236	274	324	362	400	438	494	516	524	532	612	672	716	924	1106	1158	1266	1318	1362	1414	1918	1954		
114	206	244	284	336	376	414	454	512	534	542	550	630	692	904	946	1130	1232	1292	1346	1390	1442	1948	2000		
120	212	252	294	348	388	428	470	530	552	560	618	648	712	926	968	1202	1256	1318	1372	1418	1472	1978	3128		
126	222	264	306	364	406	448	490	552	574	582	640	666	764	946	1040	1226	1282	1344	1400	1446	1956	3034	3238		
132	228	272	314	374	418	462	506	568	592	648	658	684	864	1048	1196	1338	1398	1466	1528	1580	2814	3046	3248		
138	234	280	324	386	432	476	540	586	610	668	676	750	872	1056	1204	1346	1408	1476	1538	1590	2826	3058	3332		
144	240	288	334	398	444	492	556	610	676	686	694	768	998	1164	1262	1408	1472	1544	1608	1676	2902	3136	3334		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

		Width in inches								ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances														
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156
Height in inches	12"	168	194	212	228	264	274	290	298	338	372	390	444	462	480	498	662	694	718	742	766	788	878	900
	16	212	242	262	278	346	354	370	380	426	466	486	572	592	612	632	826	860	886	912	938	964	1110	1136
	20	228	260	282	300	366	376	392	400	456	502	524	610	632	654	676	872	908	936	964	992	1020	1168	1196
	24	244	278	302	322	388	396	414	422	484	536	560	648	672	696	720	918	956	986	1016	1044	1074	1226	1254

		Width in inches					ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																	
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156
Height in inches	12"	310	334	354	368	400	416	438	488	532	564	594	656	686	710	742	922	960	998	1028	1064	1100	1196	1234
	16	358	382	402	426	504	518	546	604	662	694	720	820	854	888	920	1126	1172	1212	1252	1284	1322	1486	1524
	20	384	420	456	482	562	584	614	680	746	782	820	922	960	996	1034	1250	1300	1342	1386	1428	1470	1638	1680
	24	410	458	496	530	610	632	662	734	814	852	892	996	1036	1074	1120	1338	1392	1436	1480	1526	1578	1746	1792

GROUP 1 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
BASIC BLACKOUT	72"	N/A	Yes	Yes	Medium
NEW PRIVACY	78"	N/A	Yes	Yes	Ultralight

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

		Width in inches												Rollstar Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	132	144	156	180	198	216	234	262	272	280	286	332	352	380	396	590	618	654	944	974	1012	1168	1190	
	42	136	148	162	190	210	230	250	280	290	298	304	350	372	402	588	704	738	778	1066	1100	1144	1306	1334	
	48	140	154	172	202	224	246	266	298	308	316	346	368	464	498	648	766	804	848	1134	1170	1218	1380	1412	
	54	144	160	182	214	236	260	284	316	326	334	364	386	470	556	648	766	804	1086	1134	1170	1218	1380	1412	
	60	148	166	192	226	250	274	300	334	344	352	382	404	482	556	648	766	804	1088	1134	1172	1218	1382	1412	
	66	152	174	202	236	262	290	316	352	362	370	402	426	490	620	648	768	804	1088	1134	1172	1218	1382	1412	
	72	156	182	210	248	276	304	332	368	380	412	420	444	496	622	650	768	804	1088	1134	1172	1218	1382	1412	
	78	162	192	220	260	288	318	348	386	398	430	442	464	504	622	650	768	1040	1094	1140	1178	1224	1388	1420	
	84	168	200	230	270	302	332	364	404	416	452	460	480	514	632	662	780	1058	1112	1160	1198	1246	1412	1442	
	90	180	212	244	290	324	356	388	422	434	470	478	498	534	652	682	802	1084	1138	1188	1228	1276	1442	1474	
96	186	220	254	302	336	370	404	440	452	488	496	518	626	674	704	1058	1108	1164	1214	1256	1306	1472	1506		
102	192	228	264	314	350	386	422	458	498	506	514	542	652	696	728	1082	1134	1190	1242	1284	1334	1502	1538		
108	200	236	274	324	362	400	438	474	516	524	532	560	672	716	750	1106	1158	1216	1268	1312	1364	1534	1570		
114	206	244	284	336	376	414	454	492	534	542	550	578	692	738	772	1130	1182	1242	1296	1340	1394	1564	1664		
120	212	252	294	348	388	428	470	510	552	560	568	596	712	760	796	1154	1208	1268	1324	1368	1422	1594	1696		
126	222	264	306	364	406	448	490	532	574	582	590	614	732	782	1040	1178	1232	1294	1350	1396	1452	1688	2280		
132	228	272	314	374	418	462	506	550	592	600	608	632	832	888	1146	1288	1350	1418	1478	1530	1654	1832	2292		
138	234	280	324	386	432	476	522	568	610	618	626	718	840	896	1156	1298	1360	1428	1488	1540	1664	1842	2376		
144	240	288	334	398	444	492	538	610	628	636	644	736	848	956	1214	1360	1424	1494	1558	1676	1740	1922	2376		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

		Width in inches								ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances															
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	168	194	212	228	264	274	290	298	338	372	390	444	462	480	498	662	694	718	742	766	788	878	900	
	16	212	242	262	278	346	354	370	380	426	466	486	572	592	612	632	826	860	886	912	938	964	1110	1136	
	20	228	260	282	300	366	376	392	400	456	502	524	610	632	654	676	872	908	936	964	992	1020	1168	1196	
	24	244	278	302	322	388	396	414	422	484	536	560	648	672	696	720	918	956	986	1016	1044	1074	1226	1254	

		Width in inches						ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																	
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	310	334	354	368	400	416	438	488	532	564	594	656	686	710	742	922	960	998	1028	1064	1100	1196	1234	
	16	358	382	402	426	504	518	546	604	662	694	720	820	854	888	920	1126	1172	1212	1252	1284	1322	1486	1524	
	20	384	420	456	482	562	584	614	680	746	782	820	922	960	996	1034	1250	1300	1342	1386	1428	1470	1638	1680	
	24	410	458	496	530	610	632	662	734	814	852	892	996	1036	1074	1120	1338	1392	1436	1480	1526	1578	1746	1792	

GROUP 2 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
FUN FIBER	72"	N/A	No	No	Ultralight

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

		Width in inches												Rollstar Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	148	164	180	208	230	248	260	280	290	394	414	454	474	526	550	744	780	824	918	946	1194	1358	1388	
	42	154	172	190	224	248	266	278	300	310	402	422	462	498	534	578	754	790	832	928	1160	1206	1370	1400	
	48	160	180	202	238	266	286	298	320	330	408	436	468	506	542	638	816	856	902	994	1230	1278	1444	1478	
	54	166	188	216	254	282	304	318	340	352	416	442	476	512	596	638	816	856	954	994	1230	1278	1444	1478	
	60	174	198	230	270	300	324	338	360	372	424	450	484	520	596	640	820	860	958	1000	1248	1298	1464	1498	
	66	180	210	242	284	318	342	356	380	392	436	462	520	542	624	654	844	884	984	1234	1276	1326	1494	1530	
	72	186	220	256	300	336	362	376	400	412	466	486	546	568	646	676	866	908	1008	1262	1304	1356	1524	1560	
	78	194	232	268	316	352	380	396	422	434	488	512	570	594	666	766	890	982	1034	1288	1332	1384	1554	1592	
	84	202	242	282	330	370	400	414	440	454	512	536	596	622	688	788	912	1010	1062	1318	1362	1416	1588	1626	
	90	216	258	300	354	396	428	444	460	474	536	582	622	648	714	816	944	1042	1098	1520	1574	1636	1816	1864	
96	224	268	312	370	414	446	462	482	494	560	716	764	816	874	974	1160	1216	1280	1530	1584	1648	1828	1876		
102	234	280	326	384	432	464	482	502	522	676	724	778	830	886	982	1170	1226	1478	1540	1596	1658	1840	1888		
108	242	290	338	400	448	484	502	522	542	682	730	786	836	894	992	1178	1236	1486	1550	1606	1670	1852	1900		
114	250	302	352	416	466	502	522	542	562	690	738	792	848	902	1000	1188	1244	1496	1562	1616	1680	1862	1924		
120	260	312	364	430	484	522	540	562	584	696	746	800	854	912	1008	1196	1254	1506	1572	1628	1692	1874	1936		
126	270	326	380	450	504	544	564	586	608	708	756	810	862	970	1066	1206	1264	1516	1582	1638	1704	1900	2046		
132	280	336	392	466	522	564	584	606	628	716	764	818	868	982	1078	1218	1278	1542	1610	1666	1746	1930	2078		
138	288	348	406	480	540	582	604	626	648	748	782	852	888	1010	1110	1250	1310	1578	1646	1704	1786	1972	2192		
144	298	358	420	496	556	602	622	652	670	770	810	878	916	1090	1190	1334	1392	1670	1742	1818	1890	2080	2224		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

		Width in inches								ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances															
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	200	218	230	242	280	334	360	378	396	432	454	512	532	554	576	744	778	806	832	860	886	978	1004	
	16	248	270	284	298	364	428	454	474	494	538	564	652	676	700	724	924	960	990	1020	1050	1080	1232	1260	
	20	270	294	308	322	388	462	492	514	536	586	612	704	730	758	784	986	1026	1058	1090	1122	1156	1308	1342	
	24	292	316	332	346	412	496	528	552	576	632	662	756	784	814	844	1048	1090	1126	1160	1196	1230	1386	1422	

		Width in inches						ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																	
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	338	354	370	420	460	486	518	548	594	630	664	728	762	790	826	1010	1050	1092	1124	1166	1206	1304	1346	
	16	390	406	422	486	576	602	642	674	736	772	804	906	944	982	1020	1230	1280	1324	1366	1404	1446	1614	1658	
	20	422	450	478	552	646	682	726	760	830	872	914	1022	1064	1106	1148	1368	1424	1472	1520	1568	1614	1786	1834	
	24	454	492	522	610	706	744	788	826	910	954	1000	1110	1154	1198	1250	1474	1532	1582	1632	1684	1740	1916	1966	

GROUP 3 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
VX SCREEN 3103	118"	3%	Yes	Yes	Medium
VX SCREEN 3105	118"	5%	Yes	Yes	Medium

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

Width in inches												Rollstar Shades												
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	136	150	164	188	208	226	246	276	292	298	306	332	360	396	414	608	638	674	762	998	1038	1194	1218
	42	140	156	170	200	222	244	264	296	312	318	326	372	380	420	458	634	666	704	998	1030	1070	1228	1252
	48	146	162	180	212	236	260	282	316	332	340	352	394	402	444	534	820	860	906	1196	1236	1284	1450	1484
	54	150	168	192	226	250	276	300	334	354	360	374	414	422	600	700	820	860	958	1196	1236	1284	1450	1484
	60	156	176	202	238	264	292	318	354	374	382	414	434	444	600	700	822	860	958	1196	1236	1284	1452	1484
	66	160	184	214	250	278	308	336	374	396	402	434	456	464	614	700	822	862	958	1196	1236	1286	1452	1484
	72	166	194	224	264	294	324	354	394	416	428	454	478	486	618	700	822	862	1148	1196	1236	1286	1452	1484
	78	172	202	234	276	308	340	372	414	436	450	476	498	510	620	702	822	912	1148	1196	1236	1286	1452	1486
	84	178	212	246	288	322	356	388	432	456	470	498	518	530	670	702	822	914	1156	1206	1246	1296	1462	1496
	90	190	226	260	310	344	380	416	452	478	492	518	542	550	690	722	844	938	1186	1236	1278	1328	1496	1532
96	198	234	272	322	360	396	434	472	498	530	538	564	588	714	746	922	1156	1214	1266	1310	1362	1530	1566	
102	204	244	282	334	374	412	452	490	526	552	562	590	614	738	772	948	1182	1242	1296	1340	1394	1564	1602	
108	212	252	292	348	388	428	468	510	546	576	584	610	636	760	796	974	1210	1272	1326	1372	1426	1598	1636	
114	218	262	304	360	402	444	486	530	568	596	604	632	656	784	822	1000	1238	1300	1356	1402	1458	1632	1684	
120	226	270	314	372	416	460	504	550	588	618	624	652	734	808	846	1026	1266	1328	1386	1434	1490	1664	1720	
126	236	282	328	388	434	480	526	574	612	642	650	674	754	832	920	1052	1292	1358	1416	1464	1524	1712	1852	
132	242	290	338	402	448	496	544	592	654	662	670	694	774	856	946	1260	1320	1386	1446	1496	1568	1746	1886	
138	250	300	348	414	462	512	562	612	676	684	690	730	794	878	970	1286	1346	1414	1476	1526	1600	1778	1992	
144	258	308	360	426	478	528	580	638	696	704	712	752	816	1054	1150	1468	1536	1614	1682	1756	1826	2012	2154	

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

Width in inches							ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances																			
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156			
Height in inches	12"	178	204	224	242	282	290	306	316	324	390	408	464	484	502	522	686	718	744	768	792	818	906	932		
	16	224	254	276	298	366	374	390	400	408	488	510	596	616	638	660	854	890	916	944	970	998	1146	1172		
	20	242	274	298	322	390	398	416	424	432	526	550	638	660	684	708	906	942	972	1000	1030	1060	1210	1238		
	24	258	294	320	346	414	424	440	448	458	564	590	680	706	730	756	956	996	1026	1058	1090	1120	1272	1304		

Width in inches							ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																			
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156			
Height in inches	12"	320	344	368	386	418	434	454	476	550	582	614	676	708	734	766	948	986	1024	1056	1094	1132	1228	1266		
	16	370	394	418	446	524	538	566	586	682	718	746	846	880	916	950	1156	1204	1244	1286	1318	1358	1524	1564		
	20	398	436	474	506	586	608	638	660	770	808	848	952	990	1028	1068	1284	1336	1380	1424	1468	1514	1682	1726		
	24	426	476	518	556	636	658	688	710	842	882	922	1030	1070	1110	1158	1378	1432	1478	1526	1572	1626	1796	1842		

GROUP 4 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
VX SCREEN 3101	118"	1%	Yes	Yes	Medium

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

		Width in inches												Rollstar Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	140	156	170	196	216	236	258	288	304	312	318	366	374	412	496	626	658	694	990	1020	1062	1218	1244	
	42	146	162	178	210	232	254	276	310	326	334	360	388	396	440	542	656	688	924	1022	1054	1096	1256	1282	
	48	152	168	190	222	248	272	296	330	350	356	388	410	422	466	734	856	898	1134	1236	1278	1330	1498	1532	
	54	156	176	200	236	262	290	316	352	372	378	412	436	444	688	734	856	898	1186	1236	1278	1330	1498	1532	
	60	162	184	212	250	278	306	334	374	394	420	438	458	468	688	734	858	1080	1186	1236	1278	1330	1498	1532	
	66	168	194	224	264	294	324	354	394	416	446	460	482	490	702	734	858	1080	1186	1238	1280	1330	1498	1532	
	72	174	204	236	278	310	342	374	416	440	474	482	504	512	702	736	858	1080	1186	1238	1280	1330	1498	1534	
	78	180	214	248	290	324	358	392	436	462	496	506	528	592	702	736	858	1130	1188	1238	1280	1330	1498	1534	
	84	188	224	258	304	340	376	412	458	506	520	528	550	614	702	736	1038	1140	1198	1248	1290	1342	1510	1546	
	90	200	238	276	326	364	402	440	478	528	542	550	572	636	724	758	1064	1170	1228	1280	1324	1378	1546	1632	
	96	208	248	286	340	380	420	460	500	550	566	572	594	676	750	784	1144	1198	1260	1314	1358	1412	1632	1670	
	102	216	256	298	354	396	436	478	522	580	588	596	622	704	776	812	1174	1228	1290	1346	1392	1448	1670	2050	
	108	224	266	310	368	410	454	498	542	602	610	618	646	726	802	1014	1202	1258	1322	1378	1426	1532	1706	2088	
	114	232	276	322	380	426	472	518	564	624	632	640	722	750	826	1042	1230	1288	1352	1410	1508	1566	1742	2138	
	120	240	286	334	394	442	490	536	606	648	654	662	746	772	852	1068	1258	1318	1384	1492	1542	1602	1778	2176	
	126	250	298	348	412	462	510	560	630	674	682	690	768	794	878	1144	1286	1348	1464	1524	1576	1638	2168	2310	
132	256	308	358	426	476	528	578	652	696	704	712	790	816	904	1172	1314	1376	1494	1556	1610	1686	2204	2348		
138	264	318	370	440	492	546	598	672	718	726	734	828	838	1096	1198	1342	1456	1526	1590	1644	1720	2394	2618		
144	272	328	382	452	508	562	618	700	740	748	810	850	862	1278	1386	1588	1662	1742	1814	1892	1964	2474	3574		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

		Width in inches								ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances															
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	186	212	234	254	292	302	318	326	334	406	426	482	502	522	542	708	742	766	792	818	844	934	960	
	16	232	264	288	310	378	388	404	412	422	508	530	616	640	662	684	880	916	944	972	1002	1030	1178	1206	
	20	252	286	312	338	406	414	430	440	448	548	574	662	688	712	738	936	974	1004	1034	1066	1096	1246	1278	
	24	272	308	336	364	432	440	458	466	474	590	616	708	736	762	790	990	1032	1064	1096	1130	1162	1316	1348	

		Width in inches					ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																	
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156
Height in inches	12"	330	354	378	398	430	446	466	486	568	600	634	696	730	756	788	972	1012	1050	1082	1120	1160	1258	1296
	16	380	406	432	460	538	552	580	600	702	738	768	870	904	940	976	1184	1234	1274	1316	1350	1392	1558	1600
	20	410	450	490	522	602	624	654	676	794	834	872	978	1018	1058	1098	1316	1370	1416	1460	1506	1552	1722	1768
	24	440	492	534	574	654	676	706	728	868	910	952	1060	1102	1144	1194	1414	1470	1518	1566	1614	1668	1842	1890

GROUP 5 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
BASKETWEAVE PLUS 5%	118"	5%	No	No	Medium
HILLCREST	110"	N/A	No	No	Ultralight
KLEENSCREEN	118"	N/A	No	No	X-Heavy
TWILL 3%	118"	3%	No	No	Medium

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

		Width in inches												Rollstar Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	138	152	166	192	212	232	252	282	300	316	332	388	396	418	496	618	642	672	976	1008	1048	1204	1228	
	42	142	158	174	204	226	248	270	302	322	338	376	414	422	448	542	646	670	896	1008	1040	1080	1240	1264	
	48	148	164	184	216	240	264	288	322	344	362	406	440	452	474	620	728	754	984	1096	1132	1176	1338	1366	
	54	154	172	196	230	256	280	306	342	366	384	432	468	476	608	638	746	772	1054	1116	1152	1198	1362	1392	
	60	158	180	206	242	270	298	324	362	388	428	458	494	504	626	658	764	980	1072	1138	1174	1222	1386	1416	
	66	164	188	218	256	284	314	344	382	410	454	484	520	528	658	676	784	1000	1090	1158	1196	1244	1408	1440	
	72	168	198	228	268	300	330	362	402	430	482	508	546	554	678	694	802	1018	1110	1310	1354	1408	1580	1618	
	78	174	208	240	282	314	348	380	422	452	506	532	572	638	696	712	820	1086	1128	1310	1354	1408	1580	1618	
	84	182	216	250	294	330	364	398	442	496	530	556	598	664	714	732	1022	1108	1150	1314	1358	1412	1584	1622	
	90	194	230	266	316	352	390	426	464	518	552	580	622	688	740	756	1048	1134	1178	1324	1370	1424	1596	1682	
96	202	240	278	330	368	406	444	484	540	576	606	648	732	766	784	1126	1162	1206	1334	1380	1434	1656	1694		
102	208	248	288	342	382	422	462	504	568	598	630	680	762	792	810	1154	1190	1234	1344	1390	1446	1668	2026		
108	216	258	300	356	398	440	480	524	590	622	654	706	788	818	1012	1180	1218	1262	1354	1402	1506	1678	2050		
114	224	268	312	368	412	456	500	544	612	646	678	788	814	846	1040	1208	1246	1290	1378	1476	1532	1706	2100		
120	232	278	322	382	426	472	518	584	634	668	702	812	840	872	1066	1236	1274	1318	1458	1508	1566	1740	2136		
126	242	288	336	398	446	494	540	608	660	696	730	838	864	898	1144	1262	1302	1396	1490	1540	1600	2128	2268		
132	248	298	346	412	460	510	558	628	682	718	754	864	890	924	1170	1290	1330	1424	1520	1572	1646	2162	2304		
138	256	306	358	424	476	526	576	650	704	742	780	906	916	1118	1196	1318	1406	1452	1552	1604	1680	2198	2412		
144	264	316	368	438	490	542	596	676	726	764	858	930	942	1196	1274	1446	1488	1538	1642	1712	1778	2300	3414		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

		Width in inches								ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances															
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	180	206	228	248	292	310	334	346	354	382	394	444	456	468	530	696	728	754	778	804	828	918	942	
	16	228	258	280	304	378	396	422	436	444	478	490	568	582	594	670	866	900	928	956	984	1010	1160	1186	
	20	246	278	304	328	406	424	452	466	476	512	526	604	618	632	720	918	956	986	1014	1044	1074	1224	1254	
	24	264	300	326	354	432	454	482	496	506	548	562	642	656	670	770	970	1010	1042	1074	1106	1138	1290	1322	

		Width in inches					ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																		
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	324	348	372	396	436	460	488	508	544	570	594	650	718	744	776	958	998	1036	1066	1104	1144	1240	1278	
	16	374	400	424	456	546	568	604	626	674	700	720	812	890	926	960	1168	1216	1258	1298	1332	1372	1538	1578	
	20	402	442	482	518	608	642	682	704	760	788	816	910	1002	1040	1080	1298	1350	1396	1440	1484	1530	1698	1742	
	24	432	482	524	570	662	698	738	760	828	858	886	982	1084	1124	1174	1394	1448	1496	1542	1590	1644	1814	1862	

GROUP 6 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
BASKETWEAVE PLUS 3%	118"	3%	No	No	Medium
LUCCA	118"	N/A	No	No	Medium
MERIDIAN	118"	N/A	No	No	Medium
NANO 95	126"	5%	Yes	Yes	Heavy

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
SHEERWEAVE 7450	118"	N/A	No	No	Medium
SUNTEX 95	126"	5%	Yes	Yes	Heavy
SUNTEX 95 MATTE	126"	5%	Yes	Yes	Heavy
TWILL 1%	118"	1%	No	No	Medium

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

Width in inches													Rollstar Shades												
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156		
Height in inches	36"	152	168	186	214	238	262	284	318	340	360	378	430	436	458	470	662	704	744	1044	1078	1120	1280	1306	
	42	158	178	196	230	256	282	308	344	368	388	408	460	468	490	590	694	740	780	1082	1118	1162	1324	1352	
	48	166	186	210	246	274	302	330	368	394	418	468	490	498	522	674	780	832	876	1178	1216	1266	1430	1464	
	54	172	194	224	262	294	324	354	394	422	446	500	522	530	602	698	804	858	1156	1206	1246	1296	1462	1496	
	60	178	206	238	280	312	344	376	420	450	474	530	552	564	626	720	828	884	1184	1234	1276	1328	1496	1530	
	66	186	216	252	296	330	364	400	444	476	504	560	588	594	728	744	852	1078	1374	1434	1484	1542	1720	1762	
	72	192	228	266	312	348	386	422	470	504	560	592	618	626	752	768	876	1078	1374	1434	1484	1544	1720	1762	
	78	200	240	280	328	366	406	446	494	532	590	626	648	656	776	792	900	1310	1374	1434	1484	1544	1720	1762	
	84	210	252	292	344	384	426	468	520	558	622	656	680	686	798	816	924	1312	1378	1438	1488	1546	1724	1766	
	90	224	268	312	368	412	456	500	544	586	652	688	710	718	830	846	954	1322	1388	1448	1498	1558	1734	1778	
96	234	280	326	384	430	476	524	570	612	680	718	740	826	860	878	1224	1332	1398	1458	1510	1570	1746	1790		
102	242	290	340	400	450	498	546	596	670	710	748	778	864	892	912	1256	1340	1408	1468	1520	1580	1758	1802		
108	252	302	352	418	468	518	568	620	698	738	780	808	894	924	944	1290	1376	1444	1506	1560	1622	1802	1848		
114	262	314	366	434	486	540	592	646	724	768	810	840	924	956	976	1322	1412	1482	1546	1600	1664	1846	1956		
120	270	326	380	450	504	560	614	672	752	796	840	870	956	988	1008	1354	1446	1518	1584	1640	1706	1888	2000		
126	282	340	396	470	528	584	642	700	784	830	876	900	986	1020	1268	1386	1482	1556	1622	1680	1748	1994	2490		
132	290	350	410	486	546	606	664	726	810	858	906	932	1016	1052	1298	1420	1518	1592	1662	1720	1852	2038	2534		
138	300	362	424	502	564	626	688	750	838	888	936	1038	1048	1082	1332	1452	1552	1630	1700	1762	1894	2082	2652		
144	310	374	438	518	582	646	710	804	866	916	968	1068	1078	1166	1414	1536	1644	1724	1798	1926	2000	2192	2684		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

Width in inches										ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances														
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	206	236	258	282	330	350	372	380	388	416	428	478	490	570	594	762	796	824	852	880	908	1000	1028
	16	256	290	318	344	422	444	468	476	486	518	530	608	622	720	746	944	984	1014	1044	1076	1106	1258	1288
	20	280	316	346	374	456	480	504	514	522	560	572	652	664	780	808	1010	1052	1086	1118	1152	1186	1340	1374
	24	304	342	374	406	490	516	542	550	558	600	614	694	708	840	872	1076	1120	1156	1192	1228	1266	1422	1458

Width in inches						ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																		
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	352	380	406	432	476	502	522	544	580	606	630	744	780	808	844	1030	1072	1112	1146	1188	1228	1330	1370
	16	406	436	464	502	592	618	646	666	716	742	762	926	964	1004	1042	1252	1304	1348	1392	1430	1474	1642	1688
	20	442	484	528	568	664	700	730	752	808	836	864	1044	1088	1130	1174	1396	1452	1500	1550	1598	1646	1820	1868
	24	476	530	578	628	724	762	792	814	882	912	940	1136	1182	1226	1280	1504	1564	1616	1666	1718	1776	1952	2004

GROUP 7 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
TRELLIS	82"	N/A	No	No	Ultralight
TULIP	82"	N/A	No	No	Ultralight

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

		Width in inches												Rollstar Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	154	172	192	220	244	268	290	310	320	328	480	524	564	604	632	830	870	918	1016	1252	1302	1468	1502	
	42	162	182	202	238	264	290	314	334	346	352	486	546	572	612	660	838	880	926	1222	1262	1312	1480	1514	
	48	170	192	216	254	282	312	336	360	370	376	500	554	578	620	720	902	946	996	1288	1332	1386	1556	1592	
	54	176	200	230	270	302	334	360	384	394	402	508	560	586	674	778	902	946	1048	1288	1332	1386	1556	1592	
	60	184	212	246	288	322	356	384	408	418	426	530	568	594	674	778	902	946	1048	1288	1332	1386	1556	1592	
	66	192	224	260	304	340	376	408	432	444	450	536	576	602	688	778	902	946	1048	1288	1332	1386	1556	1594	
	72	198	236	274	322	360	398	432	456	468	482	544	584	608	692	790	916	960	1266	1320	1364	1418	1590	1628	
	78	208	248	288	338	380	420	456	480	492	506	572	612	642	716	816	942	1038	1294	1350	1396	1452	1624	1664	
	84	216	260	304	356	398	442	478	504	518	530	598	640	672	804	842	970	1068	1326	1384	1432	1488	1662	1704	
	90	230	276	322	382	426	472	512	528	542	556	626	672	702	834	874	1004	1106	1366	1424	1474	1532	1708	1752	
96	240	288	336	398	446	494	534	552	566	600	654	700	748	866	908	1090	1338	1404	1464	1516	1576	1754	1798		
102	250	300	352	416	466	516	558	578	598	624	684	736	784	898	940	1126	1374	1442	1506	1558	1620	1800	1846		
108	260	314	366	432	484	538	582	602	622	652	710	764	814	930	974	1160	1412	1482	1546	1600	1664	1846	1892		
114	270	326	380	450	504	560	606	626	648	678	738	792	844	1110	1164	1360	1606	1684	1758	1822	1894	2084	2154		
120	280	338	394	466	524	582	630	650	672	702	778	842	1050	1118	1172	1368	1614	1694	1768	1832	1904	2096	2166		
126	292	352	412	488	548	606	658	678	700	730	800	864	1058	1126	1230	1378	1624	1704	1778	1842	1916	2120	2274		
132	302	364	426	504	566	628	680	702	748	756	896	956	1064	1134	1238	1560	1634	1714	1788	1852	1940	2132	2286		
138	312	376	440	520	586	650	704	726	772	780	904	978	1072	1142	1246	1568	1642	1724	1798	1864	1952	2144	2370		
144	320	388	454	538	604	672	728	758	796	804	912	986	1078	1200	1306	1630	1708	1792	1868	1950	2028	2222	2370		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

		Width in inches								ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances															
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	212	242	258	270	308	316	332	400	420	458	480	540	562	586	608	778	814	842	870	898	928	1020	1048	
	16	264	298	316	330	396	404	420	502	524	570	596	686	712	738	764	964	1004	1034	1066	1098	1130	1282	1314	
	20	288	326	344	358	424	434	450	544	568	622	650	744	772	802	830	1032	1074	1110	1144	1178	1212	1368	1402	
	24	312	354	372	388	454	462	480	588	614	672	704	800	832	864	896	1102	1146	1184	1222	1258	1296	1454	1492	

		Width in inches					ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																	
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156
Height in inches	12"	360	382	398	412	444	508	540	572	620	656	692	760	796	824	860	1046	1090	1132	1166	1208	1250	1350	1392
	16	416	440	454	478	556	628	670	704	766	806	838	944	982	1022	1062	1272	1326	1370	1416	1454	1500	1668	1714
	20	450	488	516	542	622	712	758	794	866	910	954	1064	1108	1152	1196	1420	1476	1526	1576	1626	1676	1850	1898
	24	486	534	564	596	676	778	826	864	952	998	1044	1158	1204	1252	1306	1532	1592	1644	1698	1750	1810	1986	2038

GROUP 8 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
ICE	114"	N/A	No	No	Ultralight
SOLIDITY	110"	N/A	No	No	Light
SPRING	114"	N/A	No	No	Ultralight
ZORA TWLGIHT	126"	N/A	Yes	No	Medium

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

		Width in inches												Rollstar Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	158	178	198	228	252	278	304	338	362	384	392	442	450	472	482	702	736	776	1080	1116	1160	1322	1350	
	42	166	188	210	246	274	302	328	366	392	416	424	474	482	506	606	740	776	818	1124	1160	1206	1370	1400	
	48	174	198	224	264	294	324	354	394	424	448	486	508	516	538	690	832	872	918	1224	1264	1316	1482	1516	
	54	182	208	240	282	314	348	380	422	454	480	518	540	548	622	716	860	902	1204	1256	1300	1350	1520	1556	
	60	190	220	254	300	334	370	406	450	484	512	552	572	584	646	742	1064	1116	1414	1474	1526	1588	1766	1810	
	66	198	232	270	318	356	394	430	478	514	544	584	610	618	750	768	1064	1116	1414	1474	1526	1588	1766	1810	
	72	206	246	286	336	376	416	456	506	544	606	616	642	650	776	794	1066	1116	1414	1476	1526	1588	1766	1810	
	78	216	258	302	354	396	440	482	536	576	638	652	674	682	802	818	1066	1348	1414	1476	1528	1588	1766	1812	
	84	226	270	316	370	416	462	508	562	606	674	686	706	714	826	844	1066	1350	1418	1478	1530	1592	1770	1816	
	90	240	288	336	398	446	494	542	590	636	706	718	740	746	860	876	1074	1360	1428	1490	1542	1602	1782	1828	
	96	250	302	352	416	466	516	568	618	666	740	750	772	858	892	910	1316	1378	1448	1510	1564	1626	1806	1852	
102	262	314	368	434	486	540	592	646	728	772	782	810	896	926	944	1354	1418	1490	1554	1608	1672	1854	1902		
108	272	328	382	452	508	562	618	674	758	804	816	842	930	960	978	1392	1458	1530	1596	1654	1718	1902	1952		
114	282	340	398	470	528	586	644	704	788	836	848	876	962	994	1012	1430	1498	1572	1640	1698	1766	1950	2064		
120	292	352	414	488	548	608	670	732	818	868	880	908	994	1026	1046	1466	1536	1612	1682	1742	1812	1998	2114		
126	304	368	430	510	572	636	700	764	854	904	916	940	1026	1060	1308	1504	1576	1654	1726	1788	1858	2110	2612		
132	314	380	446	528	594	658	724	792	884	936	950	972	1060	1094	1342	1542	1614	1694	1768	1832	1968	2158	2662		
138	326	394	462	546	614	682	750	820	914	970	982	1082	1092	1126	1376	1580	1654	1736	1810	1876	2014	2206	2786		
144	336	406	476	564	634	704	776	876	944	1002	1014	1114	1124	1212	1460	1670	1748	1834	1914	2046	2126	2322	2824		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

		Width in inches								ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances															
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	220	250	276	300	350	366	382	392	400	428	440	558	582	604	628	798	836	864	894	924	952	1046	1076	
	16	274	310	338	366	446	464	480	490	498	532	544	706	734	760	788	988	1030	1062	1094	1128	1160	1314	1346	
	20	300	338	370	400	484	504	520	528	538	574	588	768	798	828	858	1062	1106	1142	1176	1212	1248	1404	1440	
	24	326	368	402	436	522	542	558	568	576	618	632	828	862	894	928	1136	1182	1220	1258	1298	1336	1496	1534	

		Width in inches					ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																		
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	368	398	426	454	498	514	534	554	592	616	712	778	816	846	882	1070	1112	1156	1192	1234	1276	1378	1422	
	16	426	456	488	526	618	632	660	680	730	756	860	966	1006	1046	1088	1300	1354	1400	1446	1486	1532	1702	1748	
	20	462	508	554	596	694	716	746	768	824	852	980	1090	1136	1182	1226	1450	1510	1560	1610	1662	1712	1888	1938	
	24	500	558	606	660	758	780	810	832	900	930	1074	1188	1236	1284	1340	1566	1628	1682	1736	1790	1852	2030	2084	

GROUP 9 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
ELEMENTAL	94"	N/A	No	No	Ultralight
E-SCREEN 5%	122"	5%	Yes	Yes	Light
E-SCREEN 10%	122"	10%	Yes	Yes	Light
SHEERWEAVE 2360	126"	10%	Yes	Yes	Light

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

		Width in inches												Rollstar Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	162	182	202	232	258	284	310	346	366	372	378	406	436	484	506	712	748	788	882	1130	1174	1336	1366	
	42	170	192	214	250	280	308	336	374	396	402	410	460	468	520	562	752	788	832	1138	1176	1222	1386	1418	
	48	178	202	228	270	300	332	362	404	426	434	446	490	498	554	652	1028	1078	1134	1432	1482	1542	1718	1762	
	54	186	212	244	288	322	356	388	432	458	464	478	522	530	788	898	1028	1078	1186	1434	1484	1542	1718	1762	
	60	194	224	260	306	342	378	416	462	488	494	530	552	560	788	898	1028	1078	1186	1434	1484	1542	1718	1762	
	66	202	238	276	324	364	402	442	490	518	526	562	584	592	802	898	1028	1078	1186	1434	1484	1542	1720	1762	
	72	212	252	292	344	384	426	468	520	550	562	592	614	622	806	898	1030	1078	1374	1434	1484	1544	1720	1762	
	78	220	264	308	362	406	450	494	548	580	594	624	646	656	806	898	1030	1128	1374	1434	1484	1544	1720	1762	
	84	230	278	324	380	426	474	520	578	610	624	654	676	686	858	898	1030	1132	1390	1448	1500	1560	1736	1780	
	90	246	296	344	408	458	506	556	606	642	656	686	710	718	886	930	1062	1168	1432	1494	1546	1608	1786	1832	
96	256	308	360	426	478	530	582	636	672	708	716	740	766	922	966	1152	1404	1474	1538	1592	1656	1836	1884		
102	268	322	376	444	500	554	608	664	710	738	750	778	802	958	1004	1192	1444	1516	1582	1638	1704	1886	1936		
108	278	336	392	464	520	578	636	694	740	774	780	808	834	992	1040	1230	1486	1560	1626	1684	1752	1936	1988		
114	288	348	408	482	542	602	662	722	772	804	812	840	864	1028	1078	1268	1526	1602	1670	1732	1800	1986	2052		
120	300	362	424	500	564	626	688	752	802	834	842	870	956	1062	1114	1308	1566	1644	1716	1778	1848	2036	2104		
126	312	378	442	524	588	654	718	784	838	870	878	900	986	1098	1200	1346	1608	1688	1760	1824	1896	2100	2254		
132	322	390	458	542	610	676	744	814	892	900	908	932	1016	1132	1238	1574	1648	1730	1804	1870	1958	2150	2306		
138	334	404	474	560	630	700	772	842	922	930	938	978	1048	1168	1274	1612	1688	1772	1848	1916	2006	2200	2430		
144	344	418	490	578	652	724	798	878	954	962	970	1008	1078	1428	1546	1882	1972	2068	2158	2252	2342	2548	2708		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

		Width in inches								ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances															
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	224	256	282	308	346	356	372	380	388	484	508	568	592	616	640	810	848	878	908	938	968	1062	1092	
	16	280	316	344	374	442	450	468	476	486	600	628	720	748	774	802	1004	1046	1078	1112	1144	1178	1332	1366	
	20	306	346	378	410	478	488	504	514	522	656	688	782	814	844	874	1080	1124	1160	1196	1234	1270	1426	1464	
	24	332	376	410	446	516	524	542	550	558	714	748	846	880	914	948	1156	1202	1242	1282	1322	1360	1522	1560	

		Width in inches						ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																	
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	374	404	432	454	486	502	522	544	646	684	722	790	828	858	896	1082	1126	1170	1206	1250	1294	1396	1440	
	16	432	464	496	526	604	618	646	666	798	838	872	980	1020	1062	1102	1316	1370	1418	1464	1504	1550	1722	1768	
	20	470	516	562	598	678	700	730	752	902	948	994	1106	1152	1198	1244	1468	1528	1580	1632	1684	1736	1912	1962	
	24	508	566	616	660	740	762	792	814	992	1040	1090	1206	1254	1304	1360	1588	1650	1706	1760	1816	1878	2056	2112	

GROUP 10 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
E-SCREEN 3%	122"	3%	Yes	Yes	Medium
M-SCREEN 3%	122"	3%	Yes	Yes	Medium
SHEERWEAVE 2390	126"	5%	Yes	Yes	Medium
SHEERWEAVE 2410	126"	3%	Yes	Yes	Medium

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
SHEERWEAVE 4400**	126"	3%	Yes	Yes	X-Heavy
SHEERWEAVE 5000**	98"	Varies	No	No	Heavy

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

Width in inches													Rollstar Shades												
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156		
Height in inches	36"	166	186	208	240	266	294	320	358	378	384	392	442	450	500	522	730	766	808	1116	1152	1198	1360	1390	
	42	174	198	222	260	290	318	348	388	410	418	424	474	482	536	654	772	810	854	1162	1202	1248	1414	1446	
	48	184	208	238	278	312	344	376	420	442	450	486	508	516	574	932	1064	1116	1174	1474	1526	1586	1764	1810	
	54	192	220	254	298	334	370	404	450	476	482	518	540	548	824	932	1064	1116	1414	1474	1526	1588	1766	1810	
	60	202	234	272	318	356	394	432	480	508	514	552	572	584	824	932	1064	1116	1414	1474	1526	1588	1766	1810	
	66	210	248	288	338	378	420	460	512	540	548	584	610	618	890	932	1064	1116	1414	1474	1526	1588	1766	1810	
	72	220	262	304	358	400	444	488	542	572	608	616	642	650	890	932	1066	1116	1414	1476	1526	1588	1766	1810	
	78	228	276	322	376	424	470	516	572	606	640	652	674	682	890	932	1066	1348	1414	1476	1528	1588	1766	1812	
	84	240	290	338	396	446	494	544	602	638	678	686	706	714	890	932	1066	1362	1430	1490	1544	1606	1784	1830	
	90	256	308	360	424	476	528	580	634	670	710	718	740	746	922	966	1100	1404	1474	1538	1592	1656	1836	1884	
	96	268	322	376	444	500	554	608	664	702	742	750	772	858	958	1004	1382	1448	1520	1584	1642	1706	1890	1940	
	102	278	336	394	464	522	578	636	694	768	774	782	810	896	996	1044	1422	1490	1564	1632	1690	1758	1942	1994	
108	290	350	410	484	544	604	664	726	800	808	816	842	930	1032	1082	1464	1534	1610	1678	1740	1808	1996	2048		
114	302	364	426	504	566	630	692	756	832	840	848	876	962	1070	1122	1506	1576	1654	1726	1788	1860	2048	2166		
120	312	378	444	522	588	654	720	786	864	872	880	908	994	1106	1160	1546	1620	1700	1772	1838	1910	2100	2222		
126	326	394	462	546	616	684	752	822	902	910	916	940	1026	1144	1430	1588	1662	1744	1820	1886	1962	2216	2728		
132	336	408	480	566	638	708	780	852	934	942	950	972	1060	1180	1470	1628	1706	1790	1866	1934	2074	2270	2782		
138	348	422	496	586	660	734	808	882	966	974	982	1082	1092	1218	1508	1668	1748	1834	1914	1984	2126	2322	3174		
144	360	436	512	606	682	758	836	944	998	1006	1014	1114	1124	1494	1780	1954	2048	2148	2240	2388	2480	2690	3174		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

Width in inches										ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances														
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	232	266	292	318	358	366	382	392	400	500	524	586	610	636	662	832	870	902	932	964	994	1090	1120
	16	288	326	356	386	456	464	480	490	498	620	648	742	770	798	828	1030	1072	1106	1140	1176	1210	1364	1400
	20	318	358	392	426	494	504	520	528	538	680	712	808	840	872	904	1110	1156	1194	1230	1268	1306	1464	1502
	24	346	390	426	464	534	542	558	568	576	740	774	874	910	946	980	1190	1238	1280	1320	1362	1402	1564	1606

Width in inches						ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																		
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	384	414	444	466	498	514	534	554	664	702	740	810	848	880	918	1106	1152	1196	1232	1278	1322	1424	1470
	16	442	476	508	540	618	632	660	680	818	860	894	1002	1044	1088	1130	1344	1400	1448	1496	1536	1584	1756	1804
	20	482	530	578	614	694	716	746	768	926	972	1020	1134	1180	1228	1274	1500	1562	1614	1668	1720	1774	1952	2004
	24	522	582	634	678	758	780	810	832	1018	1068	1118	1236	1286	1338	1394	1624	1688	1744	1802	1858	1922	2102	2158

GROUP 11 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight	Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
BALMORAL PRIVACY	118"	N/A	No	No	Ultralight	SHEERWEAVE 7400	118"	N/A	No	No	Medium
DARWIN BLACKOUT	110"	N/A	No	No	Medium	SHEERWEAVE 7800	118"	N/A	No	No	Medium
E-SCREEN 0.5%	126"	0.5%	No	No	Heavy	SHEERWEAVE 7850	118"	N/A	No	No	Ultralight
PALM BEACH BLACKOUT	118"	N/A	No	No	Medium	WAXING	114"	N/A	No	No	Ultralight

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

Width in inches												Rollstar Shades												
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	172	194	216	250	278	306	334	374	400	424	448	492	500	532	544	740	790	834	1124	1160	1228	1392	1424
	42	180	206	230	270	302	334	364	406	436	462	488	532	550	574	662	782	836	882	1174	1234	1282	1450	1482
	48	190	218	248	292	326	360	394	438	472	500	550	572	592	614	754	878	938	988	1280	1346	1398	1570	1608
	54	200	230	266	312	350	386	424	472	506	538	590	612	632	706	788	912	976	1266	1320	1388	1442	1614	1654
	60	210	244	284	334	374	414	454	504	542	576	630	652	676	738	822	946	1012	1306	1362	1428	1486	1660	1702
	66	220	258	302	354	398	440	484	538	578	614	670	708	716	838	854	978	1286	1592	1660	1720	1790	1976	2028
	72	230	274	320	376	422	468	514	570	614	672	710	750	756	870	888	1012	1288	1592	1662	1720	1790	1976	2028
	78	240	290	338	396	446	494	544	602	648	710	756	790	798	904	938	1046	1518	1592	1662	1722	1790	1976	2028
	84	252	304	356	416	468	520	572	636	684	752	796	830	838	938	972	1078	1520	1596	1664	1724	1794	1980	2032
	90	268	324	378	446	502	556	612	668	720	790	846	870	878	978	1012	1120	1530	1606	1674	1736	1804	1990	2044
	96	280	338	396	468	526	584	642	700	756	828	886	910	984	1018	1054	1386	1540	1616	1686	1746	1816	2002	2056
	102	292	354	414	488	550	610	672	734	814	866	928	956	1030	1060	1096	1428	1548	1626	1696	1756	1826	2014	2068
	108	304	368	432	510	574	638	702	766	850	904	968	998	1072	1102	1136	1470	1576	1674	1746	1808	1882	2070	2126
	114	316	384	450	530	598	664	730	798	886	940	1008	1038	1112	1142	1178	1514	1622	1722	1796	1862	1936	2128	2248
120	328	398	468	552	622	692	760	832	920	978	1048	1078	1152	1184	1220	1556	1668	1770	1846	1914	1990	2184	2306	
126	342	416	488	576	650	722	794	868	960	1020	1092	1118	1192	1242	1478	1598	1714	1818	1896	1966	2044	2302	2782	
132	354	430	506	598	674	748	824	902	996	1058	1132	1158	1232	1284	1520	1640	1760	1866	1946	2018	2162	2358	2840	
138	366	446	524	618	696	776	854	934	1032	1106	1172	1262	1272	1324	1562	1682	1806	1914	1996	2070	2216	2416	2970	
144	378	460	542	640	720	802	884	988	1066	1144	1212	1302	1314	1418	1652	1776	1926	2020	2106	2248	2336	2540	3018	

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

Width in inches										ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances														
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	244	278	304	332	386	410	434	442	450	478	492	540	552	662	688	860	900	932	964	996	1028	1124	1156
	16	302	340	372	404	488	514	542	550	558	592	604	682	696	828	860	1064	1106	1142	1178	1214	1250	1406	1442
	20	332	374	410	444	532	562	590	598	608	644	658	736	750	908	942	1148	1196	1234	1274	1314	1352	1514	1552
	24	362	408	446	486	576	608	638	646	656	698	712	790	806	986	1022	1234	1284	1328	1370	1414	1456	1620	1662

Width in inches						ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																		
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	396	428	458	490	536	566	588	608	646	670	694	834	874	906	946	1136	1182	1228	1266	1312	1358	1462	1508
	16	456	492	526	568	664	694	722	744	792	818	838	1032	1076	1120	1164	1378	1436	1486	1536	1578	1626	1800	1850
	20	498	548	598	644	746	786	816	838	896	924	952	1168	1216	1266	1314	1542	1604	1660	1714	1768	1824	2002	2056
	24	540	602	656	712	818	860	890	912	982	1010	1040	1274	1328	1380	1440	1670	1738	1796	1854	1912	1978	2160	2218

GROUP 12 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
E-SCREEN 1%	122"	1%	Yes	Yes	Medium
SHEERWEAVE 2500	126"	1%	Yes	Yes	Heavy
SHEERWEAVE 4800	126"	1%	No	No	X-Heavy
S-SCREEN 4%	122"	4%	No	No	X-Heavy

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

		Width in inches												Rollstar Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	172	196	218	252	280	308	338	376	398	404	434	462	470	526	620	758	794	1046	1148	1186	1234	1398	1430	
	42	182	208	232	272	304	336	368	408	432	440	470	502	508	634	682	802	840	1094	1200	1240	1288	1456	1488	
	48	192	220	250	294	328	362	398	442	468	498	514	536	544	870	982	1118	1172	1422	1536	1590	1654	1834	1882	
	54	202	232	268	314	352	390	428	476	502	532	550	572	580	924	984	1118	1354	1472	1536	1590	1654	1834	1882	
	60	212	246	286	336	376	418	458	508	538	572	586	606	616	924	984	1118	1354	1474	1536	1592	1654	1836	1882	
	66	222	260	304	358	400	444	488	542	572	606	620	642	714	938	984	1292	1354	1474	1536	1592	1654	1836	1884	
	72	230	276	322	378	424	472	518	574	634	648	656	678	748	938	984	1292	1354	1474	1538	1592	1656	1836	1884	
	78	242	292	340	400	448	498	548	608	668	682	692	712	784	940	984	1294	1404	1474	1538	1592	1656	1886	1932	
	84	254	306	358	420	472	526	578	640	704	718	726	748	818	940	984	1304	1420	1490	1554	1610	1674	1904	2312	
	90	270	326	382	450	506	562	618	674	738	754	762	844	854	972	1202	1348	1466	1538	1604	1662	1778	1962	2370	
	96	282	342	400	472	530	588	648	706	774	788	796	878	906	1012	1244	1444	1512	1588	1656	1764	1832	2018	2430	
	102	294	356	418	492	554	616	678	764	816	824	832	920	948	1052	1286	1488	1558	1636	1756	1818	1888	2432	2488	
	108	308	372	436	514	578	644	708	798	852	858	866	956	982	1092	1330	1532	1606	1734	1806	1870	1942	2490	2548	
	114	320	386	454	536	602	670	738	830	886	894	902	990	1018	1308	1372	1576	1700	1782	1858	1924	1998	2548	2620	
120	332	402	472	556	626	698	768	864	922	930	996	1026	1052	1348	1414	1670	1748	1830	1908	1976	2052	2604	3676		
126	346	420	492	582	656	728	802	902	960	968	1036	1060	1120	1388	1506	1714	1794	1880	1958	2028	2472	3608	3832		
132	358	434	510	602	680	756	832	934	996	1060	1070	1096	1154	1428	1596	1758	1840	1928	2010	2082	3688	3954	4190		
138	370	450	528	624	704	782	886	968	1030	1096	1106	1180	1190	1468	1638	1804	1886	1976	2060	2134	3700	3966	4274		
144	382	464	548	646	728	810	916	1006	1120	1130	1140	1214	1358	1800	1932	2112	2210	2316	2414	2516	3776	4044	4276		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

		Width in inches								ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances															
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	246	280	306	334	374	384	400	408	416	524	550	612	640	666	692	864	904	936	968	1000	1034	1130	1162	
	16	304	344	374	406	476	484	502	510	518	648	678	774	804	834	864	1068	1112	1148	1184	1220	1256	1414	1450	
	20	334	378	412	448	518	526	544	552	560	714	748	846	880	914	948	1156	1202	1242	1282	1322	1360	1522	1560	
	24	364	412	450	490	560	568	586	594	602	778	816	918	956	992	1030	1242	1292	1336	1378	1422	1466	1630	1672	

		Width in inches						ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																	
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	398	430	460	484	516	532	552	572	688	728	768	838	878	912	952	1142	1188	1234	1272	1318	1364	1468	1514	
	16	460	494	528	560	640	652	682	702	846	890	928	1038	1082	1126	1170	1386	1442	1492	1542	1584	1634	1808	1858	
	20	502	550	600	638	718	740	770	792	960	1010	1058	1174	1222	1272	1322	1550	1612	1666	1722	1776	1832	2010	2066	
	24	544	606	660	704	784	806	836	858	1056	1110	1162	1282	1334	1388	1448	1678	1746	1804	1862	1922	1986	2170	2228	

GROUP 13 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
MIA PRIVACY	94"	N/A	No	No	Ultralight
NATAL BLACKOUT	98"	N/A	No	No	Medium
SALVADOR SHEER	94"	N/A	No	No	Ultralight

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

		Width in inches												Rollstar Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	186	214	240	276	308	340	374	416	430	436	442	496	536	572	600	816	856	902	1220	1262	1312	1480	1514	
	42	198	228	258	302	336	372	408	454	468	476	482	536	578	620	1008	1146	1202	1264	1572	1628	1694	1876	1924	
	48	210	242	278	326	364	404	444	492	508	514	554	574	842	898	1068	1208	1268	1332	1640	1698	1766	1952	2004	
	54	222	258	298	350	394	436	478	532	548	554	594	614	848	954	1070	1208	1268	1572	1640	1698	1766	1952	2004	
	60	234	274	320	374	422	468	514	570	588	594	632	654	860	954	1070	1210	1268	1572	1640	1698	1766	1952	2004	
	66	246	292	340	400	450	498	548	608	626	634	672	698	868	1020	1070	1210	1268	1572	1640	1698	1766	1952	2004	
	72	258	308	362	424	478	530	584	646	666	704	712	738	874	1020	1070	1210	1268	1572	1640	1700	1768	1952	2004	
	78	270	326	384	448	506	562	618	686	706	744	756	776	882	1020	1070	1210	1498	1572	1640	1700	1768	1952	2004	
	84	284	344	404	474	534	594	654	724	744	786	794	816	888	1040	1090	1232	1546	1622	1692	1754	1824	2012	2066	
	90	302	366	430	506	570	634	698	762	784	826	834	856	932	1086	1138	1282	1600	1680	1752	1816	1888	2078	2134	
96	316	384	450	532	598	666	732	800	824	866	874	894	1060	1132	1188	1580	1654	1736	1810	1876	1952	2144	2204		
102	332	402	472	556	626	698	768	840	898	906	914	940	1110	1178	1236	1630	1708	1792	1870	1938	2016	2210	2272		
108	346	420	494	580	654	728	802	878	936	944	952	980	1154	1226	1286	1682	1762	1850	1930	2000	2080	2278	2342		
114	360	436	514	606	682	760	838	916	976	984	992	1020	1196	1272	1334	1734	1816	1906	1988	2062	2144	2344	2472		
120	374	454	536	630	710	792	872	954	1016	1024	1032	1060	1240	1318	1384	1786	1870	1962	2048	2124	2208	2410	2542		
126	390	474	558	658	744	828	912	998	1060	1068	1076	1098	1284	1366	1668	1838	1924	2018	2106	2184	2272	2540	3074		
132	404	492	580	684	770	858	946	1036	1098	1106	1114	1138	1328	1412	1718	1888	1978	2076	2166	2246	2398	2606	3476		
138	418	510	600	708	800	890	982	1074	1138	1146	1154	1256	1596	1696	1996	2182	2286	2396	2500	2596	2762	2984	3560		
144	432	528	622	732	828	922	1016	1146	1178	1186	1194	1296	1602	1754	2056	2244	2350	2464	2572	2732	2838	3062	3560		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

		Width in inches						ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances																	
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	272	310	340	366	404	412	428	436	446	576	606	672	702	732	760	936	978	1014	1048	1084	1120	1218	1254	
	16	336	380	414	444	510	518	534	544	552	712	746	844	878	912	946	1154	1202	1242	1280	1320	1360	1520	1560	
	20	372	418	458	490	556	566	582	590	600	788	826	928	966	1004	1042	1254	1306	1350	1394	1438	1482	1646	1690	
	24	406	458	502	538	604	612	630	638	646	864	906	1012	1054	1096	1140	1356	1412	1460	1506	1554	1602	1772	1820	

		Width in inches						ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																	
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	428	464	498	514	546	562	582	688	744	786	830	902	946	982	1026	1218	1268	1316	1358	1408	1456	1564	1612	
	16	496	534	572	596	674	688	716	840	912	960	1000	1114	1162	1210	1256	1476	1538	1590	1644	1690	1744	1922	1974	
	20	542	596	650	676	758	780	808	954	1036	1090	1142	1262	1316	1368	1422	1654	1722	1780	1840	1900	1958	2142	2202	
	24	590	656	716	750	830	852	882	1046	1142	1200	1258	1382	1440	1498	1562	1798	1870	1934	1996	2060	2130	2318	2382	

GROUP 14 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
BALMORAL BLACKOUT	118"	N/A	No	No	Medium
MIAMI BLACKOUT	110"	N/A	No	No	Medium
NATTÉ	122"	5%	Yes	Yes	Medium
SNOW	114"	N/A	No	No	Medium

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
WINTER	114"	N/A	No	No	Medium

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

Width in inches													Rollstar Shades												
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156		
Height in inches	36"	186	212	238	276	308	340	372	414	444	472	500	542	564	586	596	796	854	900	1192	1258	1308	1474	1508	
	42	198	226	256	300	334	370	406	452	486	516	546	604	612	634	722	846	906	956	1276	1318	1370	1540	1578	
	48	210	242	276	324	362	402	440	490	526	560	614	650	658	682	822	950	1016	1070	1390	1438	1496	1670	1712	
	54	220	256	296	348	390	434	476	528	568	604	662	698	706	780	882	990	1062	1356	1438	1490	1548	1726	1768	
	60	232	272	318	372	418	464	510	566	610	648	722	746	758	820	922	1030	1106	1404	1488	1540	1602	1780	1826	
	66	244	290	338	398	446	496	546	604	652	694	770	798	806	926	964	1070	1438	1750	1826	1892	1968	2162	2222	
	72	256	308	360	422	474	528	580	642	692	758	816	844	852	966	1004	1110	1438	1750	1826	1894	1968	2162	2222	
	78	268	324	380	446	502	558	614	680	734	802	868	892	900	1006	1044	1152	1668	1750	1826	1894	1970	2162	2222	
	84	282	342	402	470	530	590	650	718	776	850	916	940	946	1066	1084	1192	1672	1754	1830	1896	1972	2166	2226	
	90	300	364	428	504	566	630	692	758	816	894	962	986	994	1114	1132	1240	1682	1764	1840	1908	1984	2178	2238	
	96	314	382	448	528	594	662	728	796	858	952	1010	1034	1108	1162	1180	1514	1690	1774	1850	1918	1994	2188	2250	
	102	330	398	468	552	622	692	762	834	924	996	1058	1088	1162	1210	1228	1562	1700	1784	1860	1928	2006	2200	2262	
	108	344	416	490	576	650	724	798	872	964	1040	1104	1134	1208	1258	1278	1612	1754	1840	1920	1990	2070	2266	2330	
	114	358	434	510	602	678	756	832	910	1006	1084	1152	1182	1256	1308	1326	1660	1808	1896	1978	2052	2134	2332	2462	
120	372	452	532	626	706	786	866	948	1048	1130	1198	1230	1324	1356	1376	1710	1862	1952	2036	2112	2196	2398	2530		
126	388	472	554	654	738	822	906	990	1094	1178	1250	1276	1370	1404	1640	1760	1914	2008	2096	2174	2260	2526	3014		
132	402	488	576	678	766	854	940	1028	1146	1222	1298	1324	1418	1452	1688	1828	1968	2064	2154	2234	2386	2592	3082		
138	416	506	596	702	794	884	976	1066	1188	1266	1344	1434	1466	1500	1736	1878	2022	2120	2212	2296	2450	2658	3222		
144	430	524	618	728	822	916	1010	1128	1230	1310	1392	1482	1512	1600	1836	1980	2130	2234	2330	2482	2578	2792	3280		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

Width in inches										ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances														
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	270	308	338	370	426	452	478	488	496	524	536	584	596	728	756	932	974	1010	1044	1080	1114	1214	1248
	16	334	376	412	448	536	566	594	604	612	646	658	736	748	908	942	1150	1196	1236	1276	1314	1354	1514	1554
	20	370	416	456	496	586	622	652	660	670	706	720	798	812	1000	1038	1250	1300	1344	1388	1430	1474	1638	1682
	24	404	456	500	544	638	676	708	718	726	768	782	862	876	1092	1134	1350	1404	1452	1500	1548	1594	1764	1812

Width in inches						ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																		
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	426	462	496	530	582	614	636	656	692	718	742	900	942	978	1022	1214	1264	1312	1354	1402	1450	1558	1608
	16	494	532	570	616	716	750	778	798	848	874	894	1110	1158	1204	1252	1472	1532	1586	1638	1684	1738	1916	1968
	20	540	594	648	700	806	850	880	902	960	988	1016	1258	1310	1364	1416	1648	1716	1774	1834	1892	1952	2134	2194
	24	588	654	714	776	884	932	962	984	1054	1082	1112	1376	1434	1492	1556	1792	1864	1926	1990	2052	2122	2310	2374

GROUP 15 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
HAMPTON BLACKOUT	110"	N/A	No	No	Medium
MOMBASSA PRIVACY	118"	N/A	No	No	Ultralight
PARIS SHEER	118"	N/A	No	No	Ultralight
SHEERWEAVE 7001	118"	N/A	No	No	Medium

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
WANING	114"	N/A	No	No	Medium
WINCHESTER SHEER	118"	N/A	No	No	Ultralight

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

Width in inches												Rollstar Shades												
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	202	232	262	302	338	374	410	456	492	524	532	590	598	620	630	878	922	970	1296	1340	1394	1564	1602
	42	216	250	282	332	372	412	452	502	540	574	584	642	650	672	782	938	984	1036	1364	1410	1466	1640	1680
	48	230	266	306	360	404	448	492	546	588	626	672	694	700	724	886	1052	1102	1160	1488	1540	1602	1780	1826
	54	244	284	330	388	436	484	532	590	636	678	724	744	752	826	930	1102	1156	1482	1546	1600	1664	1846	1894
	60	256	302	354	416	468	520	572	634	684	728	776	796	808	872	976	1462	1532	1850	1930	2000	2080	2278	2342
	66	270	322	378	444	500	556	612	678	732	780	826	852	860	1004	1020	1462	1532	1850	1930	2000	2080	2278	2342
	72	284	344	404	472	532	592	652	722	780	866	878	904	912	1048	1066	1462	1532	1850	1930	2000	2080	2278	2342
	78	300	364	428	500	564	628	692	766	828	918	934	956	964	1092	1110	1462	1764	1850	1930	2002	2082	2278	2342
	84	316	384	452	528	596	664	732	810	876	974	986	1008	1016	1138	1154	1462	1766	1854	1934	2004	2084	2282	2346
	90	336	408	480	566	638	710	782	854	924	1024	1038	1060	1066	1188	1206	1470	1776	1862	1944	2016	2096	2294	2358
	96	352	428	504	594	670	746	822	898	972	1076	1090	1110	1206	1242	1260	1720	1802	1892	1974	2046	2128	2326	2392
	102	368	448	528	622	702	782	862	942	1056	1128	1142	1168	1264	1294	1312	1780	1864	1956	2040	2116	2202	2404	2472
	108	384	468	552	650	734	818	902	986	1104	1178	1192	1220	1316	1346	1366	1840	1926	2020	2108	2188	2274	2480	2552
	114	402	490	576	678	766	854	942	1032	1152	1230	1244	1272	1368	1400	1418	1898	1988	2086	2176	2258	2348	2556	2692
120	418	510	602	706	798	890	982	1076	1200	1282	1296	1324	1420	1452	1472	1958	2050	2150	2244	2328	2422	2632	2772	
126	436	532	628	740	834	930	1026	1124	1252	1338	1352	1376	1472	1504	1762	2016	2112	2216	2312	2398	2496	2770	3324	
132	452	552	652	766	866	966	1066	1168	1300	1388	1404	1428	1524	1558	1816	2076	2174	2280	2380	2470	2630	2846	3402	
138	468	572	676	796	900	1002	1106	1212	1348	1440	1456	1564	1574	1610	1868	2134	2236	2346	2448	2540	2704	2924	3554	
144	484	592	700	824	932	1040	1146	1290	1396	1490	1508	1616	1626	1714	1972	2246	2354	2468	2574	2736	2842	3068	3620	

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

Width in inches													ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances											
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
12"	300	340	376	410	470	490	508	516	524	552	564	734	766	800	832	1010	1056	1094	1132	1170	1208	1312	1350	
16	370	416	456	496	588	612	628	638	646	678	692	918	956	994	1032	1244	1294	1338	1380	1424	1468	1632	1674	
20	410	462	506	550	648	674	690	700	708	746	760	1016	1058	1100	1142	1358	1414	1462	1510	1558	1606	1776	1824	
24	452	508	556	606	706	736	752	762	770	812	826	1112	1158	1206	1252	1474	1534	1588	1640	1694	1746	1920	1972	

Width in inches													ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices											
	24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
12"	460	498	536	574	628	644	664	686	722	748	894	970	1016	1056	1102	1298	1352	1404	1448	1500	1552	1664	1716	
16	532	576	618	668	772	784	814	834	884	910	1076	1194	1246	1296	1348	1572	1636	1694	1750	1802	1858	2040	2098	
20	586	644	704	760	868	890	920	942	1000	1028	1230	1354	1412	1470	1528	1764	1836	1900	1964	2028	2090	2278	2342	
24	638	710	776	844	956	978	1008	1030	1098	1128	1358	1486	1550	1612	1682	1924	2000	2068	2138	2206	2282	2474	2542	

GROUP 16 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
E-SCREEN KOOLBLACK 5%	122"	5%	Yes	Yes	Light
E-SCREEN KOOLBLACK 10%	122"	10%	Yes	Yes	Light
MIA BLACKOUT	94"	N/A	No	No	Light
VIZELA	94"	N/A	Yes	Yes	Light

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

		Width in inches												Rollstar Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	208	238	270	312	350	388	424	472	500	506	514	570	578	644	676	902	946	996	1324	1370	1424	1596	1634	
	42	222	258	292	342	384	426	466	518	548	556	562	618	626	700	836	964	1010	1064	1394	1444	1500	1676	1718	
	48	236	276	316	372	418	464	510	566	598	604	646	668	676	756	1258	1406	1476	1550	1866	1936	2012	2208	2268	
	54	252	294	342	402	452	502	552	612	646	654	696	716	724	1134	1258	1408	1476	1790	1866	1936	2012	2208	2268	
	60	266	314	368	430	486	540	594	658	696	702	744	766	778	1134	1258	1408	1476	1790	1868	1936	2014	2208	2270	
	66	280	334	394	460	518	578	636	704	746	752	794	820	828	1200	1258	1408	1476	1790	1868	1936	2014	2208	2270	
	72	294	356	418	490	552	616	678	750	794	834	842	868	876	1200	1258	1408	1476	1790	1868	1936	2014	2208	2270	
	78	310	378	444	520	586	652	720	796	844	884	896	918	926	1200	1260	1408	1706	1790	1868	1936	2014	2208	2270	
	84	328	398	468	548	620	690	762	842	892	938	946	966	974	1200	1260	1408	1728	1814	1892	1960	2040	2236	2298	
	90	348	424	498	588	662	738	812	888	942	986	994	1016	1024	1246	1308	1460	1794	1882	1962	2034	2116	2316	2380	
	96	366	444	524	618	696	776	854	936	990	1036	1044	1064	1160	1302	1368	1774	1858	1950	2034	2108	2194	2394	2464	
	102	382	466	550	646	730	814	896	982	1076	1084	1092	1120	1214	1358	1426	1836	1924	2018	2104	2182	2270	2474	2546	
	108	400	488	574	676	764	852	938	1028	1126	1134	1142	1168	1264	1414	1486	1898	1988	2086	2176	2256	2348	2554	2630	
	114	416	508	600	706	798	890	982	1074	1174	1182	1190	1218	1312	1470	1544	1960	2054	2154	2246	2330	2424	2634	2774	
120	434	530	626	736	832	928	1024	1120	1224	1232	1240	1268	1362	1526	1604	2022	2118	2222	2318	2404	2502	2714	2858		
126	452	554	654	770	870	970	1070	1170	1278	1286	1292	1316	1412	1582	1904	2084	2184	2290	2388	2478	2578	2858	3416		
132	470	574	678	798	902	1006	1112	1216	1326	1334	1342	1366	1460	1638	1962	2146	2248	2356	2460	2552	2718	2938	3498		
138	486	596	704	828	936	1044	1154	1264	1376	1382	1390	1498	1508	1694	2022	2208	2312	2424	2530	2626	2794	3016	4092		
144	504	616	730	858	970	1082	1196	1344	1424	1432	1440	1548	1558	2114	2432	2640	2766	2900	3026	3206	3332	3576	4092		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

		Width in inches								ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances															
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	312	352	388	424	466	474	490	498	508	654	688	758	790	824	858	1038	1084	1124	1164	1202	1242	1346	1386	
	16	382	430	472	512	582	592	608	618	626	804	844	946	986	1024	1064	1276	1328	1374	1418	1462	1508	1672	1718	
	20	424	478	524	570	642	650	668	676	684	894	938	1048	1092	1136	1180	1398	1454	1504	1554	1604	1654	1824	1874	
	24	468	526	578	628	700	710	726	734	744	986	1034	1148	1198	1246	1296	1518	1582	1636	1690	1746	1800	1976	2030	

		Width in inches					ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																	
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156
Height in inches	12"	472	512	552	578	610	626	648	668	822	870	918	996	1042	1084	1130	1328	1382	1436	1482	1536	1588	1702	1754
	16	546	592	634	672	750	764	792	812	1006	1058	1104	1224	1276	1330	1382	1606	1674	1732	1790	1842	1902	2084	2142
	20	602	662	722	764	844	866	896	918	1144	1204	1264	1388	1448	1508	1568	1806	1880	1944	2010	2076	2140	2330	2396
	24	656	730	798	848	928	950	980	1002	1266	1330	1396	1526	1590	1656	1726	1970	2048	2120	2190	2260	2338	2532	2602

GROUP 17 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
E-SCREEN KOOLBLACK 1%	122"	1%	Yes	Yes	Medium
E-SCREEN KOOLBLACK 3%	122"	3%	Yes	Yes	Medium

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

		Width in inches												Rollstar Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	220	256	290	336	376	418	458	508	538	544	552	610	618	690	724	956	1002	1056	1390	1438	1496	1670	1712	
	42	236	276	314	368	414	460	504	560	592	600	606	664	672	752	894	1024	1074	1130	1468	1520	1580	1758	1804	
	48	254	296	342	402	452	502	552	612	646	654	698	718	726	814	1360	1516	1588	1668	1990	2064	2146	2346	2414	
	54	270	316	370	434	488	544	598	662	702	708	752	772	780	1232	1360	1516	1588	1908	1990	2064	2148	2348	2414	
	60	286	340	398	466	526	584	644	714	756	762	806	828	840	1232	1362	1516	1590	1908	1992	2064	2148	2348	2414	
	66	302	362	426	500	564	626	690	764	810	816	860	886	894	1298	1362	1516	1590	1908	1992	2066	2148	2348	2414	
	72	318	386	454	532	600	668	738	816	864	906	914	940	948	1298	1362	1516	1590	1910	1992	2066	2148	2348	2414	
	78	336	410	482	564	638	710	784	868	918	960	974	994	1002	1298	1362	1516	1820	1910	1992	2066	2148	2348	2416	
	84	354	432	510	598	674	752	830	918	972	1020	1028	1048	1056	1298	1362	1516	1844	1934	2018	2092	2176	2378	2446	
	90	378	460	542	638	722	804	886	970	1026	1074	1082	1102	1110	1350	1416	1574	1916	2010	2096	2174	2262	2466	2538	
	96	396	484	570	672	758	846	932	1020	1080	1128	1136	1158	1254	1412	1482	1898	1988	2084	2176	2256	2348	2554	2630	
	102	416	508	600	704	796	888	980	1072	1174	1182	1190	1218	1316	1474	1548	1966	2060	2160	2254	2338	2432	2644	2720	
	108	434	530	628	736	834	930	1026	1124	1228	1236	1244	1272	1370	1536	1612	2034	2132	2236	2332	2420	2518	2732	2812	
	114	454	554	656	770	870	972	1072	1174	1284	1290	1298	1326	1424	1598	1678	2104	2204	2310	2412	2502	2602	2820	2968	
120	472	578	684	802	908	1014	1118	1226	1338	1346	1354	1380	1478	1660	1744	2172	2276	2386	2490	2584	2688	2908	3060		
126	494	604	714	840	950	1060	1170	1282	1396	1404	1412	1434	1532	1722	2052	2240	2348	2462	2568	2666	2774	3060	3634		
132	512	626	742	872	986	1102	1216	1332	1450	1458	1466	1490	1586	1784	2118	2310	2420	2536	2646	2748	2920	3148	3724		
138	530	650	770	904	1024	1144	1262	1384	1504	1512	1520	1630	1640	1846	2184	2378	2492	2612	2726	2830	3006	3236	4382		
144	550	674	798	938	1062	1186	1310	1472	1558	1566	1574	1684	1696	2308	2638	2856	2994	3136	3274	3464	3600	3854	4382		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

		Width in inches							ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances															
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156
Height in inches	12"	336	380	418	458	500	508	524	532	542	702	738	812	848	884	920	1102	1152	1194	1236	1278	1320	1428	1470
	16	412	464	508	552	624	632	648	658	666	862	904	1012	1054	1096	1138	1354	1410	1458	1506	1554	1602	1770	1818
	20	458	516	566	616	688	698	714	722	732	964	1010	1124	1170	1218	1266	1488	1550	1604	1656	1710	1764	1938	1992
	24	506	570	624	680	754	762	778	788	796	1064	1116	1234	1288	1342	1394	1622	1690	1748	1808	1866	1926	2106	2164

		Width in inches					ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																	
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156
Height in inches	12"	500	542	586	614	646	662	682	702	872	924	974	1054	1104	1148	1198	1398	1456	1512	1560	1616	1674	1788	1844
	16	580	628	674	714	792	806	834	854	1066	1122	1170	1294	1350	1406	1462	1690	1760	1822	1884	1940	2002	2188	2250
	20	638	704	768	812	892	914	944	966	1212	1276	1340	1470	1532	1596	1660	1902	1980	2048	2118	2188	2256	2450	2520
	24	698	778	850	902	984	1004	1034	1056	1344	1414	1482	1618	1686	1756	1832	2080	2162	2238	2312	2388	2470	2668	2744

GROUP 18 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
E-SCREEN KOOLBLACK 0.5%	122"	0.5%	Yes	Yes	Heavy
MOMBASSA BLACKOUT	118"	N/A	No	No	Medium

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.

For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

		Width in inches												Rollstar Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	238	278	318	368	412	458	504	558	602	644	684	750	758	780	848	1004	1080	1138	1480	1532	1594	1772	1818	
	42	258	302	346	404	456	506	556	616	666	712	772	822	830	856	974	1078	1162	1410	1570	1626	1690	1872	1922	
	48	276	326	376	442	498	554	608	674	728	778	872	896	906	930	1100	1206	1300	1556	1716	1778	1848	2036	2092	
	54	296	348	408	478	540	600	662	732	792	846	944	972	980	1100	1164	1272	1372	1720	1794	1860	1934	2126	2184	
	60	314	374	440	516	582	648	714	790	854	928	1020	1044	1054	1166	1230	1338	1626	1796	1874	1942	2020	2214	2276	
	66	334	400	472	552	624	696	768	848	918	1000	1092	1118	1126	1280	1296	1404	2168	2324	2426	2518	2618	2836	2922	
	72	352	428	504	590	666	744	820	908	982	1094	1166	1190	1198	1344	1362	1470	2168	2324	2426	2518	2618	2836	2922	
	78	372	454	536	626	708	790	872	966	1044	1162	1238	1264	1320	1410	1428	1536	2218	2324	2426	2518	2618	2838	2922	
	84	392	480	568	664	750	838	926	1022	1124	1230	1310	1336	1392	1476	1494	1774	2220	2328	2430	2522	2622	2840	2926	
	90	418	512	604	710	802	894	988	1080	1186	1298	1384	1408	1466	1548	1566	1848	2230	2338	2440	2532	2634	2852	2988	
	96	440	538	636	746	844	942	1040	1138	1250	1366	1456	1480	1588	1622	1640	2006	2240	2348	2450	2542	2644	2914	3000	
	102	462	564	668	784	886	990	1092	1198	1338	1434	1528	1560	1666	1696	1714	2080	2248	2358	2460	2554	2656	2924	3330	
	108	482	590	700	820	930	1038	1146	1256	1402	1502	1600	1632	1740	1770	1954	2156	2330	2442	2550	2646	2802	3024	3434	
	114	504	618	730	858	972	1084	1198	1314	1464	1568	1674	1752	1812	1844	2028	2230	2412	2528	2638	2788	2898	3126	3552	
120	526	644	762	894	1014	1132	1252	1386	1528	1636	1746	1826	1884	1916	2102	2304	2494	2614	2776	2882	2994	3226	3656		
126	548	672	796	936	1060	1184	1308	1450	1596	1708	1822	1898	1958	1990	2258	2378	2574	2748	2866	2974	3092	3658	3934		
132	570	698	828	972	1102	1232	1360	1508	1658	1776	1894	1970	2030	2064	2332	2452	2656	2834	2954	3066	3202	3758	4038		
138	590	726	860	1010	1144	1280	1414	1566	1722	1844	1966	2092	2102	2296	2406	2528	2786	2918	3044	3160	3298	3858	4214		
144	612	752	892	1048	1186	1326	1466	1646	1784	1912	2084	2164	2174	2422	2530	2704	2924	3062	3192	3328	3460	4026	5262		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

		Width in inches								ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances															
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	370	418	462	504	572	610	642	652	660	688	700	748	760	966	1006	1192	1246	1292	1338	1384	1428	1540	1584	
	16	452	508	558	606	708	754	790	798	806	840	852	930	944	1194	1242	1462	1522	1574	1626	1680	1732	1904	1958	
	20	506	568	624	680	788	838	876	886	894	932	946	1024	1038	1334	1386	1614	1680	1738	1798	1856	1914	2094	2154	
	24	560	628	690	752	866	922	964	972	982	1024	1038	1116	1130	1474	1532	1766	1838	1904	1968	2034	2098	2284	2350	

		Width in inches					ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																	
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156
Height in inches	12"	538	586	632	678	742	786	806	828	864	890	914	1136	1190	1236	1292	1496	1556	1616	1670	1730	1790	1908	1970
	16	624	678	730	790	906	952	980	1000	1050	1076	1094	1390	1450	1512	1572	1806	1880	1946	2014	2072	2140	2330	2398
	20	690	760	832	900	1022	1082	1112	1134	1190	1218	1248	1580	1650	1718	1788	2036	2118	2192	2268	2342	2416	2616	2690
	24	758	844	920	1002	1130	1194	1224	1246	1314	1344	1374	1744	1820	1894	1976	2230	2320	2400	2482	2562	2650	2856	2936

GROUP 19 SHADE PRICING

Pattern Name	Maximum Width	Openness Factor	Can be Railroaded*	Can be Seamed*	Fabric Weight
FLOCKÉ	94"	N/A	Yes	Yes	Heavy

* For an explanation of railroading or seaming, see page 10. | ** These materials are limited to a cordless option size of 72" wide x 72" high.

Your Rollstar shades **will come with an SL-System (Skyline) Clutch** and **appropriate size tube** that will support the shade material weight. Other lifting systems can be specified. The shade will be finished with a sealed hem pocket. Other options are available and must be specified at the time of the order.


For Motorization Options, refer to the motor charts and pricing options beginning on page 24.

		Width in inches												Rollstar Shades											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	36"	274	322	370	428	482	536	590	654	672	680	686	750	822	876	1016	1174	1232	1294	1654	1714	1782	1968	2022	
	42	298	352	406	474	534	594	656	726	746	752	796	822	904	966	1662	1832	1920	2204	2358	2446	2544	2760	2842	
	48	320	380	444	520	586	654	720	796	818	824	874	896	1430	1520	1722	1894	1986	2272	2424	2516	2618	2836	2920	
	54	344	410	482	564	638	712	784	868	890	898	946	972	1438	1624	1722	1894	1986	2324	2424	2516	2618	2836	2922	
	60	368	442	522	610	690	770	850	940	964	1006	1024	1044	1446	1626	1722	1894	2168	2324	2426	2518	2618	2836	2922	
	66	392	474	560	656	742	828	914	1010	1036	1082	1096	1118	1454	1640	1722	1894	2168	2324	2426	2518	2618	2836	2922	
	72	416	506	600	700	794	886	978	1082	1108	1160	1168	1190	1460	1640	1722	1896	2168	2324	2426	2518	2618	2836	2922	
	78	440	540	638	746	846	944	1044	1152	1182	1234	1242	1264	1516	1640	1722	1896	2218	2324	2426	2518	2618	2838	2922	
	84	466	572	676	792	896	1002	1108	1224	1292	1306	1314	1336	1560	1678	1764	2156	2310	2422	2528	2624	2730	2952	3042	
	90	496	608	720	846	958	1070	1182	1294	1364	1380	1386	1408	1642	1764	1854	2250	2410	2528	2638	2738	2848	3076	3218	
	96	522	640	760	892	1010	1128	1246	1366	1438	1452	1460	1480	1740	1850	1944	2396	2510	2632	2746	2852	2966	3248	3346	
	102	548	674	798	936	1062	1186	1312	1438	1516	1524	1532	1560	1826	1936	2034	2492	2610	2736	2856	2966	3084	3370	3890	
	108	574	706	838	982	1114	1244	1376	1508	1590	1598	1604	1632	1908	2022	2332	2586	2710	2842	2964	3080	3252	3494	4016	
	114	600	738	876	1028	1166	1302	1440	1580	1662	1670	1678	1786	1988	2108	2424	2682	2810	2946	3074	3242	3370	3616	4158	
	120	626	770	914	1072	1216	1360	1506	1688	1734	1742	1750	1858	2070	2194	2514	2778	2910	3050	3232	3356	3490	3740	4286	
	126	654	806	956	1122	1272	1424	1574	1764	1812	1820	1828	1930	2150	2280	2654	2874	3010	3204	3342	3470	3608	4288	4510	
132	680	838	994	1168	1324	1482	1638	1834	1884	1892	1900	2002	2232	2366	2744	2968	3110	3308	3450	3584	3740	5060	5312		
138	706	870	1034	1212	1376	1540	1704	1906	1956	1964	1972	2092	2768	3092	3302	3554	3772	3950	4120	4282	4466	5072	5396		
144	732	902	1072	1258	1428	1598	1768	1982	2030	2038	2122	2164	2776	3152	3360	3664	3838	4018	4190	4368	4542	5152	6352		

Note: Outlined areas above are for Cordless options. | For Contract Pricing, call us at 800.828.2500.

		Width in inches												ADD the appropriate valance charge below to your Rollstar shade price above for Flat Valances											
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	436	492	542	580	618	626	642	652	660	898	946	1030	1076	1124	1172	1364	1424	1478	1530	1584	1636	1754	1806	
	16	530	596	654	698	764	772	790	798	806	1098	1154	1274	1328	1384	1440	1668	1738	1798	1858	1920	1980	2162	2224	
	20	596	668	734	784	852	860	876	886	894	1238	1300	1428	1492	1554	1618	1854	1932	2000	2068	2138	2206	2396	2464	
	24	662	742	816	872	938	948	964	972	982	1378	1448	1584	1654	1726	1796	2040	2126	2202	2278	2354	2432	2628	2704	

		Width in inches						ADD the appropriate cornice charge below to your Rollstar shade price above for Covered Cornices																	
		24"	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144	150	156	
Height in inches	12"	612	668	722	738	770	786	806	1002	1076	1138	1200	1292	1354	1408	1470	1682	1750	1818	1878	1946	2014	2140	2208	
	16	712	774	836	860	938	952	980	1212	1306	1376	1438	1574	1644	1714	1784	2026	2110	2186	2260	2330	2404	2604	2680	
	20	790	872	954	980	1060	1082	1112	1384	1490	1570	1650	1794	1874	1954	2032	2290	2384	2468	2554	2638	2724	2932	3018	
	24	870	968	1058	1092	1172	1194	1224	1534	1660	1746	1834	1986	2074	2160	2254	2520	2622	2714	2806	2900	3000	3216	3310	



HELPFUL HINTS

REVERSE ROLL: A reverse roll means the shade material will roll off the front of the shade roller rather than the back as shown in the illustrations to your right. A reverse roll can be useful if your shade material is one color on the front and a different color on the back, as is sometimes the case with blackout fabrics. A reverse roll shade will project away from the window more than a regular roll shade.

VERY LARGE AND VERY WIDE WINDOWS: These types of windows are a challenge! However, almost nothing is too large or too wide. Call our Sales Services Department for guidance.




DYE LOTS: Please order all shades for the same room at the same time to prevent dye lot variations. No two rolls of material will match 100%.

INSIDE MOUNT LIGHT GAP: Any roll shade mounted inside a window will have a light gap on the sides. If the fabric is a solar-screen fabric, this is not too significant. However, if it is a blackout fabric, it can be quite noticeable. Different lifting systems cause different light gaps. Call our Sales Services Department for specifics.

SELECTING SOLAR SHADE COLORS: When using a solar fabric, be aware that color affects glare and visibility. Darker fabrics reduce glare more effectively, and provide greater visibility than light fabrics. Very light fabrics can create significant, even objectionable glare if there are many shades in the same room.

OPENNESS FACTOR: Openness factor is a measurement of the amount of light that can penetrate a given fabric. In general, if you want sun protection from a south or west-facing shade, you should select an openness factor of 5% or less. For east and north-facing shades, openness above 5% will generally work. The angle of the sun when it hits your window also affects the amount of sunlight that can actually penetrate a sun-screen fabric. The closer to 90 degrees, the more light will penetrate; the sharper the angle, the less light will penetrate.

LAYERING SHADES: Solar-screen shades generally provide privacy during the day. However, after dark the reverse is true. For night time privacy and daytime view, consider using a two-shade system. See illustration to your right. Call our Sales Services Department for details.



MANUAL LIFTING SYSTEMS

LIFTING SYSTEMS	Tube Sizes/ Description	Lifting Capacity	Deduct from Tight Opening for an Inside Mount*	Minimum Tip to Tip Shade Size	Deduction from Tip to Tip (to determine Cloth Width)	Bracket Covers Allowance	Approx. Maximum Shade Size**
CONTINUOUS CHAIN OPERATORS							
SKYLINE							
• SL10	1¼" with Key Drives	10 lbs	⅛"	6"	1⅛"	⅛"	
• SL10	1½" with Key Drives	8 lbs	⅛"	6"	1⅛"	⅛"	
• SL15	1½" with Key Drives	15 lbs	⅛"	6"	1⅛"	⅛"	See pages
• SL15	1½" with Key Drives	12 lbs	⅛"	6"	1⅛"	⅛"	12 to 21,
• SL20	1½" with Key Drives	20 lbs	⅛"	6"	1⅛"	⅛"	Fabric
• SL20	2" with Key Drives	15 lbs	⅛"	6"	1⅛"	⅛"	Weight
• SL30	2" with Key Drives	22 lbs	⅛"	6"	1⅛"	⅛"	Charts
• SL30	2½" with Key Drives	18 lbs	⅛"	6"	1⅛"	⅛"	for details.
• G400	2½" with Key Drives	32 lbs	⅛"	6"	1⅛"	⅛"	
• G400	3¼" with Key Drives	25 lbs	⅛"	6"	1⅛"	⅛"	

* TIGHT OPENING: Tight opening is the actual window measurement, usually an inside mount or other tight fitting area. Unless otherwise specified, a ⅛" deduction will be taken from a tight opening measurement for inside mount application to determine the Tip to Tip measurement.

** Based on medium weight materials. Heavy materials may require a different lifting mechanism.

TUBE CONNECTORS (MANUAL & MOTORIZED SHADES)

TUBE CONNECTORS	Gap between Shades
DOUBLE COLLAPSIBLE COUPLER & BRACKET	7/8"
COLLAPSIBLE COUPLER & BRACKET	7/8"
ROLLEASE EASY LINK BRACKET SYSTEM	¾"

MOTORIZED LIFTING SYSTEMS

MOTOR TYPES	Tube Sizes/ Description	Lifting Capacity	Deduct from Tight Opening for an Inside Mount*	Revs per minute	Min. Tip to Tip Shade Size	Deduct- ion from Tip to Tip (to determine Cloth Width))	Approx. Maximum Shade Size**
SOMFY BATTERY OPERATED MOTORS							
• R28 BATTERY MOTOR	1¼" with 1 key drive	9 lbs.	⅛"	28	16⅞"	1⅛"	
• R28 BATTERY MOTOR	1½" with 1 key drive	9 lbs.	⅛"	28	16⅞"	1⅛"	
• R28 BATTERY MOTOR	1½" with 2 key drives	9 lbs.	⅛"	28	16⅞"	1⅛"	
• R28 Li-ion BATTERY MOTOR	1¼" with 1 key drive	9 lbs.	⅛"	10-28	25"	1⅛"	
• R28 Li-ion BATTERY MOTOR	1½" with 1 key drive	9 lbs.	⅛"	10-28	25"	1⅛"	See pages 24 to 43, Fabric Weight Charts for details.
• R28 Li-ion BATTERY MOTOR	1½" with 2 key drives	9 lbs.	⅛"	10-28	25"	1⅛"	
• SONESSE 30 WF Li-ion RTS BATTERY MOTOR	1½" with 1 key drive	17 lbs	⅛"	10-28	25⅞"	1⅛"	
• SONESSE 30 WF Li-ion RTS BATTERY MOTOR	2" with 4 key drives	13 lbs	⅛"	10-28	27⅞"	1⅛"	
• SONESSE 30 WF Li-ion RTS UQ BATTERY MOTOR	1½" with 1 key drive	17 lbs	⅛"	10-28	27½"	1⅛"	
• SONESSE 30 WF Li-ion RTS UQ BATTERY MOTOR	2" with 4 key drives	13 lbs	⅛"	10-28	29"	1⅛"	
• SONESSE 40 WF Li-ion RTS BATTERY MOTOR***	1½" Groove	34 lbs	⅛"	20	28⅞"	1⅜"	
• SONESSE 40 WF Li-ion RTS BATTERY MOTOR***	2" with 4 key drives	25 lbs	⅛"	20	30½"	1⅜"	
ROLLEASE AUTOMATE BATTERY MOTORS							
• AUTOMATE Li-ion 1.1 BATTERY	1½" with 1 key drive	9 lbs.	⅛"	40	22⅝"	1"	
• AUTOMATE Li-ion 1.1 WITH EXT. BATTERY	1½" with 1 key drive	9 lbs.	⅛"	40	14⅝"	1⅛"	
• AUTOMATE Li-ion 2.0 BATTERY	1½" with 2 key drives	17 lbs.	⅛"	28	28½"	1"	See pages 24 to 33, Fabric Weight Charts for details.
• AUTOMATE Li-ion 2.0 BATTERY	2" with 4 key drives	13 lbs.	⅛"	28	30⅞"	1⅛"	
• AUTOMATE Li-ion 3.0 BATTERY	2" with 4 key drives	26 lbs.	⅛"	28	38¼"	1⅛"	
• AUTOMATE Li-ion 3.0 BATTERY	2½" with 3 key drives	20 lbs.	⅛"	28	36¼"	1¼"	
• AUTOMATE Li-ion 10.0 BATTERY	2½" with 3 keys/tips	69 lbs.	⅛"	9	36¼"	1¼"	
• AUTOMATE Li-ion 10.0 BATTERY	3¼" with 3 keys/tips	53 lbs.	⅛"	9	36¼"	1¼"	
REMOTE CONTROL MOTOR ASSEMBLY							
• SONESSE 404 ROUND HEAD***	1½" Groove	34 lbs.	⅛"	36	23⅞"	1⅜"	
• SONESSE 406 ROUND HEAD***	1½" Groove	52 lbs.	⅛"	24	24⅝"	1⅜"	
• SONESSE 409 ROUND HEAD***	1½" Groove	78 lbs	⅛"	14	24⅝"	1⅜"	
• SONESSE 506 S2 RTS	2" Smooth	52 lbs.	⅛"	32	32"	1¾"	See pages 34 to 43, Fabric Weight Charts for details.
• SONESSE 506 S2 RTS	2½" with 4 keys/tips	41 lbs.	⅛"	32	30⅝"	1¾"	
• SONESSE 506 S2 RTS	2⅝" with key drives	41 lbs.	⅛"	32	30⅝"	1¾"	
• SONESSE 506 S2 RTS	3¼" with 4 keys/tips	32 lbs.	⅛"	32	30⅝"	1¾"	
• SONESSE 510 RTS	4" Smooth	43 lbs	⅛"	32	32¼"	1¾"	
• SONESSE UQ 506 RTS	2¼" Somfy	46 lbs.	⅛"	24	38⅞"	1¾"	
• SONESSE ST30 LOW VOLTAGE	1½" with 2 key drives	17 lbs.	⅛"	28	18⅞"	1⅛"	
• SONESSE UQ DC RTS 504 A8 LOW VOLTAGE	2¼" Somfy	30 lbs.	⅛"	10-25	37⅞"	1¾"	
NETWORK MOTORS							
• LT515 S2 STARHEAD RS485	5" Aluminum	52 lbs.	⅛"	38	32"	1¾"	See pages 34 to 43, Fabric Weight Charts for details.
• LT535 AS RS485 STARHEAD	5" Aluminum	121 lbs.	⅛"	20	32"	1¾"	
• LT535 AS RS485 STARHEAD	5" D-Aluminum	121 lbs.	⅛"	20	32½"	2¼"	
• LT535 AS RS485 STARHEAD	6" D-Aluminum	101 lbs.	⅛"	20	32½"	2¼"	

*** Allow 1⅜" deduction with Skyline Brackets; and 1¼" deduction with 500 Series Motor Brackets.

MOTORIZED LIFTING SYSTEMS (CONTINUED)

MOTOR TYPES	Tube Sizes/ Description	Lifting Capacity	Deduct from Tight Opening for an Inside Mount*	Revs per minute	Min. Tip to Tip Shade Size	Deduct- ion from Tip to Tip (to determine Cloth Width)	Approx. Maximum Shade Size**
NETWORK MOTORS (CONTINUED)							
• SONESSE MOTOR 506 S2 RS485	2" Smooth	52 lbs.	1/8"	32	32"	1 3/4"	
• SONESSE MOTOR 506 S2 RS485	2 1/2" with 4 keys/tips	41 lbs.	1/8"	32	30 5/8"	1 3/4"	See pages
• SONESSE MOTOR 506 S2 RS485	3 1/4" with 4 keys/tips	32 lbs.	1/8"	32	30 5/8"	1 3/4"	34 to 43,
• SONESSE UQ506 A2 RS485	2 1/4" Somfy	46 lbs.	1/8"	24	39 1/2"	1 3/4"	Fabric Weight
• SONESSE 510 S2 RS485	4" Smooth	43 lbs.	1/8"	32	32"	1 3/4"	Chart for details.
• SONESSE ST30 IWT RS485 LOW VOLTAGE	1 1/2" with 2 key drives	17 lbs.	1/8"	28	18 1/4"	1 1/8"	
• SONESSE UQ50 DC 485 LOW VOLTAGE	2 1/4" Somfy	30 lbs.	1/8"	10-25	37 3/8"	1 3/4"	

* TIGHT OPENING: Tight opening is the actual window measurement, usually an inside mount or other tight fitting area. Unless otherwise specified, a 1/8" deduction will be taken from a tight opening measurement for inside mount application to determine the Tip to Tip measurement.

** Based on medium weight materials. Heavy materials may require a different lifting mechanism.

TOP TREATMENT ALLOWANCES AND MATERIALS NOT SUITABLE FOR SQUARE WRAPPED CASSETTE

TOP TREATMENT SYSTEMS	Deduct from Tight Opening for an Inside Mount*	Deduction for Endcaps for an Inside Mount**	Tip to Tip	PATTERN NAME (Materials Not Suitable for Square Wrapped Cassette)
BRACKET COVERS, SKYLINE	1/8"	1/8"	Refer to specified Lifting Systems	BALMORAL PRIVACY (Deck 17)
SQUARE CASSETTE	1/8"	1/8"	Refer to specified Lifting Systems	ELEMENTAL PRIVACY (Deck 26)
3 X 3 SNAP-ON FASCIA	1/8"	1/4"	Refer to specified Lifting Systems	S-SCREEN 4% (Deck 10)
4 X 4 SNAP-ON FASCIA	1/8"	1/4"	Refer to specified Lifting Systems	SHEERWEAVE 5000 (Deck 23)
5 X 5 SNAP-ON FASCIA	1/8"	1/4"	Refer to specified Lifting Systems	SPRING PRIVACY (Deck 24)
7 X 5 SNAP-ON FASCIA ‡	1/8"	1/4"	Refer to specified Lifting Systems	TRELLIS PRIVACY (Deck 26)
4040 FASCIA	1/8"	1/4"	Refer to specified Lifting Systems	TULIP PRIVACY (Deck 26)
4045 HEADBOX	1/8"	1/4"	Refer to specified Lifting Systems	WAXING SHEER (Deck 24)
5050 HEADBOX	1/8"	1/4"	Refer to specified Lifting Systems	-----
5555 HEADBOX	1/8"	1/4"	Refer to specified Lifting Systems	-----
7070 HEADBOX	1/8"	1/4"	Refer to specified Lifting Systems	-----
FLAT VALANCE	1/8"	1/4"	Refer to specified Lifting Systems	-----
CORNICE	1/8"	1 1/2"	Refer to specified Lifting Systems	-----


* TIGHT OPENING: Tight opening is the actual window measurement, usually an inside mount or other tight fitting area. Unless otherwise specified, a 1/8" deduction will be taken from a tight opening measurement for inside mount application to determine the Tip to Tip measurement.

** This deduction is not necessary for Headbox/Fascia orders *without* Endcaps.

‡ The 7" X 5" Snap-on Fascia is not available as reverse rolls.

Solar Solutions™

When the sun is a problem... **solar solutions** is the answer



Photos courtesy of Louvolite :: Mermet, USA :: Perfect Shade Corp :: Phifer, Inc :: Vertilux

stay inspired online...
www.fabritecdesigns.com

