

CONTENTS

[RETAIL PRICES :: NOVEMBER 2023]

GETTING STARTED

Cornices Selection Guide	3
How to Price & Order Cornices	4
How to Use our Yardage Chart	5
Options Pricing for Cornices	6
How to Measure for Cornices	8
Cornice Order Form.....	9

CORNICE STYLES & PRICING INFORMATION

Classic Cornice	11
Bosworth Cornice.....	12
Athens Cornice	13
Osborn Cornice	14
Roxbury Cornice	15
Doheny Cornice	16
Sunset Cornice.....	17



Athens Cornice

»CORNICES SELECTION GUIDE

[Color photos of all these styles can be found at www.fabritecdesigns.com]



CLASSIC CORNICE

[See page 11]

This is a straight cornice, neat and clean in styling. Even lines and matching or contrasting welts complement any décor!



BOSWORTH CORNICE

[See page 12]

A shaped cornice, artfully handcrafted with meticulous attention to detail. This cornice will add traditional touches and character to any formal living room, bedroom or dining area.



ATHENS CORNICE

[See page 13]

A classic shape that will complement any décor. The Athens Cornice has a modern personality that steps up to the challenge!



OSBORN CORNICE

[See page 14]

Another shaped cornice handcrafted in wood and carefully covered in fabric. This timeless treatment will provide many years of enjoyment.



ROXBURY CORNICE

[See page 15]

A very special, fancy cornice with a subtle, dignified look. Created with hand-folded vertical pleats. Hand-made with impeccable quality and meticulous attention to detail.



DOHENY CORNICE

[See page 16]

An elegant cornice with contrasting or complementary shirred banding dressing the bottom edge. The Doheny Cornice will work well in all design settings.



SUNSET CORNICE

[See page 17]

This striking cornice features an envelope overlay. Its simple lines is best adorned with jeweled embellishments to create a subtle, decorative, focal point.

CUSTOM-MADE CORNICES

There are hundreds of cornice styles. If you don't see what you want, or would like a custom cornice, send us a picture. It doesn't matter what the shape is... we specialize in **Specialty Cornices!** Call our Sales Services Department for further suggestions and help. Whatever you need, or whatever you can think of—you are in good hands!

HOW TO PRICE CORNICES

STEP 1: Select the Cornice Style.

See the Selection Guide on the page 3 for style ideas and an overview of our standard offering. When you find a style you like, the Selection Guide will point you to the page devoted to that style, where you will find more information and pricing.

If you don't see what you want, or you want a custom design, call our Sales Services Department for further suggestions and help. Also, for helpful hints on what else to consider before making final style and fabric selections, see our measuring instructions on page 8.

STEP 2: Measure Windows and Determine Type of Installation.

See page 8 for measuring instructions and helpful hints.

STEP 3: Select Fabric.

Whether you purchase our fabric, or provide your own fabric, you will need to make your selection and determine the number of yards required in order to determine a price. A yardage chart to help you figure the yardage for the style you select is included in the page devoted to that style.

STEP 4: Select Options.

For easier pricing, the most popular options for customizing a style are included on the pages devoted to that style. For a complete list of options and related prices, see pages 6 - 7. For unique, one-of-a-kind options not featured in our price list, call our Sales Services Department.

STEP 5: Price your Cornice.

To determine the total price of your cornice, simply add the labor price from our price lists, the price of the fabric, and the price of any options.

Installation Hardware: All hardware necessary for installation comes conveniently packaged with each order.

TO ORDER

STEP 6: Complete our order form for the best service.

You can save lots of time and hassle, and avoid playing phone tag, by using our order form. It is a complete checklist of every question.

NOTE: Our Cornice Order Form can be found on page 9.

STEP 7: Send us your order.

NOTE: RUSH ORDERS

Add 25%.

THE ADVANTAGE OF USING OUR ORDER FORM

Using our order forms virtually eliminates delay and error, the two main problems you will encounter when ordering soft window coverings... a huge benefit that will save you both time and money.

Orders submitted without the benefit of our order form almost always experience unnecessary delays caused by playing phone tag until we are able to get all of the information needed to properly process the order. This hassle and waste of time disappears almost entirely when our forms are used. More important, organized, written communication dramatically reduces the potential for error.

Mistakes, regardless of who makes them, are always very costly. Because we want you to have the very best service we are capable of delivering, we have included specially designed order forms for each of our products.

You can photocopy them for a continual supply or download and fill out the forms from our web site, www.fabritecdesigns.com.

You can call anytime and we will gladly walk you through our order form. See page 9 for our order form.

HOW TO USE OUR YARDAGE CHART

To determine fabric yardage for a cornice

EXAMPLE: Assuming the following specifications

Fabric Width	Vertical Repeat	Cornice Face Width	x	Cornice Height
54"	27"	72"	x	20"

Start in the top left corner of the chart and read across the columns. Go to the column for the cornice width that is equal to, or the next size up from the size you need, including the returns in the overall width.

Cornice face width is 72".

Returns are 4" each

Cornice face width + Returns (72" + 4" + 4") = 80"

Select cornice width: **84"**

Next, locate the height that is equal to, or is the next height up from your cornice.

In our example, cornice height is 20".

Select cornice height: **24"**

The number at the intersection of the grey lines is the number of yards required for your cornice.

In this case: **2¾ yards**

If your fabric has a pattern, add the number of pattern repeats at the bottom of the column on the chart.

In this case: **Add 2 repeats or 54" (2 x 27" = 54")**

For this example, two full repeats equals exactly: **1½ yards**

Total yardage required: 4¼ Yards

Classic Cornice														YARDAGE CHART					
If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.																			
Width in inches		36"	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	228	240
Height in inches	12"	1¼YD	1¼	1¼	1¼	1¾	1¾	1¾	1¾	1¾	2¼	2¼	2¼	2¼	2¾	2¾	2¾	2¾	2¾
	24	1¾	1¾	1¾	1¾	2¾	2¾	2¾	2¾	2¾	3½	3½	3½	3½	4¼	4¼	4¼	4¼	4¼
ADD REPEATS		Add 1	Add 1	Add 1	Add 1	Add 2	Add 2	Add 2	Add 2	Add 2	Add 3	Add 3	Add 3	Add 3	Add 4	Add 4	Add 4	Add 4	Add 4
Contrast Welt		1 YD	1	1	1	1¼	1¼	1¼	1¼	1½	1½	1½	1½	1¾	1¾	1¾	1¾	2	2

If your fabric has a large horizontal repeat, call our **Sales Services Department** to verify yardage.

NOTE: Supply fabric and lining rolled on a tube, not folded. Excessively wrinkled fabrics may not be usable.

OPTIONS PRICING FOR CORNICES

CUSTOM ITEMS

Trim (ready-made fringes, brushes, bullions etc.)

Trim and Banding pricing can be found in the pricing section for each style. Trim price is for application only and does not include the cost of the trim. Please call for yardage requirements.

Banding (handmade or ready-made)

Banding pricing can be found in the pricing section for each style. Banding price is for fabrication and application of banding made from fabric, or for application of ready-made banding, and does not include the cost of the material.

Please call for yardage requirements. Yardage will depend on how the fabric for the banding is cut.

- **STRAIGHT CUT:** The banding is cut from the fabric by cutting across the width of the fabric. It will usually take less yardage than other methods. However, if the banding is longer than the width of the fabric from which it is cut, the banding will have one or more seams.
- **RAILROAD CUT:** The banding is cut down the length of the fabric. There will be no seams, but it will usually require more yardage.
- **BIAS CUT:** The banding is cut across the diagonal length of the fabric. Bias cut is used with certain fabrics, such as stripes, in order to effectively show the pattern or colors. Yardage will usually fall somewhere between a straight cut and a railroad cut.

Special Pattern Placement

Some patterned fabrics, when used in certain styles, look better with the pattern centered or otherwise specially placed. We do this as a matter of course and without charge. If you have a special requirement, please mark your fabric and specify your requirement on your order.

No Charge.

Wallpaper Alignment

More often than not, wallpaper and fabric cannot be perfectly matched. The best that can usually be expected when trying to match cornices to wallpaper is “alignment” from the center of the cornice out. We will do this upon request at no charge.

No Charge.

Oversized Cornices



Please call our Sales Services Department for pricing on cornices wider than the maximum width chart.

Trim & Banding Application

There are a number of ways that trim and banding can be applied as illustrated below.



Trim is typically put along the bottom edge of the cornice. It is usually applied so it hangs below the cornice hem or hangs even with the bottom of the cornice.

CORNICE WITH TRIM ON BOTTOM



Banding is usually applied along the bottom of the cornice.

CORNICE WITH BANDING



OPTIONS PRICING FOR CORNICES

SPECIAL SITUATIONS

The special situations illustrated below are common and, contrary to appearances, are not very difficult to deal with.


Bay windows, Curved or Arch Top windows require templates to order. For instruction on how to make a template, or any other help you may need, call our Sales Services Department.

Slanted Top Windows: Price a slanted-top cornice or arch top cornice as you would a regular cornice.

Add **\$70.00 per foot** of cornice width.

Minimum charge \$210.00.

SLANTED TOP WINDOW - FACE VIEW CORNICE




Curved or Arch Top Windows: These kinds of windows require a template to order. For instructions on how to make this kind of template, call our Sales Services Department.

Add **\$105.00 per foot** of cornice width.

Minimum charge \$315.00.


CURVED OR ARCH TOP WINDOW - FACE VIEW CORNICE



Bay Windows: Bay windows require a template to order. For instructions on how to make this kind of template, call our Sales Services Department.

No charge unless you wish to miter the headrails at the joints.

For mitering, see below for pricing.



Mitering: Templates are required for any miter that does not form a 90° (degree) angle. For instructions on how to make this kind of template, call our Sales Services Department.

\$50.00 per miter.


HOW TO MEASURE FOR CORNICES

STEP 1: Measure the width.

Cornice face width is usually determined by the inside width required to accommodate whatever the cornice is to be mounted over, plus whatever is required for operating or bracket clearance and for the thickness of the returns.

When determining the cornice face width, measure the window or undertreatment the cornice will be mounted over, and add at least 2" for clearance and for the thickness of the returns.


Add any additional overlap appropriate for the scale of the opening or other architectural detail.



STEP 2: Measure the height.

Cornice height is mostly determined by the scale of the window or undertreatment the cornice is intended to cover. Generally, about 20% of the height of the undertreatment, or the distance from the top of the cornice to the floor, is about right. Much more than this and the cornice will appear top-heavy, much less and it will appear to be too small in relation to the overall height of the window treatment.

Be sure there is enough height so that the cornice can be mounted at least 3" above any molding or window to allow for mounting brackets.




STEP 3: Determine the cornice return size (depth).

Cornice treatments are often used over single-layer and two-layer drapery treatments, vertical blinds, Roman shades, and other types of window coverings. The depth of the cornice is determined by the type of window treatment and the number of layers of window treatment under it.

The chart below gives the minimum return requirements for most situations in which you will be using a cornice.

UNDERTREATMENT	RETURN
Window with no undertreatment OR Window with inside mount undertreatment	1½" return
1" mini-blind	2½"
2" mini-blind	3½"
2½" mini-blind	3½"
3½" vertical blind	5½"
Cellular shade	2½"
Cellular shade, double cell	3½"
Roll shade	3½"
Roman or Balloon shade on 1½" headrail	3½"
Roman or Balloon shade on 2½" headrail	5½"
Roman or Balloon shade on 3½" headrail	5½"
Single-layer drapery	5½"
Two-layer drapery	7¼"

EXAMPLE: Single-Layer Drapery Treatment with Cornice





Fabritec, LLC.
7531 Coldwater Canyon Avenue | North Hollywood | CA | 91605
tel 800.828.2500 (toll-free) or 818.503.8300 | fax 818.503.8360

C.O.M. Cornice Order Form

Account # _____ Account Name _____

Address _____

City/State/ZIP _____

Phone _____ Fax _____

Ordered By _____ P.O. # _____

Date Ordered _____ Date Needed _____ Acct. Mgr. _____

Ship To _____ Attention _____

Address _____

City/State/ZIP _____

Sidemark _____

Phone _____

Ship Via ☐ Will Call ☐ Standard ☐ 2-Day ☐ Overnight

A fully completed order form is required before manufacturing can begin. All orders confirmed in writing.

Line No.	Room ID	Cornice Style	Qty	Install			Mount		Factory Deduct for Inside Mount	Cornice Face Width	Size of Returns (if any)		Cornice Height	Lining Color	
				In	Out	Wall	Ceil	Yes	No		Left	Right		White	Ivory
1.															
2.															
3.															
4.															
5.															
6.															

Line No.	FABRIC INFORMATION				
	Company	Pattern	Color	Fabric Width	V. Repeat

Line No.	ACCENT FABRIC DETAILS (Contrasting Welts, Bands, Overlays, Fabrics etc.)		
	Company	Pattern	Color

☐ I have given SPECIAL INSTRUCTIONS on the back of this order form.
☐ I have ordered TRIM / BANDING on the back of this order form.

CUSTOM ITEMS


Trim and Banding: To order, complete the form on the right as indicated. There are a number of ways that trim and banding can be applied as illustrated in the diagrams.

You must specify where indicated on this order form exactly how far in from the side, or up from the bottom, banding should be placed, whether trim should be flush or hang below the bottom of the cornice.

Banding is 2" wide unless specified otherwise.

For other creative, unique applications, please provide detailed instructions and a diagram in the SPECIAL INSTRUCTIONS box below.

TRIM




Trim hangs BELOW bottom of cornice

Line No:

Style:

Color:




Trim hangs EVEN with bottom of cornice

Line No:

Style:

Color:




Trim hangs BELOW bottom of cornice

Line No:

Style:

Color:

BANDING




Banding on bottom only, INDENTED

Line No:

Color:

Indent Banding: inch(es)



Banding on bottom only, FLUSH with bottom

Line No:

Color:

SPECIAL INSTRUCTIONS

CLASSIC CORNICE

[Color photos of this style can be found at www.fabritecdesigns.com]

DESIGN APPLICATIONS:

- The Classic cornice is a very versatile style that can give a dreary room a dramatic facelift.
- The straight, even lines are a complement to modern or transitional décor.
- A matching welt is applied to the top and bottom edge of the cornice. A contrasting fabric for the welt will create a more dramatic and decorative look.

FABRICS:

- Works well in all types of fabrics except sheers.
- If using a solid non-directional fabric, railroading the fabric will eliminate seams but may require more yardage. Call for specifics.

INSTALL:

- All necessary hardware for installation is included.
- When installing over a window or another window covering product, a minimum allowance of 2" must be added to the cornice face width to accommodate the thickness of the sides of the cornice box.
- The cornice box is made to the size specified; then padding and fabric are added. If the cornice is to be installed between two fixed surfaces, such as between cabinets or walls, the cornice width should be specified a little bit smaller than the opening to allow for the added padding and fabric thickness.
- Return depth will depend on what will be underneath the cornice. See table on page 8 for standard return depths.

STANDARDS:

- Top dust cover board and side return boards are made of ¾" plywood; face board is made of ¾" plywood.
- Padded with ¾" bonded polyester fiberfill.
- Inside is finished with blackout lining; side legs are covered with face fabric.
- Top of cornice is covered with face fabric and pattern matched.
- Top and bottom edge is finished with a ¾" welt.



PRICING INFORMATION

- Pricing includes all materials except fabric.
- Almost any size cornice can be priced from the chart below. For a cornice size that falls outside the chart, please call our Sales Services Department.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Application (Price per foot of finished width or height)	\$21	\$25
<ul style="list-style-type: none"> • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you. • Trim price is for trim application, and does not include trim. 		
Mitering	\$50 per miter	

Include depth of returns in overall width when pricing or determining yardage. See table on page 8 for standard return depths. For returns greater than 6½", call our Sales Services Department.

Classic Cornice															C.O.M. RETAIL PRICE				
C.O.M. labor prices for this cornice style include all materials except fabric.																			
Width in inches		36"	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	228	240
LABOR PRICE (Height in inches)	12"	300	394	458	510	572	676	728	992	1058	1134	1296	1362	1440	1588	1656	1826	1892	1970
	16	372	518	582	646	700	856	920	1226	1304	1372	1626	1694	1782	2016	2094	2348	2416	2504
	20	400	546	622	686	750	908	972	1288	1366	1444	1700	1778	1868	2112	2190	2444	2524	2612
	24	470	638	726	812	888	1058	1142	1472	1562	1662	1928	2018	2130	2386	2476	2752	2844	2944

Classic Cornice															YARDAGE CHART				
If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.																			
Width in inches		36"	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	228	240
Height in inches	12"	1¼ yd	1¼	1¼	1¼	1¾	1¾	1¾	1¾	1¾	2¼	2¼	2¼	2¼	2¾	2¾	2¾	2¾	2¾
	24	1¾	1¾	1¾	1¾	2¾	2¾	2¾	2¾	3½	3½	3½	3½	4¼	4¼	4¼	4¼	4¼	4¼
ADD REPEATS		Add 1	Add 1	Add 1	Add 1	Add 2	Add 2	Add 2	Add 2	Add 2	Add 3	Add 3	Add 3	Add 3	Add 4	Add 4	Add 4	Add 4	Add 4
Contrast Welt		1 yd	1	1	1	1¼	1¼	1¼	1¼	1½	1½	1½	1½	1¾	1¾	1¾	1¾	2	2

BOSWORTH CORNICE

[Color photos of this style can be found at www.fabritecdesigns.com]

DESIGN APPLICATIONS:

- A shaped cornice, artfully handcrafted with meticulous attention to detail. This cornice will add traditional touches and character to any formal living room, bedroom or dining area.
- The Bosworth Cornice is carefully covered with fabric, always taking your pattern into consideration so that the fabric pattern coincides with the beauty of the selected shape.
- A matching welt is applied to the top and bottom edge of the cornice. For added impact, specify welt in a contrasting fabric.

FABRICS:


- Works well in all types of fabrics except sheers.
- If using a solid non-directional fabric, railroading the fabric will eliminate seams but may require more yardage. Call for specifics.

INSTALL:

- All necessary hardware for installation is included.
- When installing over a window or another window covering product, a minimum allowance of 2" must be added to the cornice face width to accommodate the thickness of the sides of the cornice box.
- The cornice box is made to the size specified; then padding and fabric are added. If the cornice is to be installed between two fixed surfaces, such as between cabinets or walls, the cornice width should be specified a little bit smaller than the opening to allow for the added padding and fabric thickness.
- Return depth will depend on what will be underneath the cornice. See table on page 8 for standard return depths.

STANDARDS:

- Top dust cover board and side return boards are made of ¾" plywood; face board is made of ¾" plywood.
- Padded with ¾" bonded polyester fiberfill.
- Inside is finished with blackout lining; side legs are covered with face fabric.
- Top of cornice is covered with face fabric and pattern matched.
- Top and bottom edge is finished with a ¾" welt.



PRICING INFORMATION

- Pricing includes all materials except fabric.
- Almost any size cornice can be priced from the chart below. For a cornice size that falls outside the chart, please call our Sales Services Department.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Application (Price per foot of finished width or height)	\$25	\$42
<ul style="list-style-type: none"> • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you. • Trim price is for trim application, and does not include trim. 		
Mitering	\$50 per miter	

Include depth of returns in overall width when pricing or determining yardage. See table on page 8 for standard return depths. For returns greater than 6½", call our Sales Services Department.

Bosworth Cornice																C.O.M. RETAIL PRICE			
C.O.M. labor prices for this cornice style include all materials except fabric.																			
Width in inches	36"	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	228	240	
LABOR PRICE (Height in inches)	12"	432	568	660	738	828	978	1056	1426	1524	1634	1862	1958	2072	2284	2380	2622	2720	2832
	16	532	740	834	926	1006	1228	1322	1752	1864	1962	2320	2420	2548	2876	2990	3348	3446	3574
	20	570	778	888	982	1076	1300	1392	1838	1950	2064	2424	2536	2666	3010	3124	3482	3596	3726
	24	668	906	1032	1156	1266	1508	1632	2092	2222	2366	2742	2872	3032	3390	3520	3910	4040	4186

Bosworth Cornice																YARDAGE CHART			
If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.																(54" fabric)			
Width in inches	36"	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	228	240	
Height in inches	12"	1¼ YD	1¼	1¼	1¼	1¼	1¼	1¼	1¼	2¼	2¼	2¼	2¼	2¼	2¼	2¼	2¼	2¼	
	24	1¼	1¼	1¼	1¼	2¼	2¼	2¼	2¼	3½	3½	3½	3½	4¼	4¼	4¼	4¼	4¼	
ADD REPEATS	Add 1	Add 1	Add 1	Add 1	Add 2	Add 2	Add 2	Add 2	Add 2	Add 3	Add 3	Add 3	Add 3	Add 4	Add 4	Add 4	Add 4	Add 4	
Contrast Welt	1 YD	1	1	1	1¼	1¼	1¼	1¼	1½	1½	1½	1½	1½	1¾	1¾	1¾	1¾	2	2

ATHENS CORNICE

[Color photos of this style can be found at www.fabritecdesigns.com]

DESIGN APPLICATIONS:

- The Athens Cornice has a modern personality that steps up to the challenge!
- A classic shape that will complement any décor.
- A matching welt is applied to the top and bottom edge of the cornice. For added impact, specify welt in a contrasting fabric.

FABRICS:

- Works well in all types of fabrics except sheers.
- If using a solid non-directional fabric, railroading the fabric will eliminate seams but may require more yardage. Call for specifics.

INSTALL:

- All necessary hardware for installation is included.
- When installing over a window or another window covering product, a minimum allowance of 2" must be added to the cornice face width to accommodate the thickness of the sides of the cornice box.
- The cornice box is made to the size specified; then padding and fabric are added. If the cornice is to be installed between two fixed surfaces, such as between cabinets or walls, the cornice width should be specified a little bit smaller than the opening to allow for the added padding and fabric thickness.
- Return depth will depend on what will be underneath the cornice. See table on page 8 for standard return depths.

STANDARDS:

- Top dust cover board and side return boards are made of ¾" plywood; face board is made of ¾" plywood.
- Padded with ¾" bonded polyester fiberfill.
- Inside is finished with blackout lining; side legs are covered with face fabric.
- Top of cornice is covered with face fabric and pattern matched.
- Top and bottom edge is finished with a ¾" welt.



PRICING INFORMATION

- Pricing includes all materials except fabric.
- Almost any size cornice can be priced from the chart below. For a cornice size that falls outside the chart, please call our Sales Services Department.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Application (Price per foot of finished width or height)	\$25	\$42
<ul style="list-style-type: none"> • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you. • Trim price is for trim application, and does not include trim. 		
Mitering	\$50 per miter	

Include depth of returns in overall width when pricing or determining yardage. See table on page 8 for standard return depths. For returns greater than 6½", call our Sales Services Department.

Athens Cornice																C.O.M. RETAIL PRICE			
C.O.M. labor prices for this cornice style include all materials except fabric.																			
Width in inches		36"	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	228	240
LABOR PRICE (Height in inches)	12"	432	568	660	738	828	978	1056	1426	1524	1634	1862	1958	2072	2284	2380	2622	2720	2832
	16	532	740	834	926	1006	1228	1322	1752	1864	1962	2320	2420	2548	2876	2990	3348	3446	3574
	20	570	778	888	982	1076	1300	1392	1838	1950	2064	2424	2536	2666	3010	3124	3482	3596	3726
	24	668	906	1032	1156	1266	1508	1632	2092	2222	2366	2742	2872	3032	3390	3520	3910	4040	4186

Athens Cornice															YARDAGE CHART				
If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.																			
Width in inches		36"	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	228	240
Height in inches	12"	1¼ YD	1¼	1¼	1¼	1¾	1¾	1¾	1¾	1¾	2¼	2¼	2¼	2¼	2¾	2¾	2¾	2¾	2¾
	24	1¾	1¾	1¾	1¾	2¾	2¾	2¾	2¾	2¾	3½	3½	3½	3½	4¼	4¼	4¼	4¼	4¼
ADD REPEATS		Add 1	Add 1	Add 1	Add 1	Add 2	Add 2	Add 2	Add 2	Add 2	Add 3	Add 3	Add 3	Add 3	Add 4	Add 4	Add 4	Add 4	Add 4
Contrast Welt		1 YD	1	1	1	1¼	1¼	1¼	1¼	1½	1½	1½	1½	1¾	1¾	1¾	1¾	2	2

OSBORN CORNICE

[Color photos of this style can be found at www.fabritecdesigns.com]

DESIGN APPLICATIONS:

- Another shaped cornice handcrafted in wood and carefully covered in fabric.
- The elegantly curved, edgy Osborn will add character to any formal living room, master bedroom or dining area.
- A matching welt is applied to the top and bottom edge of the cornice. For added impact, specify welt in a contrasting fabric.

FABRICS:

- Works well in all types of fabrics except sheers.
- If using a solid non-directional fabric, railroading the fabric will eliminate seams but may require more yardage. Call for specifics.

INSTALL:

- All necessary hardware for installation is included.
- When installing over a window or another window covering product, a minimum allowance of 2" must be added to the cornice face width to accommodate the thickness of the sides of the cornice box.
- The cornice box is made to the size specified; then padding and fabric are added. If the cornice is to be installed between two fixed surfaces, such as between cabinets or walls, the cornice width should be specified a little bit smaller than the opening to allow for the added padding and fabric thickness.
- Return depth will depend on what will be underneath the cornice. See table on page 8 for standard return depths.

STANDARDS:

- Top dust cover board and side return boards are made of ¾" plywood; face board is made of ¾" plywood.
- Padded with ¾" bonded polyester fiberfill.
- Inside is finished with blackout lining; side legs are covered with face fabric.
- Top of cornice is covered with face fabric and pattern matched.
- Top and bottom edge is finished with a ¾" welt.



PRICING INFORMATION

- Pricing includes all materials except fabric.
- Almost any size cornice can be priced from the chart below. For a cornice size that falls outside the chart, please call our Sales Services Department.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Application (Price per foot of finished width or height)	\$25	\$42
<ul style="list-style-type: none"> • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you. • Trim price is for trim application, and does not include trim. 		
Mitering	\$50 per miter	

Include depth of returns in overall width when pricing or determining yardage. See table on page 8 for standard return depths. For returns greater than 6½", call our Sales Services Department.

Osborn Cornice																C.O.M. RETAIL PRICE			
C.O.M. labor prices for this cornice style include all materials except fabric.																			
Width in inches	36"	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	228	240	
LABOR PRICE																			
(Height in inches)																			
12"	432	568	660	738	828	978	1056	1426	1524	1634	1862	1958	2072	2284	2380	2622	2720	2832	
16	532	740	834	926	1006	1228	1322	1752	1864	1962	2320	2420	2548	2876	2990	3348	3446	3574	
20	570	778	888	982	1076	1300	1392	1838	1950	2064	2424	2536	2666	3010	3124	3482	3596	3726	
24	668	906	1032	1156	1266	1508	1632	2092	2222	2366	2742	2872	3032	3390	3520	3910	4040	4186	

Osborn Cornice																YARDAGE CHART			
If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.																(54" fabric)			
Width in inches	36"	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	228	240	
Height in inches																			
12"	1¼ YD	1¼	1¼	1¼	1¾	1¾	1¾	1¾	1¾	2¼	2¼	2¼	2¼	2¾	2¾	2¾	2¾	2¾	
24	1¾	1¾	1¾	1¾	2¾	2¾	2¾	2¾	2¾	3½	3½	3½	3½	4¼	4¼	4¼	4¼	4¼	
ADD REPEATS	Add 1	Add 1	Add 1	Add 1	Add 2	Add 2	Add 2	Add 2	Add 2	Add 3	Add 3	Add 3	Add 3	Add 4	Add 4	Add 4	Add 4	Add 4	
Contrast Welt	1 YD	1	1	1	1¼	1¼	1¼	1¼	1½	1½	1½	1½	1¾	1¾	1¾	1¾	2	2	

ROXBURY CORNICE

[Color photos of this style can be found at www.fabritecdesigns.com]

DESIGN APPLICATIONS:

- A very special cornice. The Roxbury Cornice exemplifies a subtle, dignified look, hand-made with impeccable quality and meticulous attention to detail.
- Created with hand-folded vertical pleats.
- Expertly padded, shaped and adorned, this cornice truly offers a unique attitude that exemplifies the concept of a custom window fashion.

FABRICS:


- Works well in all types of fabrics except sheers.
- If using a solid non-directional fabric, railroading the fabric will eliminate seams but may require more yardage. Call for specifics.
- Pleated cornices like the Roxbury are best achieved with a solid fabric

INSTALL:

- All necessary hardware for installation is included.
- When installing over a window or another window covering product, a minimum allowance of 2" must be added to the cornice face width to accommodate the thickness of the sides of the cornice box.
- The cornice box is made to the size specified; then padding and fabric are added. If the cornice is to be installed between two fixed surfaces, such as between cabinets or walls, the cornice width should be specified a little bit smaller than the opening to allow for the added padding and fabric thickness.
- Return depth will depend on what will be underneath the cornice. See table on page 8 for standard return depths.

STANDARDS:

- Top dust cover board and side return boards are made of ¾" plywood; face board is made of ¾" plywood.
- Padded with ¾" bonded polyester fiberfill.
- Inside is finished with blackout lining; side legs are covered with face fabric.
- Top of cornice is covered with face fabric and pattern matched.
- Top and bottom edge is finished with a ¾" welt.



PRICING INFORMATION

- Pricing includes all materials except fabric.
- Almost any size cornice can be priced from the chart below. For a cornice size that falls outside the chart, please call our Sales Services Department.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Application (Price per foot of finished width or height)	\$42	\$42
<ul style="list-style-type: none"> • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you. • Trim price is for trim application, and does not include trim. 		
Mitering	\$50 per miter	

Include depth of returns in overall width when pricing or determining yardage. See table on page 8 for standard return depths. For returns greater than 6½", call our Sales Services Department.

Roxbury Cornice																C.O.M. RETAIL PRICE			
C.O.M. labor prices for this cornice style include all materials except fabric.																			
Width in inches		36"	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	228	240
LABOR PRICE (Height in inches)	12"	458	600	698	780	876	1036	1118	1510	1612	1730	1972	2074	2194	2418	2520	2776	2880	2998
	16	564	782	884	982	1064	1302	1400	1854	1974	2078	2458	2562	2698	3046	3166	3544	3650	3786
	20	604	824	940	1040	1138	1376	1474	1946	2066	2186	2566	2686	2824	3186	3306	3686	3808	3944
	24	708	960	1094	1224	1342	1596	1728	2214	2352	2504	2902	3040	3210	3590	3728	4140	4278	4432

Roxbury Cornice															YARDAGE CHART				
If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.																			
Width in inches		36"	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	228	240
Height in inches	12"	1¾ YD	1¾	2¼	2¼	2¾	2¾	2¾	3¼	3¼	3¾	3¾	4¼	4¼	4¾	4¾	4¾	5¼	5¼
	24	2¾	2¾	3½	3½	4¼	4¼	4¼	5	5	6	6	7	7	7¾	7¾	7¾	8½	8½
ADD REPEATS		Add 1	Add 1	Add 1	Add 1	Add 2	Add 2	Add 2	Add 2	Add 2	Add 3	Add 3	Add 3	Add 3	Add 4	Add 4	Add 4	Add 4	Add 4
Contrast Welt		1 YD	1	1	1	1	1	1¼	1¼	1¼	1¼	1¼	1¼	1¼	1½	1½	1½	1½	1½

DOHENY CORNICE

[Color photos of this style can be found at www.fabritecdesigns.com]

DESIGN APPLICATIONS:

- An elegant cornice with contrasting or complementary shirred banding dressing the bottom edge.
- It will work well in all design settings and in any style of home.
- Expertly hand-crafted, the Doheny Cornice offers an upscale, but understated touch to any décor.

FABRICS:

- Works well in all types of fabrics except sheers.
- If using a solid non-directional fabric, railroading the fabric will eliminate seams but may require more yardage. Call for specifics.
- The shirred banding looks best in a solid fabric.

INSTALL:

- All necessary hardware for installation is included.
- When installing over a window or another window covering product, a minimum allowance of 2" must be added to the cornice face width to accommodate the thickness of the sides of the cornice box.
- The cornice box is made to the size specified; then padding and fabric are added. If the cornice is to be installed between two fixed surfaces, such as between cabinets or walls, the cornice width should be specified a little bit smaller than the opening to allow for the added padding and fabric thickness.
- Return depth will depend on what will be underneath the cornice. See table on page 8 for standard return depths.

STANDARDS:

- Top dust cover board and side return boards are made of ¾" plywood; face board is made of ¾" plywood.
- Padded with ¾" bonded polyester fiberfill.
- Inside is finished with blackout lining; side legs are covered with face fabric.
- Top of cornice is covered with face fabric and pattern matched.
- Top and bottom edge is finished with a ¾" welt.



PRICING INFORMATION

- Pricing includes all materials except fabric.
- Almost any size cornice can be priced from the chart below. For a cornice size that falls outside the chart, please call our Sales Services Department.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Application (Price per foot of finished width or height)	\$21	\$25
<ul style="list-style-type: none"> • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you. • Trim price is for trim application, and does not include trim. 		
Mitering	\$50 per miter	

Include depth of returns in overall width when pricing or determining yardage. See table on page 8 for standard return depths. For returns greater than 6½", call our Sales Services Department.

Doheny Cornice																C.O.M. RETAIL PRICE			
C.O.M. labor prices for this cornice style include all materials except fabric.																			
Width in inches	36"	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	228	240	
LABOR PRICE																			
(Height in inches)																			
12"	458	600	698	780	876	1036	1118	1510	1612	1730	1972	2074	2194	2418	2520	2776	2880	2998	
16	564	782	884	982	1064	1302	1400	1854	1974	2078	2458	2562	2698	3046	3166	3544	3650	3786	
20	604	824	940	1040	1138	1376	1474	1946	2066	2186	2566	2686	2824	3186	3306	3686	3808	3944	
24	708	960	1094	1224	1342	1596	1728	2214	2352	2504	2902	3040	3210	3590	3728	4140	4278	4432	

Doheny Cornice																YARDAGE CHART			
If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.																(54" fabric)			
Width in inches	36"	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	228	240	
Height in inches																			
12"	1¼ YD	1¼	1¼	1¼	1¾	1¾	1¾	1¾	1¾	2¼	2¼	2¼	2¼	2¾	2¾	2¾	2¾	2¾	
24	1¾	1¾	1¾	1¾	2¾	2¾	2¾	2¾	2¾	3½	3½	3½	3½	4¼	4¼	4¼	4¼	4¼	
ADD REPEATS	Add 1	Add 1	Add 1	Add 1	Add 2	Add 2	Add 2	Add 2	Add 2	Add 3	Add 3	Add 3	Add 3	Add 4	Add 4	Add 4	Add 4	Add 4	
Contrast Welt & Shirred Banding	1 YD	1	1¼	1¼	1½	1½	1½	1¾	1¾	2	2	2¼	2¼	2½	2½	2½	2¾	2¾	

SUNSET CORNICE

[Color photos of this style can be found at www.fabritecdesigns.com]

DESIGN APPLICATIONS:

- This striking cornice features an envelope overlay which allows for two different fabrics on the same board. Its simple lines is best adorned with jeweled embellishments to create a subtle, decorative, focal point.

FABRICS:

- Works well in all types of fabrics except sheers.
- If using a solid non-directional fabric, railroading the fabric will eliminate seams but may require more yardage. Call for specifics.

INSTALL:

- All necessary hardware for installation is included.
- When installing over a window or another window covering product, a minimum allowance of 2" must be added to the cornice face width to accommodate the thickness of the sides of the cornice box.
- The cornice box is made to the size specified; then padding and fabric are added. If the cornice is to be installed between two fixed surfaces, such as between cabinets or walls, the cornice width should be specified a little bit smaller than the opening to allow for the added padding and fabric thickness.
- Return depth will depend on what will be underneath the cornice. See table on page 8 for standard return depths.

STANDARDS:

- Top dust cover board and side return boards are made of ¾" plywood; face board is made of ¾" plywood.
- Padded with ¾" bonded polyester fiberfill.
- Inside is finished with blackout lining; side legs are covered with face fabric.
- Top of cornice is covered with face fabric and pattern matched.
- Top and bottom edge is finished with a ¾" welt.



PRICING INFORMATION

- Pricing includes all materials except fabric.
- Almost any size cornice can be priced from the chart below. For a cornice size that falls outside the chart, please call our Sales Services Department.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Application (Price per foot of finished width or height)	\$21	\$42
<ul style="list-style-type: none"> • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you. • Trim price is for trim application, and does not include trim. 		
Mitering	\$50 per miter	

Include depth of returns in overall width when pricing or determining yardage. See table on page 8 for standard return depths. For returns greater than 6½", call our Sales Services Department.

Sunset Cornice															C.O.M. RETAIL PRICE				
C.O.M. labor prices for this cornice style include all materials except fabric.																			
Width in inches		36"	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	228	240
LABOR PRICE (Height in inches)	12"	458	600	698	780	876	1036	1118	1510	1612	1730	1972	2074	2194	2418	2520	2776	2880	2998
	16	564	782	884	982	1064	1302	1400	1854	1974	2078	2458	2562	2698	3046	3166	3544	3650	3786
	20	604	824	940	1040	1138	1376	1474	1946	2066	2186	2566	2686	2824	3186	3306	3686	3808	3944
	24	708	960	1094	1224	1342	1596	1728	2214	2352	2504	2902	3040	3210	3590	3728	4140	4278	4432

Sunset Cornice [requires two different fabrics]																YARDAGE CHART			
If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.																			
Width in inches		36"	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216	228	240
Height in inches		Cornice Fabric																	
	12"	1¼ YD	1¼	1¼	1¼	1¾	1¾	1¾	1¾	1¾	2¼	2¼	2¼	2¼	2¾	2¾	2¾	2¾	2¾
	24	1¾	1¾	1¾	1¾	2¾	2¾	2¾	2¾	2¾	3½	3½	3½	3½	4¼	4¼	4¼	4¼	4¼
ADD REPEATS		Add 1	Add 1	Add 1	Add 1	Add 2	Add 2	Add 2	Add 2	Add 2	Add 3	Add 3	Add 3	Add 3	Add 4	Add 4	Add 4	Add 4	Add 4
Envelope Fabric																			
Height in inches																			
	12"	¾ YD	¾	1¼	1¼	1¼	1¼	1¼	1¼	1¼	1¼	1¼	2¼	2¼	2¼	2¼	2¾	2¾	2¾
	24	1	1	1¾	1¾	1¾	1¾	2¾	2¾	2¾	2¾	2¾	3½	3½	3½	3½	4¼	4¼	4¼
ADD REPEATS		Add 1	Add 1	Add 1	Add 1	Add 2	Add 2	Add 2	Add 2	Add 2	Add 3	Add 3	Add 3	Add 3	Add 4	Add 4	Add 4	Add 4	Add 4

