

CONTENTS

[RETAIL PRICES :: JANUARY 2025]

GETTING STARTED

Draperies Selection Guide	2
How to Price & Order Draperies	4
How to Use our Yardage Chart	5
Options Pricing for Draperies	6
How to Measure for Draperies	8
Basic Drapery Terminology	10
How to Figure the Finished Width of a Drapery	12
Drapery Order Form	13

DRAPERY STYLES & PRICING INFORMATION

French Pleat Drapery	16
Euro Pleat Drapery	18
Barcelona Pleat Drapery	20
Roman Pleat Drapery	22
Champagne Pleat Drapery	24
Tudor Pleat Drapery	26
Continental Pleat Drapery	28
Camisole Drapery	30
Tab Top Drapery	32
Tuck Top Drapery	34
Ring Top Drapery	36
Cuff Top Drapery	38
Grommet Top Drapery	40
Rod Pocket Drapery	42
Rod Top & Bottom (RTB) Panels	44
Hourglass (RTB) Panels	44
Ripplefold Drapery	46
Tiebands & Rosettes	48

» DRAPERIES SELECTION GUIDE

[Color photos of all these styles can be found at www.fabritecdesigns.com]



FRENCH PLEAT DRAPERY

[See page 16]

The classic French Pleat Panel is the most traditional of our panel styles.



EURO PLEAT DRAPERY

[See page 18]

A contemporary version of the classic, French pleat drapery, pinched at the top rather than the bottom.



BARCELONA PLEAT DRAPERY

[See page 20]

This style merges two great classics—the French Pleat and the Euro Pleat. It has two tacks per pleat, one at the top and one at the base of the pleat.



ROMAN PLEAT DRAPERY

[See page 22]

This style is tailored at the top with a rear facing pleat. As the fabric falls towards the floor, it blouses out to form billowy folds of fabric.



CHAMPAGNE PLEAT DRAPERY

[See page 24]

This style takes its inspiration from the graceful shape of a champagne flute.



TUDOR PLEAT DRAPERY

[See page 26]

A contemporary version of the classic French Pleat drapery. A high-end look with a variety of design applications.



CONTINENTAL PLEAT DRAPERY

[See page 28]

This style is a contemporary merging of two great classics! A simple French pleat tucked between Roman pleats.



CAMISOLE DRAPERY

[See page 30]

The thin straps of this panel give the Camisole its distinctive look.



TAB TOP DRAPERY

[See page 32]

This handsome panel features classic wide tabs designed for use with a decorative rod.

»DRAPERIES SELECTION GUIDE *(continued)*

[Color photos of all these styles can be found at www.fabritecdesigns.com]



TUCK TOP DRAPERY

[See page 34]

This simple panel offers an understated look, and is very much at home in casual, relaxed rooms.



RING TOP DRAPERY

[See page 36]

A simple flat panel designed for use with decorative rods and rings.



CUFF TOP DRAPERY

[See page 38]

A simple elegant style for formal or casual settings. This drapery is unstructured and hangs in loose, free flowing folds.



GROMMET TOP DRAPERY

[See page 40]

This panel falls into soft rolling folds formed by grommets slipped over a decorative rod.



ROD POCKET DRAPERY

[See page 42]


A stationary panel that is slipped over a rod and gathered. Creates a soft, unstructured drapery.



ROD TOP & BOTTOM (RTB) PANEL

[See page 44]

Normally used on French doors, doors with windows or on sidelight windows. These panels are gathered onto rods at both the top and the bottom.



HOURLASS RTB PANEL

[See page 44]

A variation on the RTB panel. The Hourglass RTB panel is gathered at both top and bottom and is pulled together in the middle with a fabric tieband.



RIPPLEFOLD DRAPERY

[See page 46]


A high-end look, ideal for contemporary or modern rooms.



Straight Tieband

Shaped Tieband

Shirred Welt



Faux Bow Tieband

Ruffle Tieband

Rosettes

TIEBANDS & ROSETTES

[See page 48]

Tiebands and Rosettes add a bit of character to the window. Tiebands are used in situations where the drapery is tied back and planned as a stationary application.

HOW TO PRICE DRAPERIES

STEP 1: Select Drapery Style.

See the Selection Guide on the previous two pages for style ideas and an overview of our standard offering. When you find a style you like, the Selection Guide will point you to the page devoted to that style, where you will find more information and pricing.

If you don't see what you want, call our Sales Services Department for further suggestions and help. Also, for helpful hints on what else to consider before making final style and fabric selections, see our Drapery Measuring Instructions on page 8.

STEP 2: Measure Drapery.

See page 8 for measuring instructions and helpful hints. Also, see "Basic Drapery Terminology" on page 10. These sections contain details and information you may need to consider before pricing and ordering your drapery panels.

STEP 3: Select Fabric and Determine Yardage.

Whether you purchase our fabric, or provide your own fabric, you will need to make your selection and determine the number of yards required to finish pricing. A yardage chart to help you figure the yardage for the style you select is included in the pages devoted to that style.

STEP 4: Select Options.

For easier pricing, the most popular options for customizing a given style are included on the pages devoted to that style. For a complete list of options, and detailed information on them, see pages 6 - 7.

For MOTORIZATION, or for options not featured in our price list, call our Sales Services Department.

STEP 5: Price Drapery.

Turn to the pricing page for the style you have chosen. To determine the total price of your drapery, simply add the labor price from our price list, the price of the fabric, and the price of any options. (Note: Labor prices for lined draperies include our linings.)

TO ORDER

STEP 6: Complete our order form for the best service.

You can save lots of time and hassle, and avoid playing phone tag, by using our order form. It is a complete checklist of every question that must be answered in order for us to process your order.

NOTE: Our Drapery Order Form can be found on page 13.

STEP 7: Send us your order.

PLEASE NOTE: RUSH ORDERS

Rush Orders will incur a surcharge of 25%.

HOW TO USE OUR YARDAGE CHART

To determine fabric yardage for draperies

EXAMPLE: Assuming the following specifications

Pair or Panel	Fabric Width	Vertical Repeat	Area to Cover	x	Drapery Height
PAIR	54"	27"	60"	x	86"

Start in the top left corner of the chart, selecting the line for pair or panel as needed. Read across the columns to find the column that includes the width of your drapery. Area to Cover: **60"**

Next, locate the height **closest** to the height of your drapery. Drapery height: **86"**

The number at the intersection of the grey lines is the number of yards required for your drapery. In this case: **12¼ Yards**

If your fabric has a pattern, add the number of pattern repeats shown at the bottom of the column. In this case:

Add 3 vertical repeats or 81"
(3 x 27" = 81")

Round up to the nearest ½ yard and add that amount. In this case: **2½ yards**

Total yardage required: 14¼ Yards

EURO PLEAT DRAPERY

If your fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.

YARDAGE CHART

(for 54" fabric)

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	16"	37	58	79	101	122	143	164	185	207
	Pair	27	48	70	91	112	133	155	175	197	
DRAPERY HEIGHT											
36"	1¾ YDS	3½	5¼	7	8¾	10½	12¼	14	15¾	17½	
42	2	3¾	5¾	7¾	9½	11½	13½	15¼	17¼	19¼	
48	2	4¼	6¼	8¼	10½	12½	14½	16¾	18¾	20¾	
54	2¼	4½	6¾	9	11¼	13½	15¾	18	20¼	22½	
60	2½	4¾	7¼	9¾	12	14½	17	19¼	21¾	24¼	
66	2½	5¼	7¾	10¼	13	15½	18	20¾	23¼	25¾	
72	2¾	5½	8¼	11	13¾	16½	19¼	22	24¾	27½	
78	3	5¾	8¾	11¾	14½	17½	20½	23¼	26¼	29¼	
84	3	6¼	9¼	12¼	15½	18½	21½	24¾	27¾	30¾	
90	3¼	6½	9¾	13	16¼	19½	22¾	26	29¼	32½	
96	3½	6¾	10¼	13¾	17	20½	24	27¼	30¾	34¼	
102	3½	7¼	10¾	14¼	18	21½	25	28¾	32¼	35¾	
108	3¾	7½	11¼	15	18¾	22½	26¼	30	33¾	37½	
114	4	7¾	11¾	15¾	19½	23½	27½	31¼	35¼	39¼	
120	4	8¼	12¼	16¼	20½	24½	28½	32¾	36¾	40¾	
126	4¼	8½	12¾	17	21¼	25½	29¾	34	38¼	42½	
132	4½	8¾	13¼	17¾	22	26½	31	35¼	39¾	44¼	
138	4½	9¼	13¾	18¼	23	27½	32	36¾	41¼	45¾	
144	4¾	9½	14¼	19	23¾	28½	33¼	38	42¾	47½	
ADD REPEATS		Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9

If your fabric has a large horizontal repeat, call our **Sales Services Department** to verify yardage.

NOTE: Supply fabric and lining rolled on a tube, not folded. Excessively wrinkled fabrics may not be usable.

OPTIONS PRICING FOR DRAPERIES

CUSTOM ITEMS

Trim (ready-made fringes, brushes, bullions, etc)

Trim and Banding pricing can be found in the pricing section for each style. Trim price is for application only and does not include the cost of the trim. Please call for yardage requirements.

Banding

Banding pricing can be found in the pricing section for each style. Banding price is for fabrication and application of banding made from fabric or for application of ready-made banding and does not include the cost of the material.

Please call for yardage requirements. Yardage will depend on how the fabric for the banding is cut.


- **STRAIGHT CUT:** The banding is cut from the fabric by cutting across the width of the fabric. It will usually take less yardage than other methods. However, if the banding is longer than the width of the fabric from which it is cut, the banding will have one or more seams.
- **RAILROAD CUT:** The banding is cut down the length of the fabric. There will be no seams, but it will usually require more yardage.
- **BIAS CUT:** The banding is cut across the diagonal length of the fabric. Bias cut is used with certain fabrics, such as stripes, in order to effectively show the pattern or colors. Yardage will usually fall somewhere between a straight cut and a railroad cut.

Grand Band

A Grand Band is an oversized band of contrasting fabric, typically 20" to 24" high on the bottom or top of the drapery.

Please use care when selecting the grand band fabric as the two materials need to be compatible to minimize the potential for flaring.


\$56.00 per width.



Trim and Banding Application


There are a number of ways in which trim and banding can be applied as illustrated in the column to your right.

Trim is typically placed along the side-hem stitch line (1½" from the leading edge) when applied vertically, and along the bottom-hem stitch line (4" from the bottom edge) when applied horizontally, as illustrated in the next column. Trim can also be applied on the leading edge of the drapery.



Banding is either wrapped around or applied flush to the leading edge, as specified by you, or applied along the side-hem stitch line and bottom-hem stitch line, as illustrated below.

When applied to both the bottom and sides, the banding will be mitered at the intersection for a clean, custom look.



Memory Stitching

Memory stitching is used at the bottom backside of a pleated drapery to maintain the shape of the pleats. A thread, which is sewn from one pleat to the next, prevents the pleats from billowing. Memory stitching is used most often on sheers and other fabrics such as 100% polyester that are difficult to shape and control. **\$26.00 per width.**

Shot Tape

Shot tape is a chain weight that provides an even weight and stability across the bottom of a drapery panel. It looks something like a string of small beads encased in a web sleeve, and is used primarily to add weight to very light, sheer fabrics.

\$14.00 per width.

Drapery Pins or Ring Hooks

Pin hooks or ring hooks, as needed, are included in our pricing.

There is **no extra charge.**

Hand Sewn Rings

Pricing is for labor only and does not include the rings. The pricing page for each style includes a ring chart, which will give you the number of rings required. **\$14.00 per ring.**

OPTIONS PRICING FOR DRAPERIES

CUSTOM ITEMS *(continued)*

Seam Fold or Fan Fold

Unless otherwise specified, all draperies will be seam folded (i.e. folded seam to seam and shipped flat). We strongly recommend that you order your drapery seam folded, which is our standard, and have your installer hand dress the pleats on site. This will give you a much nicer finished product, and is much preferred by professional drapery installers.

Fan folding (i.e. folded pleat to pleat, and shipped already pleated) creases drapery at the pleats, which makes them far less attractive than the soft, rounded pleats that can be achieved with hand dressing. Fan folding is also limited to the number of widths.

For Pleated Draperies: 5 widths per panel.

For Ripplefold Draperies: 3 widths per panel.

Either way, there is **no additional charge.**

Fan folding is *not available* for Champagne and Roman Pleat Draperies.

Unpleated Draperies can only be seam folded.

Face the Bottom Hem

Occasionally, fabric suppliers run short on the ordered or requested yardage. We can make up for this shortage by adding a piece of lining up to 7" long to replace the face fabric that would otherwise be used for the hems. **\$44.00 per width.**

Hook and Loop Draperies

Occasionally, drapery panels are stationary design elements that do not need to be opened or closed. For these non-functional applications, hook and loop (*non-branded Velcro*) can be sewn along the top edge of the drapery. The loop side of the tape will be attached to the drapery and the hook side of the tape will be sent together with your draperies for installation at the job site.

\$50.00 per width.

Special Pleating

The pleats on our draperies are marked with an industry standard pleating machine. Any pleating configuration requested outside of this standard will incur a width surcharge. **Add \$30.00 per width.**

French Seam

A seam where the raw edges of the cloth are completely covered by sewing them together creating a very neat, clean and elegant seam finish. Ideal for lightweight fabrics. **Add 15%.**

Cut Outs

Sometimes it is necessary to "cut out" or remove a corner of a drapery panel to allow for obstructions, such as air conditioners or fireplace hearths.

Please submit a drawing with dimensions when ordering. If you need help, call our Sales Services Department.

\$110.00 per cut out.

Slant Top Draperies

For pleated draperies, **add 50%.**

For unpleated draperies, **add 25%.**

Drapery Batons or Rods

This simple window accessory allows you to gently open and close your draperies without tugging on the fabric directly. The rod gently moves the drapery into place, lowering the risk of ripping the fabric or soiling the material due to the natural oils in your skin.

BATONS			
Length of Baton	36"	48"	72"
Price	\$20.00	\$22.00	\$29.00

Reversible Drapery Option

Reversible draperies can give you the best of both worlds. They create a lovely look for your windows from the outside of your home. All reversible draperies will be pillowcased; front and back fabrics will be hemmed separately. **Add 25%.**

Linings

Our Standard lining is a 50% polyester, 50% cotton, premium quality, high thread count, warp sateen material that is wrinkle resistant, water repellant, and very durable.

Our Blackout lining is a 100% polyester, soft, supple material with a velvet-like feel. Produced with a new technology, pin holes that admit small amounts of light—an inherent problem with blackout materials—will be smaller and less noticeable.

Our Interlining is a 100% cotton, double-napped 5 oz material. Interlining gives shades a beautiful, luxurious look when used with lightweight fabrics such as silk.

Pillowcase Lining: The face fabric and lining are seamed together, then turned and pressed so the seam becomes the very edge of the item. This gives the drapery a seamless, finished, luxurious look. Note: The fabric and lining will have separate bottom hems.

Price as a regular drapery and add 40%.

Bed Sheets

Bed sheets pose many problems. They are lightweight and flimsy compared to window covering fabrics. Patterns at the seams cannot be matched. They are inconsistent in color and pattern placement, and they are limited in size. In addition, packaging fold lines often cannot be ironed out.

We will make every effort to produce a quality product, but you must take these factors into consideration. **\$120.00 per sheet.**

Fire Retardant

Not available from us. Fabric must be treated prior to our receipt.

Laminations

Not available from us. Fabric must be laminated prior to our receipt.

Difficult Fabrics

It depends on the style into which the fabric is being made. In general, be alert to the possibility of an extra charge for the following types of fabrics: sheers, laces, plaids, velvets, heavy upholstery weight fabrics, geometric prints, horizontal stripes and loosely woven fabrics.

Add 30%.


Note: Some fabric patterns with horizontal lines and squares may not match or line up exactly due to fabric grain, give or stretch.

HOW TO MEASURE FOR DRAPERIES (IT'S EASIER THAN IT LOOKS. READ BELOW.)

Measure the width and height of a drapery panel as follows:


STEP 1: Determine the rod width and area to cover.

Decide how far past the opening the drapery should go. The minimum is typically 2" to 4" on each side, unless there is an obstruction. When using decorative hardware, be sure there is enough clearance on each side to allow for the finials.




Where possible, draperies are often made wider than the glass width to allow room for the fabric to stack off the glass when they are open.

As a rule of thumb, draperies stack in approximately one-third of their width (a little more for heavy fabric, a little less for sheers and lightweight fabric). Therefore, in order to allow sufficient stacking space to clear the glass area, measure for the panels to be 50% wider than the opening (see illustration below).




If the drapery is intended to cover a wall-to-wall area, measure the area to be covered at the height where the rod will be located (not at the floor). Deduct 2" from this measurement to determine the area to be covered by the panels. When installing a decorative rod from wall to wall, finials are generally not used. If you do use them, be sure to make an additional allowance for them.



STEP 2: Determine direction of draw, and stack location.


Looking at the opening to be covered, decide whether the drapery should open from the middle and stack on both sides of the opening, or whether it should draw toward, and stack, on one side or the other (left or right, facing the opening).




STACK LEFT AND RIGHT: When your drapery is a pair of moveable (traversing) panels, the cord can be on the left, or on the right, or both. (Two cords, left and right, are usually used only on very large pairs of drapery panels that are too heavy to pull with one cord.)

STEP 3: Determine the height of the drapery panel.


Floor to Ceiling: Measure the distance from floor to ceiling at the tightest (shortest) point. (Allow for acoustic ceiling unevenness, carpet pile, or other unevenness.) For an overdrap (the front layer in a two-layer drapery treatment), deduct ¾" for operating clearance. For an underdrap, deduct 1".




Top of Opening to Floor: Measure the distance from the top of the opening to the floor. Add 4" to 5" in order to avoid a shadow line created by the header, and to allow sufficient wall space above the opening for the rod brackets.



Above and Below Opening: Measure the opening height and add 8" to 10" in order to avoid shadow lines created by the header and the bottom hem. (The bottom of the header should be above the opening and the top of the bottom hem should be below the opening.)



If using decorative drapery hardware, the drapery will hang below the rod and rings. Be sure there is enough wall space above the top of the drapery for the decorative hardware, and enough wall space to the sides to allow for the finials.



NOTE: Loss of height caused by decorative rod thickness.

Panels with pockets, tabs, etc., that slip over a decorative rod, lose height because of the thickness of the rod. Use the table below to determine how much you should add to adjust for this loss. For example, if you are ordering a rod pocket panel for a ¾" rod, and you want an 84" high panel, add ½", as indicated in the table, and order an 84½" panel to end up with a net height of 84".


HEIGHT REDUCTION ALLOWANCE FOR PANELS							
ROD STYLES	Sash/Curtain Rods	Wood/Metal Poles, PVC Pipes				Flat/Continental Rods	
Diameter size	¾"	1 3⁄8"	1 ½"	2"	3"	2 ½"	4 ½"
PANEL STYLES	(Height of a given panel will be reduced by the amount shown below)						
Rod Pocket Panel	½"	7⁄8"	1"	1 ½"	2"	½"	½"
Tab Top Panel	½"	5⁄8"	5⁄8"	1"	2"	½"	½"
Camisole Panel	½"	5⁄8"	5⁄8"	1"	2"	½"	½"

NOTE: Typical Rod Pocket and Ruffle Sizes


TYPICAL ROD POCKET AND RUFFLE SIZES							
ROD STYLES	Sash/Curtain Rods	Wood/Metal Poles, PVC Pipes				Flat/Continental Rods	
Diameter size	¾"	1 3⁄8"	1 ½"	2"	3"	2 ½"	4 ½"
Pocket Size (typical)	1 ½"	3"	3"	4"	6 ½"	3 ½"	5 ½"
Pocket Size (thick, full fabric)	2"	3 ½"	3 ½"	5"	7 ½"	4 ½"	6 ½"
Ruffle Size (typical)	1 ½"	3"	3"	4"	5"	2"	3"

STEP 4: Determine drapery panel return size. (Drapery panel return size is the distance the panel must "return" to the wall.)

The standard return for a single-layer drapery panel is 3½".



The standard return for an "overdrap", the front layer in a two-layer drapery treatment is 5½". The "underdrap", or rear layer, in a two-layer drapery treatment, does not require returns.




BASIC DRAPERY TERMINOLOGY


The following terms are commonly used by drapery professionals and are very useful in discussing and ordering custom made draperies. If you don't already know these terms, you should find the following very helpful.

C.O.M. stands for "Customer's Own Material". This term is used for any materials supplied by you (usually applied to fabric, but can be anything).

A PAIR (sometimes called a **SPLIT-DRAW**), is two drapery panels on the same rod that open to the left and right from the middle. A pair can also be a pair (left and right) of stationary side panels.



A PANEL (sometimes called a **ONE-WAY DRAW**) is a single panel that opens in one direction only, rather than from the center. A panel that opens and stacks to the left is called a *One-Way Left Panel*, and a panel that opens and stacks on the right is called a *One-Way Right Panel*. Occasionally, there is a need for a *Center Panel* to cover or accent the space between two windows.




A **TWO-LAYER** drapery is a drapery window treatment with two layers of drapery, one behind the other.

An **Overdrape** is the front layer in a two-layer drapery treatment.

An **Underdrape** is the rear layer in a two-layer drapery treatment.


The **AREA-TO-COVER** is the **FACE WIDTH** of a finished drapery panel.



The **RETURN** is the distance a drapery must "return" to the wall to cover the gap at the end of the drapery created by the distance of the drapery from the wall.


- The standard return for a single-layer drapery is 3 1/2".
- The standard return for the overdrape in a two-layer drapery is 5 1/2".
- The underdrape in a two-layer drapery does not require returns.

RETURN END: The end of a drapery panel that returns to the wall is referred to as the return end.



The **OVERLAP ALLOWANCE** is the amount of additional width added to a pair of draperies so that the left and right panels in the pair can overlap each other in the center. The overlap allowance, which is always 2 1/2" for each of the panels, left and right, ensures privacy and light control.

OVERLAP END: The end of a drapery panel that overlaps is called the overlap end.



NOTE: Do not confuse the *overlap allowance* with the *overlap end*. The overlap allowance, as stated above is always 2 1/2". However, the overlap end is always 3 1/2". Each of these terms refers to something altogether different than the other. See illustrations above.

NOTE: One-way panels do not include an overlap allowance, as there is no need. Nevertheless, the end opposite the return end is still referred to as the overlap end.

BASIC DRAPERY TERMINOLOGY

A CONTINUOUS-TENSION TRAVERSE ROD is a typical drapery rod that includes a cord attached to a spring pulley that keeps the cord under “continuous tension”. The cord is also attached to the “master glides” that pull the draperies open and closed. The drapery is opened or closed by pulling on the cord. The drapery can be opened or closed to any position and it will stay in that position because of the continuous tension.

Standard white traverse rods almost always include a continuous-tension cord system. Decorative rods and poles can include such a system, but often do not.

Drapery panels that are not controlled by a continuous-tension cord are opened and closed by hand, and because they have no cord tension to hold them in place, when they are pulled to a closed position, they have a tendency to “spring back” in the direction from which they were pulled. In such a situation, a “spring-back allowance” is required (see below).


NOTE: There are millions of continuous-tension pulley systems in use. However, they are currently being phased out, because it is believed that they pose a risk of injury to children. As a result, the need for a spring-back allowance is becoming increasingly common (see below).

A SPRING-BACK ALLOWANCE is additional width added to a drapery panel to overcome the “spring-back” tendency of a drapery that is not under continuous tension.


NOTE: When placing your order, if your panel is not under continuous tension, and it opens and closes (i.e. it is not stationary), specify that you need a spring-back allowance. We will add to the finished width as needed.

The **FINISHED WIDTH** or **PLEAT-TO** of a drapery is the total width a drapery is “pleated to” including its returns and overlap allowance (if any) and spring-back allowance (if any).

For a pair of drapery panels, the *Finished Width*, or *Pleat-To*, is the sum of the area-to-cover plus the returns and overlaps. (Note: When necessary, Finished Width also includes a spring-back allowance.)



For a one-way drapery panel, the “finished width or pleat-to” is the total of the rod width and the return.



NOTE: For your convenience and ease of ordering, if you supply us with the area-to-cover, tell us whether the drapery is a pair or a panel and what kind of rod you will be installing, we will add the returns, overlap allowance, and spring-back allowance as needed.

AVOID PROBLEMS

HOW TO FIGURE THE FINISHED WIDTH OF A DRAPERY


Understanding how to arrive at the **finished width** of your drapery is vital to placing your order correctly. Misunderstanding about this one piece of information is at the heart of almost all the problems associated with placing a drapery order. The very simple instructions that follow will give you everything you need to know to do it right.

TRAVERSE RODS

If the **return ends** and the **overlap ends** of your drapery are used as they are shown in the first two illustrations below, you must add the returns and the overlap allowance to the **area-to-cover** in order to arrive at the **finished width**. This type of installation is typical of a standard white traverse rod, and some decorative traverse rods. The key is that the drapery rod be a *traverse rod with master carriers* that overlap.

In the illustration on the left, the finished width is calculated by adding the area-to-cover, which is 100", to the two returns, 3½" each, and to the overlap allowance for each panel, 2½" each. The total is 112". In the illustration on the right, where the returns are 5½", the total finished width is 116" using the same formula.


In the illustration on the right, the return ends of the **underdrap** do not actually return to the wall, so the finished width is calculated by adding the area-to-cover, 100", to the overlap allowance only, 2½" for each panel, for a total finished width of 105".



NON-TRAVERSE RODS

When using decorative rods and rings, which do not have overlapping master carriers, and other such hardware, the overlap ends do not actually overlap, so **no overlap allowance is added** to the area-to-cover to obtain the finished width (shown in the illustration on the left, below). This is also true in installations of side panels (shown in the illustration on the right, below). In these situations, the overlap ends can be made the standard 3½", or 2", as specified by you when ordering.

The return ends must be 3½" if they return to the wall. If they don't return to the wall, then they can be either 3½" or 2" as specified by you when ordering.





Fabritec, LLC.
7531 Coldwater Canyon Avenue | North Hollywood | CA | 91605
tel 800.828.2500 (toll-free) or 818.503.8300 | fax 818.503.8360

C.O.M. Drapery Order Form

Account #

Account Name

Address

City/State/ZIP

Phone

Fax

Ordered By

P.O. #

Date Ordered

Date Needed

Acct. Mgr.

Ship To

Attention

Address

City/State/ZIP

Sidemark

Phone

Ship Via

Will Call

Standard

2-Day

Overnight

A fully completed order form is required before manufacturing can begin. All orders confirmed in writing.

Line No.	Room ID	Drapery Style	Quantity			Area to Cover	Return End(s)		Overlap Allow. (2½")		Overlap End(s) 2"	Spring Back Allowance	Pleat to or Finished Width	No. of Widths	Finished Height	Lining Type			Lining Color		Inter-Lining		Pin Settings					ROD POCKET STYLE ONLY			
			PAIR	Center Closing	Left		PANEL	Right	Center	3½"						5½"	Other	Yes	No	None	Std	B/O	White	Ivory	Yes	No	Wall Mt 1¾"	Ceil Mt 1¼"	Deco Rod ¼"	Other	No Pins
1.																															
2.																															
3.																															
4.																															
5.																															
6.																															

Line No.	FABRIC INFORMATION					
	Company	Pattern	Color	Fabric Width	Vert. Repeat	Horiz. Repeat

CUFF TOP / BUTTON FABRIC INFORMATION		
Line No.	Company	Pattern

Line No.	GROMMET SELECTION				
	Black	Brass	Shiny Nickel	English Pewter	
	Oiled Bronze	Burnished Copper	Frosted Nickel	Antique Brass	

I have given SPECIAL INSTRUCTIONS on the back of this order form.
I have ordered TRIM / BANDING on the back of this order form.
I have ordered TIEBANDS or ROSETTES on the back of this order form.
I have ordered OTHER OPTIONS on the back of this order form.

C.O.M. Drapery Order Form (cont.)

CUSTOM ITEMS

Trim, Banding and Grand Band: For typical applications, complete the form on the right as indicated.


For other creative, unique applications, please provide detailed instructions and a diagram in the SPECIAL INSTRUCTIONS box below.

TIEBANDS				
Line No.	Style	Qty (ea)	Size	Fabric Pattern Color


HIDDEN TIEBACK HOLDER (sold in pairs)			
Line No.	Qty (per pair)	Size	Size
		3 1/2" Projection	5" - 8" Projection
		3 1/2" Projection	5" - 8" Projection
		3 1/2" Projection	5" - 8" Projection

ROSETTES			
Line No.	Qty	Size	Size


TRIM



Trim 1 1/2" from leading edge



Trim 1 1/2" from leading edge and 4" from bottom



Trim on leading edge


Line No: _____

Company: _____


Pattern: _____

Color: _____


BANDING & GRAND BAND



Banding wrapped around leading edge or flush to edge



Banding 1 1/2" from leading edge and 4" from bottom



Grand Band

Line No: _____

Company: _____

Pattern: _____

Color: _____

OTHER OPTIONS


Line No.	Options
	Memory Stitch
	Shot Tape
	Hand Sewn Rings (please provide ring size, color and supplier below)
	Fan Fold
	Face the Header
	Face the Bottom Hem
	Hook and Loop
	Cut Outs (please provide detailed instructions below)

SPECIAL INSTRUCTIONS



FRENCH PLEAT DRAPERY

[Color photos of this style can be found at www.fabritecdesigns.com]



DESIGN APPLICATIONS:

- The classic French pleat panel is the most traditional of our panel styles.
- Highly versatile. A high-end look with a variety of design applications from formal and refined to casual and relaxed.
- Ideal as a functional drapery that opens and closes.
- Also works well as stationary side panels or tied back draperies.

FABRICS:

- Works well in all fabrics.

FULLNESS:

- The suggested “area to cover” in our price list on the next page will yield appropriate custom fullness. Simply order your drapery to the size of the area you wish to cover, and we will do the rest. Or, specify the number of widths you prefer.

INSTALL:

- Works well on any cord operated, standard white or decorative traverse rod.
- Can be installed on a decorative pole with rings or carriers, either hand or baton operated.
- Can also hang on any fixed rod such as a curtain rod for stationary side panels or tied back draperies.

STANDARDS:

- 4” continental style heading.
 - Double 4” hems.
 - Double 5” or 6” hems available at no extra charge.
 - Double 1½” side hems.
 - Weighted bottom corners and seams.
 - Pattern matched at the seams.
 - Pre-pinned.
 - Seam folded.
- Note: We recommend that you order your drapery seam folded, which is our standard, and have your installer hand dress the pleats on site. This will give you a much nicer product. Fan folding tends to crease drapery and is far less attractive than the soft, rounded pleats that can be achieved with hand dressing. Fan folding is also limited to the number of widths. (See page 7).*

LIMITATIONS:

- Not applicable.

PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover, so that you can calculate your own fullness, or rely on our calculations.
- Lined labor prices include our linings.
- Double 5” or 6” hems available at no extra charge.
- Pins: No charge.
- Seam folded: No charge.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$22	\$26
Horizontal Application* (Price per width)	\$70	\$85

*NOTE: • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
• Trim price is for trim application, and does not include trim.

Memory Stitching	\$26 per width
Shot Tape	\$14 per width
Grand Band (an oversized band of contrasting fabric on the bottom or top of the drapery)	\$56 per width
Hand Sewn Rings	\$14 per ring
Face the Bottom Hem	\$44 per width
Hook & Loop (non-branded Velcro)	\$50 per width
Cut Outs	\$110 ea
Tiebands & Rosettes	See page 48

French Pleat Drapery

Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings.**

C.O.M. RETAIL PRICE

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	16"	37	58	79	101	122	143	164	185	207
	Pair	-	27	48	70	91	112	133	155	175	197
Unlined labor price	Up to 108" height	118	236	354	472	590	708	842	982	1126	1274
Labor price + Standard lining		174	348	522	696	870	1044	1234	1430	1630	1836
Labor price + Blackout lining		218	438	656	876	1094	1314	1548	1788	2034	2284
Labor price + Lining & Interlining		276	552	828	1102	1378	1654	1946	2244	2546	2852
Labor price + Blackout Lining & Interlining		320	642	962	1282	1602	1924	2260	2602	2948	3300
Unlined labor price	108" to 144" height	136	272	408	544	680	816	972	1132	1298	1468
Labor price + Standard lining		214	428	640	854	1068	1282	1514	1752	1996	2244
Labor price + Blackout lining		284	568	852	1136	1422	1706	2008	2318	2632	2950
Labor price + Lining & Interlining		354	706	1060	1414	1768	2120	2494	2872	3254	3644
Labor price + Blackout Lining & Interlining		414	830	1244	1660	2074	2490	2922	3362	3808	4258

For longer drapery lengths, call for quote.

French Pleat Drapery

RING CHART

Number of widths	1	2	3	4	5	6	7	8	9	10
Panels: Number of rings required	7	12	17	22	27	32	37	42	47	52
Pairs: Number of rings required	-	14	18	24	28	34	38	44	48	54

French Pleat Drapery

If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.


YARDAGE CHART

(for 54" fabric)

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	16"	37	58	79	101	122	143	164	185	207
	Pair	-	27	48	70	91	112	133	155	175	197
DRAPERY HEIGHT											
36"	1¾ yds	3½	5¼	7	8¾	10½	12¼	14	15¾	17½	
42	2	3¾	5¾	7¾	9½	11½	13½	15¼	17¼	19¼	
48	2	4¼	6¼	8¼	10½	12½	14½	16¾	18¾	20¾	
54	2¼	4½	6¾	9	11¼	13½	15¾	18	20¼	22½	
60	2½	4¾	7¼	9¾	12	14½	17	19¼	21¾	24¼	
66	2½	5¼	7¾	10¼	13	15½	18	20¾	23¼	25¾	
72	2¾	5½	8¼	11	13¾	16½	19¼	22	24¾	27½	
78	3	5¾	8¾	11¾	14½	17½	20½	23¼	26¼	29¼	
84	3	6¼	9¼	12¼	15½	18½	21½	24¾	27¾	30¾	
90	3¼	6½	9¾	13	16¼	19½	22¾	26	29¼	32½	
96	3½	6¾	10¼	13¾	17	20½	24	27¼	30¾	34¼	
102	3½	7¼	11¾	14¼	18	21½	25	28¾	32¼	35¾	
108	3¾	7½	12¼	15	18¾	22½	26¼	30	33¾	37½	
114	4	7¾	12¾	15¾	19½	23½	27½	31¼	35¼	39¼	
120	4	8¼	13¼	16¼	20½	24½	28½	32¾	36¾	40¾	
126	4¼	8½	13¾	17	21¼	25½	29¾	34	38¼	42½	
132	4½	8¾	14¼	17¾	22	26½	31	35¼	39¾	44¼	
138	4½	9¼	14¾	18¼	23	27½	32	36¾	41¼	45¾	
144	4¾	9½	14¼	19	23¾	28½	33¼	38	42¾	47½	
ADD REPEATS	Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9	

EURO PLEAT DRAPERY

[Color photos of this style can be found at www.fabritecdesigns.com]



DESIGN APPLICATIONS:

- A contemporary version of the classic French pleat drapery, pinched at the top rather than the base of the pleat.
- A high-end look with a variety of design applications from formal and refined to casual and relaxed.
- Ideal as a functional drapery that opens and closes.
- Also works well as stationary side panels or tied back draperies.

FABRICS:

- Works well in all fabrics.

FULLNESS:

- The suggested “area to cover” in our price list on the next page will yield appropriate custom fullness. Simply order your drapery to the size of the area you wish to cover, and we will do the rest. Or, specify the number of widths you prefer.

INSTALL:

- Works well on any cord operated, standard white or decorative traverse rod.
- Can be installed on a decorative pole with rings or carriers, either hand or baton operated.
- Can also hang on any fixed rod such as a curtain rod for stationary side panels or tied back draperies.

STANDARDS:

- 4” continental style heading.
- Double 4” hems.
- Double 5” or 6” headers or hems available at no extra charge.
- Double 1½” side hems.
- Weighted bottom corners and seams.
- Pattern matched at the seams.
- Pre-pinned.
- Seam folded.

Note: We recommend that you order your drapery seam folded, which is our standard, and have your installer hand dress the pleats on site. This will give you a much nicer product. Fan folding tends to crease drapery and is far less attractive than the soft, rounded pleats that can be achieved with hand dressing. Fan folding is also limited to the number of widths. (See page 7).

LIMITATIONS:

- Not applicable.

PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover, so that you can calculate your own fullness, or rely on our calculations.
- Lined labor prices include our linings.
- Double 5” or 6” hems available at no extra charge.
- Pins: No charge.
- Seam folded: No charge.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$22	\$26
Horizontal Application* (Price per width)	\$70	\$85

*NOTE: • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
• Trim price is for trim application, and does not include trim.

Memory Stitching	\$26 per width
Shot Tape	\$14 per width
Grand Band (an oversized band of contrasting fabric on the bottom or top of the drapery)	\$56 per width
Hand Sewn Rings	\$14 per ring
Face the Bottom Hem	\$44 per width
Hook & Loop (non-branded Velcro)	\$50 per width
Cut Outs	\$110 ea
Tiebands & Rosettes	See page 48

Euro Pleat Drapery

Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings.**

C.O.M. RETAIL PRICE

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	16"	37	58	79	101	122	143	164	185	207
	Pair	-	27	48	70	91	112	133	155	175	197
Unlined labor price	Up to 108" height	118	236	354	472	590	708	842	982	1126	1274
Labor price + Standard lining		174	348	522	696	870	1044	1234	1430	1630	1836
Labor price + Blackout lining		218	438	656	876	1094	1314	1548	1788	2034	2284
Labor price + Lining & Interlining		276	552	828	1102	1378	1654	1946	2244	2546	2852
Labor price + Blackout Lining & Interlining		320	642	962	1282	1602	1924	2260	2602	2948	3300
Unlined labor price	108" to 144" height	136	272	408	544	680	816	972	1132	1298	1468
Labor price + Standard lining		214	428	640	854	1068	1282	1514	1752	1996	2244
Labor price + Blackout lining		284	568	852	1136	1422	1706	2008	2318	2632	2950
Labor price + Lining & Interlining		354	706	1060	1414	1768	2120	2494	2872	3254	3644
Labor price + Blackout Lining & Interlining		414	830	1244	1660	2074	2490	2922	3362	3808	4258

For longer drapery lengths, call for quote.

Euro Pleat Drapery

RING CHART

Number of widths	1	2	3	4	5	6	7	8	9	10
Panels: Number of rings required	7	12	17	22	27	32	37	42	47	52
Pairs: Number of rings required	-	14	18	24	28	34	38	44	48	54

Euro Pleat Drapery

If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.

YARDAGE CHART (for 54" fabric)


Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	16"	37	58	79	101	122	143	164	185	207
	Pair	-	27	48	70	91	112	133	155	175	197

DRAPERY HEIGHT

36"	1¾ yds	3½	5¼	7	8¾	10½	12¼	14	15¾	17½
42	2	3¾	5¾	7¾	9½	11½	13½	15¼	17¼	19¼
48	2	4¼	6¼	8¼	10½	12½	14½	16¾	18¾	20¾
54	2¼	4½	6¾	9	11¼	13½	15¾	18	20¼	22½
60	2½	4¾	7¼	9¾	12	14½	17	19¼	21¾	24¼
66	2½	5¼	7¾	10¼	13	15½	18	20¾	23¼	25¾
72	2¾	5½	8¼	11	13¾	16½	19¼	22	24¾	27½
78	3	5¾	8¾	11¾	14½	17½	20½	23¼	26¼	29¼
84	3	6¼	9¼	12¼	15½	18½	21½	24¾	27¾	30¾
90	3¼	6½	9¾	13	16¼	19½	22¾	26	29¼	32½
96	3½	6¾	10¼	13¾	17	20½	24	27¼	30¾	34¼
102	3½	7¼	10¾	14¼	18	21½	25	28¾	32¼	35¾
108	3¾	7½	11¼	15	18¾	22½	26¼	30	33¾	37½
114	4	7¾	11¾	15¾	19½	23½	27½	31¼	35¼	39¼
120	4	8¼	12¼	16¼	20½	24½	28½	32¾	36¾	40¾
126	4¼	8½	12¾	17	21¼	25½	29¾	34	38¼	42½
132	4½	8¾	13¼	17¾	22	26½	31	35¼	39¾	44¼
138	4½	9¼	13¾	18¼	23	27½	32	36¾	41¼	45¾
144	4¾	9½	14¼	19	23¾	28½	33¼	38	42¾	47½
ADD REPEATS	Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9

BARCELONA PLEAT DRAPERY

[Color photos of this style can be found at www.fabritecdesigns.com]



DESIGN APPLICATIONS:

- This style merges two great classics—the Euro Pleat and the French Pleat. It has two tacks per pleat, one at the top of the pleat, and one at the base of the pleat.
- A total new look. This pleat style keeps the folds of the pleat straight and tidy, and is ideal for very heavy fabric when the pleats have a tendency to flare or open up.
- Ideal as a functional drapery that opens and closes.
- Also works well as stationary side panels or tied back draperies.

FABRICS:

- Works well in all fabrics.

FULLNESS:

- The suggested “area to cover” in our price list on the next page will yield appropriate custom fullness. Simply order your drapery to the size of the area you wish to cover, and we will do the rest. Or, specify the number of widths you prefer.

INSTALL:

- Works well on any cord operated, standard white or decorative traverse rod.
- Can be installed on a decorative pole with rings or carriers, either hand or baton operated.
- Can also hang on any fixed rod such as a curtain rod for stationary side panels or tied back draperies.

STANDARDS:

- 4” continental style heading.
- Double 4” hems.
- Double 5” or 6” headers or hems available at no extra charge.
- Double 1½” side hems.
- Weighted bottom corners and seams.
- Pattern matched at the seams.
- Pre-pinned.
- Seam folded.

Note: We recommend that you order your drapery seam folded, which is our standard, and have your installer hand dress the pleats on site. This will give you a much nicer product. Fan folding tends to crease drapery and is far less attractive than the soft, rounded pleats that can be achieved with hand dressing. Fan folding is also limited to the number of widths. (See page 7).

LIMITATIONS:

- Not applicable.

PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover, so that you can calculate your own fullness, or rely on our calculations.
- Lined labor prices include our linings.
- Double 5” or 6” hems available at no extra charge.
- Pins: No charge.
- Seam folded: No charge.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$22	\$26
Horizontal Application* (Price per width)	\$70	\$85

*NOTE: • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
• Trim price is for trim application, and does not include trim.

Memory Stitching	\$26 per width
Shot Tape	\$14 per width
Grand Band (an oversized band of contrasting fabric on the bottom or top of the drapery)	\$56 per width
Hand Sewn Rings	\$14 per ring
Face the Bottom Hem	\$44 per width
Hook & Loop (non-branded Velcro)	\$50 per width
Cut Outs	\$110 ea
Tiebands & Rosettes	See page 48

Barcelona Pleat Drapery

Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings.**

C.O.M. RETAIL PRICE

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	16"	37	58	79	101	122	143	164	185	207
	Pair	-	27	48	70	91	112	133	155	175	197
Unlined labor price	Up to 108" height	118	236	354	472	590	708	842	982	1126	1274
Labor price + Standard lining		174	348	522	696	870	1044	1234	1430	1630	1836
Labor price + Blackout lining		218	438	656	876	1094	1314	1548	1788	2034	2284
Labor price + Lining & Interlining		276	552	828	1102	1378	1654	1946	2244	2546	2852
Labor price + Blackout Lining & Interlining		320	642	962	1282	1602	1924	2260	2602	2948	3300
Unlined labor price	108" to 144" height	136	272	408	544	680	816	972	1132	1298	1468
Labor price + Standard lining		214	428	640	854	1068	1282	1514	1752	1996	2244
Labor price + Blackout lining		284	568	852	1136	1422	1706	2008	2318	2632	2950
Labor price + Lining & Interlining		354	706	1060	1414	1768	2120	2494	2872	3254	3644
Labor price + Blackout Lining & Interlining		414	830	1244	1660	2074	2490	2922	3362	3808	4258

For longer drapery lengths, call for quote.

Barcelona Pleat Drapery											RING CHART
Number of widths		1	2	3	4	5	6	7	8	9	10
Panels: Number of rings required	7	12	17	22	27	32	37	42	47	52	
Pairs: Number of rings required	-	14	18	24	28	34	38	44	48	54	

Barcelona Pleat Drapery


If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.

YARDAGE CHART (for 54" fabric)

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	16"	37	58	79	101	122	143	164	185	207
	Pair	-	27	48	70	91	112	133	155	175	197
DRAPERY HEIGHT											
36"	1¾ yds	3½	5¼	7	8¾	10½	12¼	14	15¾	17½	
42	2	3¼	5¾	7¾	9½	11½	13½	15¼	17¼	19¼	
48	2	4¼	6¼	8¼	10½	12½	14½	16¾	18¾	20¾	
54	2¼	4½	6¾	9	11¼	13½	15¾	18	20¼	22½	
60	2½	4¾	7¼	9¾	12	14½	17	19¼	21¾	24¼	
66	2½	5¼	7¾	10¼	13	15½	18	20¾	23¼	25¾	
72	2¾	5½	8¼	11	13¾	16½	19¼	22	24¾	27½	
78	3	5¾	8¾	11¾	14½	17½	20½	23¼	26¼	29¼	
84	3	6¼	9¼	12¼	15½	18½	21½	24¾	27¾	30¾	
90	3¼	6½	9¾	13	16¼	19½	22¾	26	29¼	32½	
96	3½	6¾	10¼	13¾	17	20½	24	27¼	30¾	34¼	
102	3½	7¼	10¾	14¼	18	21½	25	28¾	32¼	35¾	
108	3¾	7½	11¼	15	18¾	22½	26¼	30	33¾	37½	
114	4	7¾	11¾	15¾	19½	23½	27½	31¼	35¼	39¼	
120	4	8¼	12¼	16¼	20½	24½	28½	32¾	36¾	40¾	
126	4¼	8½	12¾	17	21¼	25½	29¾	34	38¼	42½	
132	4½	8¾	13¼	17¾	22	26½	31	35¼	39¾	44¼	
138	4½	9¼	13¾	18¼	23	27½	32	36¾	41¼	45¾	
144	4¾	9½	14¼	19	23¾	28½	33¼	38	42¾	47½	
ADD REPEATS	Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9	

ROMAN PLEAT DRAPERY

[Color photos of this style can be found at www.fabritecdesigns.com]



DESIGN APPLICATIONS:

- This style is tailored at the top with a rear facing pleat. As the fabric falls towards the floor, it blouses out to form billowy folds of fabric. This gives the drapery a clean sophisticated look with a soft flowing finish.
- Can be used as a functional drapery that opens and closes.
- Also works well as stationary side panels or tied back draperies.

FABRICS:

- Works well in all fabrics.

FULLNESS:

- The suggested “area to cover” in our price list on the next page will yield appropriate custom fullness. Simply order your drapery to the size of the area you wish to cover, and we will do the rest. Or, specify the number of widths you prefer.

INSTALL:

- Works well on any cord operated, standard white or decorative traverse rod.
- Can be installed on a decorative pole with rings or carriers, either hand or baton operated.
- Can also hang on any fixed rod such as a curtain rod for stationary side panels or tied back draperies.

STANDARDS:

- 4” continental style heading.
- Double 4” hems.
- Double 5” or 6” headers or hems available at no extra charge.
- Double 1½” side hems.
- Weighted bottom corners and seams.
- Pattern matched at the seams.
- Pre-pinned.
- Seam folded.

*Note: We recommend that you order your drapery seam folded, which is our standard, and have your installer hand dress the pleats on site. This will give you a much nicer product. Fan folding tends to crease drapery and is far less attractive than the soft, rounded pleats that can be achieved with hand dressing. **Fan folding is not available for Roman Pleat Draperies.***
(See page 7).

LIMITATIONS:

- The Button option should only be used for stationary, non-functioning drapery panels.

PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover, so that you can calculate your own fullness, or rely on our calculations.
- Lined labor prices include our linings.
- Double 5” or 6” hems available at no extra charge.
- Pins: No charge.
- Seam folded: No charge.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$22	\$26
Horizontal Application* (Price per width)	\$70	\$85

*NOTE: • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
• Trim price is for trim application, and does not include trim.

Memory Stitching	\$26 per width
Shot Tape	\$14 per width
Grand Band (an oversized band of contrasting fabric on the bottom or top of the drapery)	\$56 per width
Hand Sewn Rings	\$14 per ring
Face the Bottom Hem	\$44 per width
Hook & Loop (non-branded Velcro)	\$50 per width
Cut Outs	\$110 ea
Tiebands & Rosettes	See page 48
Buttons (fabric covered, 1½” diameter)	\$18 per button

Roman Pleat Drapery

Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings.**

C.O.M. RETAIL PRICE

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	16"	37	58	79	101	122	143	164	185	207
	Pair	-	27	48	70	91	112	133	155	175	197
Unlined labor price	Up to 108" height	118	236	354	472	590	708	842	982	1126	1274
Labor price + Standard lining		174	348	522	696	870	1044	1234	1430	1630	1836
Labor price + Blackout lining		218	438	656	876	1094	1314	1548	1788	2034	2284
Labor price + Lining & Interlining		276	552	828	1102	1378	1654	1946	2244	2546	2852
Labor price + Blackout Lining & Interlining		320	642	962	1282	1602	1924	2260	2602	2948	3300
Unlined labor price	108" to 144" height	136	272	408	544	680	816	972	1132	1298	1468
Labor price + Standard lining		214	428	640	854	1068	1282	1514	1752	1996	2244
Labor price + Blackout lining		284	568	852	1136	1422	1706	2008	2318	2632	2950
Labor price + Lining & Interlining		354	706	1060	1414	1768	2120	2494	2872	3254	3644
Labor price + Blackout Lining & Interlining		414	830	1244	1660	2074	2490	2922	3362	3808	4258

For longer drapery lengths, call for quote.

Roman Pleat Drapery

RING CHART

Number of widths	1	2	3	4	5	6	7	8	9	10
Panels: Number of rings required	7	12	17	22	27	32	37	42	47	52
Pairs: Number of rings required	-	14	18	24	28	34	38	44	48	54

Roman Pleat Drapery

If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.

YARDAGE CHART (for 54" fabric)


Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	16"	37	58	79	101	122	143	164	185	207
	Pair	-	27	48	70	91	112	133	155	175	197

DRAPERY HEIGHT

36"	1¾ YDS	3½	5¼	7	8¾	10½	12¼	14	15¾	17½
42	2	3¼	5¾	7¾	9½	11½	13½	15¼	17¼	19¼
48	2	4¼	6¼	8¼	10½	12½	14½	16¾	18¾	20¾
54	2¼	4½	6¾	9	11¼	13½	15¾	18	20¼	22½
60	2½	4¾	7¼	9¾	12	14½	17	19¼	21¾	24¼
66	2½	5¼	7¾	10¼	13	15½	18	20¾	23¼	25¾
72	2¾	5½	8¼	11	13¾	16½	19¼	22	24¾	27½
78	3	5¾	8¾	11¾	14½	17½	20½	23¼	26¼	29¼
84	3	6¼	9¼	12¼	15½	18½	21½	24¾	27¾	30¾
90	3¼	6½	9¾	13	16¼	19½	22¾	26	29¼	32½
96	3½	6¾	10¼	13¾	17	20½	24	27¼	30¾	34¼
102	3½	7¼	10¾	14¼	18	21½	25	28¾	32¼	35¾
108	3¾	7½	11¼	15	18¾	22½	26¼	30	33¾	37½
114	4	7¾	11¾	15¾	19½	23½	27½	31¼	35¼	39¼
120	4	8¼	12¼	16¼	20½	24½	28½	32¾	36¾	40¾
126	4¼	8½	12¾	17	21¼	25½	29¾	34	38¼	42½
132	4½	8¾	13¼	17¾	22	26½	31	35¼	39¾	44¼
138	4½	9¼	13¾	18¼	23	27½	32	36¾	41¼	45¾
144	4¾	9½	14¼	19	23¾	28½	33¼	38	42¾	47½
Buttons Yardage	½	½	½	½	½	½	½	½	½	½
ADD REPEATS	Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9

CHAMPAGNE PLEAT DRAPERY

[Color photos of this style can be found at www.fabritecdesigns.com]



DESIGN APPLICATIONS:

- This style takes its inspiration from the graceful shape of a champagne flute.
- A high-end look with a variety of design applications from formal and refined to casual and relaxed.
- Can be used as a functional drapery that opens and closes (on a decorative rod only).
- Also works well as stationary side panels or tied back draperies.

FABRICS:

- Works well in all fabrics.

FULLNESS:

- The suggested “area to cover” in our price list on the next page will yield appropriate custom fullness. Simply order your drapery to the size of the area you wish to cover, and we will do the rest. Or, specify the number of widths you prefer.

INSTALL:

- Should be installed on a decorative rod or on a ceiling track so that the panel hangs below the rod. This style is too bulky for regular traverse rods.

STANDARDS:

- 5” continental style heading.
- Double 4” hems.
- Double 5” or 6” hems available at no extra charge.
- Double 1½” side hems.
- Weighted bottom corners and seams.
- Pattern matched at the seams.
- Pre-pinned.
- Seam folded.

*Note: We recommend that you order your drapery seam folded, which is our standard, and have your installer hand dress the pleats on site. This will give you a much nicer product. Fan folding tends to crease drapery and is far less attractive than the soft, rounded pleats that can be achieved with hand dressing. **Fan folding is not available for Champagne Pleat Draperies.** (See page 7).*

LIMITATIONS:

- Too bulky to install on a functioning traverse rod. Fabric will bunch up between pleats and deform the goblet shape.

PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover, so that you can calculate your own fullness, or rely on our calculations.
- Lined labor prices include our linings.
- Double 5” or 6” hems available at no extra charge.
- Pins: No charge.
- Seam folded: No charge.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$22	\$26
Horizontal Application* (Price per width)	\$70	\$85

*NOTE: • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
• Trim price is for trim application, and does not include trim.

Memory Stitching	\$26 per width
Shot Tape	\$14 per width
Grand Band (an oversized band of contrasting fabric on the bottom or top of the drapery)	\$56 per width
Hand Sewn Rings	\$14 per ring
Face the Bottom Hem	\$44 per width
Hook & Loop (non-branded Velcro)	\$50 per width
Cut Outs	\$110 ea
Tiebands & Rosettes	See page 48

Champagne Pleat Drapery

Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings.**

C.O.M. RETAIL PRICE

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	16"	37	58	79	101	122	143	164	185	207
	Pair	-	27	48	70	91	112	133	155	175	197
Unlined labor price	Up to 108" height	130	258	388	516	646	774	922	1074	1230	1394
Labor price + Standard lining		186	370	556	740	926	1110	1314	1522	1736	1954
Labor price + Blackout lining		230	460	690	920	1150	1380	1628	1880	2138	2402
Labor price + Lining & Interlining		286	574	860	1146	1434	1720	2026	2336	2650	2970
Labor price + Blackout Lining & Interlining		332	664	994	1326	1658	1990	2340	2694	3054	3418
Unlined labor price	108" to 144" height	148	296	444	592	740	888	1056	1232	1412	1598
Labor price + Standard lining		226	452	676	902	1128	1354	1600	1852	2110	2374
Labor price + Blackout lining		296	592	888	1184	1482	1778	2094	2416	2746	3080
Labor price + Lining & Interlining		366	730	1096	1462	1828	2192	2580	2972	3370	3774
Labor price + Blackout Lining & Interlining		426	854	1280	1708	2134	2562	3008	3462	3922	4386

For longer drapery lengths, call for quote.

Champagne Pleat Drapery										RING CHART
Number of widths	1	2	3	4	5	6	7	8	9	10
Panels: Number of rings required	7	12	17	22	27	32	37	42	47	52
Pairs: Number of rings required	-	14	18	24	28	34	38	44	48	54

Champagne Pleat Drapery


If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.

YARDAGE CHART (for 54" fabric)

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	16"	37	58	79	101	122	143	164	185	207
	Pair	-	27	48	70	91	112	133	155	175	197
DRAPERY HEIGHT											
36"	1¾ yds	3½	5½	7¼	9	10¾	12¾	14½	16¼	18	
42	2	4	6	8	9¾	11¾	13¾	15¾	17¾	19¾	
48	2¼	4¼	6½	8½	10¾	12¾	15	17	19¼	21½	
54	2¼	4½	7	9¼	11½	13¾	16¼	18½	20¾	23	
60	2½	5	7½	10	12¼	14¾	17¼	19¾	22¼	24¾	
66	2¾	5¼	8	10½	13¾	15¾	18½	21	23¾	26½	
72	2¾	5½	8½	11¼	14	16¾	19¾	22½	25¼	28	
78	3	6	9	12	14¾	17¾	20¾	23¾	26¾	29¾	
84	3¼	6¼	9½	12½	15¾	18¾	22	25	28¼	31½	
90	3¼	6½	10	13¼	16½	19¾	23¼	26½	29¾	33	
96	3½	7	10½	14	17¼	20¾	24¼	27¾	31¼	34¾	
102	3¾	7¼	11	14½	18¾	21¾	25½	29	32¾	36½	
108	3¾	7½	11½	15¼	19	22¾	26¾	30½	34¼	38	
114	4	8	12	16	19¾	23¾	27¾	31¾	35¾	39¾	
120	4¼	8¼	12½	16½	20¾	24¾	29	33	37¼	41½	
126	4¼	8½	13	17¼	21½	25¾	30¼	34½	38¾	43	
132	4½	9	13½	18	22¼	26¾	31¼	35¾	40¼	44¾	
138	4¾	9¼	14	18½	23¾	27¾	32½	37	41¾	46½	
144	4¾	9½	14½	19¼	24	28¾	33¾	38½	43¼	48	
ADD REPEATS	Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9	

TUDOR PLEAT DRAPERY

[Color photos of this style can be found at www.fabritecdesigns.com]



DESIGN APPLICATIONS:

- A contemporary variation of the classic, French pleat drapery.
- A high-end look with a variety of design applications from formal and refined to casual and relaxed.
- Can be used as a functional drapery that opens and closes.
- Also works well as stationary side panels or tied back draperies.

FABRICS:

- Works well in all fabrics.

FULLNESS:

- The suggested “area to cover” in our price list on the next page will yield appropriate custom fullness. Simply order your drapery to the size of the area you wish to cover, and we will do the rest. Or, specify the number of widths you prefer.

INSTALL:

- Works well on any cord operated, standard white or decorative traverse rod.
- Can be installed on a decorative pole with rings or carriers, either hand or baton operated.
- Can also hang on any fixed rod such as a curtain rod for stationary side panels or tied back draperies.

STANDARDS:

- 4” continental style heading.
- Double 4” hems.
- Double 5” or 6” headers or hems available at no extra charge.
- Double 1½” side hems.
- Weighted bottom corners and seams.
- Pattern matched at the seams.
- Pre-pinned.
- Seam folded.

Note: We recommend that you order your drapery seam folded, which is our standard, and have your installer hand dress the pleats on site. This will give you a much nicer product. Fan folding tends to crease drapery and is far less attractive than the soft, rounded pleats that can be achieved with hand dressing. Fan folding is also limited to the number of widths. (See page 7).

LIMITATIONS:

- Not applicable.

PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover, so that you can calculate your own fullness, or rely on our calculations.
- Lined labor prices include our linings.
- Double 5” or 6” hems available at no extra charge.
- Pins: No charge.
- Seam folded: No charge.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$22	\$26
Horizontal Application* (Price per width)	\$70	\$85

*NOTE: • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
• Trim price is for trim application, and does not include trim.

Memory Stitching	\$26 per width
Shot Tape	\$14 per width
Grand Band (an oversized band of contrasting fabric on the bottom or top of the drapery)	\$56 per width
Hand Sewn Rings	\$14 per ring
Face the Bottom Hem	\$44 per width
Hook & Loop (non-branded Velcro)	\$50 per width
Cut Outs	\$110 ea
Tiebands & Rosettes	See page 48

Tudor Pleat Drapery
 Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings.**

C.O.M. RETAIL PRICE

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	16"	37	58	79	101	122	143	164	185	207
	Pair	-	27	48	70	91	112	133	155	175	197
Unlined labor price	Up to 108" height	118	236	354	472	590	708	842	982	1126	1274
Labor price + Standard lining		174	348	522	696	870	1044	1234	1430	1630	1836
Labor price + Blackout lining		218	438	656	876	1094	1314	1548	1788	2034	2284
Labor price + Lining & Interlining		276	552	828	1102	1378	1654	1946	2244	2546	2852
Labor price + Blackout Lining & Interlining		320	642	962	1282	1602	1924	2260	2602	2948	3300
Unlined labor price	108" to 144" height	136	272	408	544	680	816	972	1132	1298	1468
Labor price + Standard lining		214	428	640	854	1068	1282	1514	1752	1996	2244
Labor price + Blackout lining		284	568	852	1136	1422	1706	2008	2318	2632	2950
Labor price + Lining & Interlining		354	706	1060	1414	1768	2120	2494	2872	3254	3644
Labor price + Blackout Lining & Interlining		414	830	1244	1660	2074	2490	2922	3362	3808	4258

For longer drapery lengths, call for quote.

Tudor Pleat Drapery									RING CHART	
Number of widths	1	2	3	4	5	6	7	8	9	10
Panels: Number of rings required	7	12	17	22	27	32	37	42	47	52
Pairs: Number of rings required	-	14	18	24	28	34	38	44	48	54


Tudor Pleat Drapery
 If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.

YARDAGE CHART
 (for 54" fabric)

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	16"	37	58	79	101	122	143	164	185	207
	Pair	-	27	48	70	91	112	133	155	175	197
DRAPERY HEIGHT											
36"	1¾ yds	3½	5¼	7	8¾	10½	12¼	14	15¾	17½	
42	2	3¼	5¾	7¾	9½	11½	13½	15¼	17¼	19¼	
48	2	4¼	6¼	8¼	10½	12½	14½	16¾	18¾	20¾	
54	2¼	4½	6¾	9	11¼	13½	15¾	18	20¼	22½	
60	2½	4¾	7¼	9¾	12	14½	17	19¼	21¾	24¼	
66	2½	5¼	7¾	10¼	13	15½	18	20¾	23¼	25¾	
72	2¾	5½	8¼	11	13¾	16½	19¼	22	24¾	27½	
78	3	5¾	8¾	11¾	14½	17½	20½	23¼	26¼	29¼	
84	3	6¼	9¼	12¼	15½	18½	21½	24¾	27¾	30¾	
90	3¼	6½	9¾	13	16¼	19½	22¾	26	29¼	32½	
96	3½	6¾	10¼	13¾	17	20½	24	27¼	30¾	34¼	
102	3½	7¼	10¾	14¼	18	21½	25	28¾	32¼	35¾	
108	3¾	7½	11¼	15	18¾	22½	26¼	30	33¾	37½	
114	4	7¾	11¾	15¾	19½	23½	27½	31¼	35¼	39¼	
120	4	8¼	12¼	16¼	20½	24½	28½	32¾	36¾	40¾	
126	4¼	8½	12¾	17	21¼	25½	29¾	34	38¼	42½	
132	4½	8¾	13¼	17¾	22	26½	31	35¼	39¾	44¼	
138	4½	9¼	13¾	18¼	23	27½	32	36¾	41¼	45¾	
144	4¾	9½	14¼	19	23¾	28½	33¼	38	42¾	47½	
ADD REPEATS	Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9	

CONTINENTAL PLEAT DRAPERY

[Color photos of this style can be found at www.fabritecdesigns.com]



DESIGN APPLICATIONS:

- This style is a contemporary merging of two great classics! A simple French pleat tucked between Roman pleats.
- A high-end look with a variety of design applications from formal and refined to casual and relaxed.
- Ideal as stationary side panels or tied back draperies.
- Can be used as a functional drapery that opens and closes on a decorative rod only.

FABRICS:

- Works well in all fabrics.

FULLNESS:

- The suggested “area to cover” in our price list on the next page will yield appropriate custom fullness. Simply order your drapery to the size of the area you wish to cover, and we will do the rest. Or, specify the number of widths you prefer.

INSTALL:

- Should be installed on a decorative rod, or on a ceiling track only, so that the panel hangs below the rod. This style is too bulky for regular traverse rods.

STANDARDS:

- 5” continental style heading.
- Double 4” hems.
- Double 6” headers or hems available at no extra charge.
- Double 1½” side hems.
- Weighted bottom corners and seams.
- Pattern matched at the seams.
- Pre-pinned.
- Seam folded.

Note: We recommend that you order your drapery seam folded, which is our standard, and have your installer hand dress the pleats on site. This will give you a much nicer product. Fan folding tends to crease drapery and is far less attractive than the soft, rounded pleats that can be achieved with hand dressing. Fan folding is also limited to the number of widths. (See page 7).

LIMITATIONS:

- This style requires three times fullness and can become very heavy if a bulky or upholstery weight fabric is selected.

PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover, so that you can calculate your own fullness, or rely on our calculations.
- Lined labor prices include our linings.
- Double 5” or 6” hems available at no extra charge.
- Pins: No charge.
- Seam folded: No charge.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$22	\$26
Horizontal Application* (Price per width)	\$70	\$85

*NOTE: • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
• Trim price is for trim application, and does not include trim.

Memory Stitching	\$26 per width
Shot Tape	\$14 per width
Grand Band (an oversized band of contrasting fabric on the bottom or top of the drapery)	\$56 per width
Hand Sewn Rings	\$14 per ring
Face the Bottom Hem	\$44 per width
Hook & Loop (non-branded Velcro)	\$50 per width
Cut Outs	\$110 ea
Tiebands & Rosettes	See page 48

Continental Pleat Drapery
 Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings.**

C.O.M. RETAIL PRICE

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	13"	30	48	66	83	101	119	136	154	172
	Pair	-	21	38	56	74	92	109	127	144	162
Unlined labor price	Up to 108" height	126	250	376	500	626	750	892	1040	1192	1350
Labor price + Standard lining		182	362	544	724	906	1086	1284	1488	1698	1910
Labor price + Blackout lining		226	452	678	904	1130	1356	1598	1848	2100	2360
Labor price + Lining & Interlining		282	566	848	1130	1414	1696	1996	2302	2612	2928
Labor price + Blackout lining & Interlining		328	656	982	1310	1638	1966	2310	2660	3016	3376
Unlined labor price	108" to 144" height	144	288	432	576	720	864	1028	1198	1374	1556
Labor price + Standard lining		222	444	664	886	1108	1330	1572	1818	2072	2332
Labor price + Blackout lining		292	584	876	1168	1462	1754	2066	2384	2708	3038
Labor price + Lining & Interlining		362	722	1084	1446	1808	2168	2550	2938	3332	3730
Labor price + Blackout lining & Interlining		422	846	1268	1692	2114	2538	2980	3428	3884	4344

For longer drapery lengths, call for quote.

Continental Pleat Drapery										RING CHART
Number of widths	1	2	3	4	5	6	7	8	9	10
Panels: Number of rings required	7	12	17	22	27	32	37	42	47	52
Pairs: Number of rings required	-	14	18	24	28	34	38	44	48	54


Continental Pleat Drapery
 If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.

YARDAGE CHART
 (for 54" fabric)

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	13"	30	48	66	83	101	119	136	154	172
	Pair	-	21	38	56	74	92	109	127	144	162
DRAPERY HEIGHT											
36"	1¾ yds	3½	5½	7¼	9	10¾	12¾	14½	16¼	18	
42	2	4	6	8	9¾	11¾	13¾	15¾	17¾	19¾	
48	2¼	4¼	6½	8½	10¾	12¾	15	17	19¼	21½	
54	2¼	4½	7	9¼	11½	13¾	16¼	18½	20¾	23	
60	2½	5	7½	10	12¼	14¾	17¼	19¾	22¼	24¾	
66	2¾	5¼	8	10½	13¾	15¾	18½	21	23¾	26½	
72	2¾	5½	8½	11¼	14	16¾	19¾	22½	25¼	28	
78	3	6	9	12	14¾	17¾	20¾	23¾	26¾	29¾	
84	3¼	6¼	9½	12½	15¾	18¾	22	25	28¼	31½	
90	3¼	6½	10	13¾	16½	19¾	23¼	26½	29¾	33	
96	3½	7	10½	14	17¼	20¾	24¼	27¾	31¼	34¾	
102	3¾	7¼	11	14½	18¾	21¾	25½	29	32¾	36½	
108	3¾	7½	11½	15¼	19	22¾	26¾	30½	34¼	38	
114	4	8	12	16	19¾	23¾	27¾	31¾	35¾	39¾	
120	4¼	8¼	12½	16½	20¾	24¾	29	33	37¼	41½	
126	4¼	8½	13	17¼	21½	25¾	30¼	34½	38¾	43	
132	4½	9	13½	18	22¼	26¾	31¼	35¾	40¼	44¾	
138	4¾	9¼	14	18½	23¾	27¾	32½	37	41¾	46½	
144	4¾	9½	14½	19¼	24	28¾	33¾	38½	43¼	48	
ADD REPEATS	Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9	

CAMISOLE DRAPERY

[Color photos of this style can be found at www.fabritecdesigns.com]



DESIGN APPLICATIONS:

- The thin straps of this panel give the Camisole its distinctive look.
- Best used in rooms that have a casual, relaxed feeling.
- Ideal as stationary side panels or tied back draperies.

FABRICS:

- Works well in all fabrics.

FULLNESS:

- The suggested “area to cover” in our price list on the next page will yield appropriate custom fullness. Simply order your drapery to the size of the area you wish to cover, and we will do the rest. Or, specify the number of widths you prefer.

INSTALL:

- Designed for use with a decorative rod only.
- This style is made as a flat panel, wider than the area to be covered and then gathered onto the rod to the desired width at the time of installation.

STANDARDS:

- Tabs are ½” wide x 4” long.
- Double 1½” top hem.
- Double 4” hems.
- Double 5” or 6” hems available at no extra charge.
- Double 1½” side hems.
- Weighted bottom corners and seams.
- Pattern matched at the seams.
- Finished length includes the 4” thin straps (tabs) on top
- Seam folded only.

LIMITATIONS:

- Best used as stationary side panels or tied back draperies, not as a functional drapery that opens and closes.
- If used as a functional drapery, this style will require dressing each time it is closed to distribute the fullness evenly. Otherwise, the leading edge will flatten out when the panel is closed.
- Unless otherwise specified, this style does not return to the wall.

PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover, so that you can calculate your own fullness, or rely on our calculations.
- Lined labor prices include our linings.
- Double 5” or 6” hems available at no extra charge.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$22	\$26
Horizontal Application* (Price per width)	\$70	\$85

*NOTE: • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
• Trim price is for trim application, and does not include trim.

Shot Tape	\$14 per width
Grand Band (an oversized band of contrasting fabric on the bottom or top of the drapery)	\$56 per width
Face the Bottom Hem	\$44 per width
Tiebands & Rosettes	See page 48

Camisole Drapery

C.O.M. RETAIL PRICE

Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings.**

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	24"	51	77	104	130	157	183	210	236	263
	Pair	-	48	74	101	127	154	180	207	233	260
Unlined labor price	Up to 108" height	110	220	330	440	550	660	786	916	1050	1188
Labor price + Standard lining		166	332	498	664	830	996	1178	1364	1554	1748
Labor price + Blackout lining		210	422	632	844	1054	1266	1492	1722	1958	2198
Labor price + Lining & Interlining		268	536	804	1070	1338	1606	1890	2178	2470	2766
Labor price + Blackout lining & Interlining		312	626	938	1250	1562	1876	2204	2536	2872	3214
Unlined labor price	108" to 144" height	128	254	382	508	636	762	906	1056	1212	1372
Labor price + Standard lining		204	410	614	818	1022	1228	1450	1678	1910	2148
Labor price + Blackout lining		276	550	826	1100	1376	1652	1944	2242	2546	2854
Labor price + Lining & Interlining		344	688	1034	1378	1722	2066	2430	2796	3168	3546
Labor price + Blackout lining & Interlining		406	812	1218	1624	2030	2436	2858	3288	3722	4160

For longer drapery lengths, call for quote.

Camisole Drapery

YARDAGE CHART


If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.

(for 54" fabric)

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	24"	51	77	104	130	157	183	210	236	263
	Pair	-	48	74	101	127	154	180	207	233	260
DRAPERY HEIGHT											
36"	2 yds	3½	5¼	6¾	8¾	10¼	12	13½	15½	17	
42	2	4	5¾	7½	9½	11¼	13	15	17	18¾	
48	2¼	4¼	6¼	8	10½	12¼	14¼	16¼	18½	20½	
54	2½	4½	6¾	8¾	11¼	13¼	15½	17½	20	22	
60	2½	5	7¼	9½	12	14¼	16½	19	21½	23¾	
66	2¾	5¼	7¾	10	13	15¼	17¾	20¼	23	25½	
72	3	5½	8¾	10¾	13¾	16¼	19	21½	24½	27	
78	3	6	8¾	11½	14½	17¼	20	23	26	28¾	
84	3¼	6¼	9¼	12	15½	18¼	21¼	24¼	27½	30½	
90	3½	6½	9¾	12¾	16¼	19¼	22½	25½	29	32	
96	3½	7	10¼	13½	17	20¼	23½	27	30½	33¾	
102	3¾	7¼	10¾	14	18	21¼	24¾	28¼	32	35½	
108	4	7½	11¼	14¾	18¾	22¼	26	29½	33½	37	
114	4	8	11¾	15½	19½	23¼	27	31	35	38¾	
120	4¼	8¼	12¼	16	20½	24¼	28¼	32¼	36½	40½	
126	4½	8½	12¾	16¾	21¼	25¼	29½	33½	38	42	
132	4½	9	13¼	17½	22	26¼	30½	35	39½	43¾	
138	4¾	9¼	13¾	18	23	27¼	31¾	36¼	41	45½	
144	5	4½	14¼	18¾	23¾	28¼	33	37½	42½	47	
ADD REPEATS	Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9	

TAB TOP DRAPERY

[Color photos of this style can be found at www.fabritecdesigns.com]



DESIGN APPLICATIONS:

- This handsome panel features classic wide tabs designed for use with a decorative rod.
- Best used in rooms that have a casual, relaxed feeling.
- Ideal as stationary side panels or tied back draperies.

FABRICS:

- Works well in all fabrics.

FULLNESS:

- The suggested “area to cover” in our price list on the next page will yield appropriate custom fullness. Simply order your drapery to the size of the area you wish to cover, and we will do the rest. Or, specify the number of widths you prefer.

INSTALL:

- Designed for use with a decorative rod only.
- This style is made as a flat panel, wider than the area to be covered and then gathered onto the rod to the desired width at the time of installation.

STANDARDS:

- Tabs are 2” wide x 4” long.
- Double 1½” top hem.
- Double 4” hems.
- Double 5” or 6” hems available at no extra charge.
- Double 1½” side hems.
- Weighted bottom corners and seams.
- Pattern matched at the seams.
- Finished length includes the 4” tabs on top.
- Seam folded only.

LIMITATIONS:

- Best used as stationary side panels or tied back draperies, not as a functional drapery that opens and closes.
- If used as a functional drapery, this style will require dressing each time it is closed to distribute the fullness evenly. Otherwise, the leading edge will flatten out when the panel is closed.
- Unless otherwise specified, this style does not return to the wall.

PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover, so that you can calculate your own fullness, or rely on our calculations.
- Lined labor prices include our linings.
- Double 5” or 6” hems available at no extra charge.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$22	\$26
Horizontal Application* (Price per width)	\$70	\$85

- *NOTE:
- Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
 - Trim price is for trim application, and does not include trim.

Shot Tape	\$14 per width
Grand Band (an oversized band of contrasting fabric on the bottom or top of the drapery)	\$56 per width
Face the Bottom Hem	\$44 per width
Tiebands & Rosettes	See page 48

Tab Top Drapery
 Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings.**

C.O.M. RETAIL PRICE

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	24"	51	77	104	130	157	183	210	236	263
	Pair	-	48	74	101	127	154	180	207	233	260
Unlined labor price	Up to 108" height	110	220	330	440	550	660	786	916	1050	1188
Labor price + Standard lining		166	332	498	664	830	996	1178	1364	1554	1748
Labor price + Blackout lining		210	422	632	844	1054	1266	1492	1722	1958	2198
Labor price + Lining & Interlining		268	536	804	1070	1338	1606	1890	2178	2470	2766
Labor price + Blackout lining & Interlining		312	626	938	1250	1562	1876	2204	2536	2872	3214
Unlined labor price	108" to 144" height	128	254	382	508	636	762	906	1056	1212	1372
Labor price + Standard lining		204	410	614	818	1022	1228	1450	1678	1910	2148
Labor price + Blackout lining		276	550	826	1100	1376	1652	1944	2242	2546	2854
Labor price + Lining & Interlining		344	688	1034	1378	1722	2066	2430	2796	3168	3546
Labor price + Blackout lining & Interlining		406	812	1218	1624	2030	2436	2858	3288	3722	4160

For longer drapery lengths, call for quote.


Tab Top Drapery
 If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.

YARDAGE CHART
 (for 54" fabric)

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	24"	51	77	104	130	157	183	210	236	263
	Pair	-	48	74	101	127	154	180	207	233	260
DRAPERY HEIGHT											
36"	2 yds	3½	5½	7	9	10½	12½	14	16	17½	
42	2	3¾	6	7¾	9¾	11½	13½	15¼	17½	19¼	
48	2¼	4¼	6½	8¼	10½	12½	14¾	16¾	19	20¾	
54	2½	4½	7	9	11½	13½	16	18	20½	22½	
60	2½	4¾	7½	9¾	12¼	14½	17	19¼	22	24¼	
66	2¾	5¼	8	10¼	13	15½	18¼	20¾	23½	25¾	
72	3	5½	8½	11	14	16½	19½	22	25	27½	
78	3	5¾	9	11¾	14¾	17½	20½	23¼	26½	29¼	
84	3¼	6¼	9½	12¼	15½	18½	21¾	24¾	28	30¾	
90	3½	6½	10	13	16½	19½	23	26	29½	32½	
96	2½	6¾	10½	13¾	17¼	20½	24	27¼	31	34¼	
102	3¾	7¼	11	14¼	18	21½	25¼	28¾	32½	35¾	
108	4	7½	11½	15	19	22½	26½	30	34	37½	
114	4	7¾	12	15¾	19¾	23½	27½	31¼	35½	39¼	
120	4¼	8¼	12½	16¼	20½	24½	28¾	32¾	37	40¾	
126	4½	8½	13	17	21½	25½	30	34	38½	42½	
132	4½	8¾	13½	17¾	22¼	26½	31	35¼	40	44¼	
138	4¾	9¼	14	18¼	23	27½	32¼	36¾	41½	45¾	
144	5	9½	14½	19	24	28½	33½	38	43	47½	
ADD REPEATS	Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9	

TUCK TOP DRAPERY

[Color photos of this style can be found at www.fabritecdesigns.com]



DESIGN APPLICATIONS:

- This simple panel offers an understated look, and is very much at home in casual, relaxed rooms.
- Designed with pin hooks for use with a decorative rod.
- Ideal as stationary side panels or tied back draperies.
- Can be used as a functional drapery that opens and closes on a decorative rod only.

FABRICS:

- Works well in light to medium weight fabrics, including sheers.

FULLNESS:

- The suggested “area to cover” in our price list on the next page will yield appropriate custom fullness. Simply order your drapery to the size of the area you wish to cover, and we will do the rest. Or, specify the number of widths you prefer.

INSTALL:

- Designed for use with a decorative rod and rings.
- This style is made as a flat panel, wider than the area to be covered and then gathered onto the rod to the desired width at the time of installation.

STANDARDS:

- Double 1½” top hem.
- Double 4” hems.
- Double 5” or 6” hems available at no extra charge.
- Double 1½” side hems.
- Weighted bottom corners and seams.
- Pattern matched at the seams.
- Pre-pinned.
- Seam folded only.

LIMITATIONS:

- If used as a functional drapery, this style will require dressing each time it is closed to distribute the fullness evenly. Otherwise, the leading edge will flatten out when the panel is closed.
- Unless otherwise specified, this style does not return to the wall.

PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover, so that you can calculate your own fullness, or rely on our calculations.
- Lined labor prices include our linings.
- Double 5” or 6” hems available at no extra charge.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$212	\$26
Horizontal Application* (Price per width)	\$70	\$85

- *NOTE:
- Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
 - Trim price is for trim application, and does not include trim.

Shot Tape	\$14 per width
Grand Band (an oversized band of contrasting fabric on the bottom or top of the drapery)	\$56 per width
Hand Sewn Rings	\$14 per ring
Face the Bottom Hem	\$44 per width
Tiebands & Rosettes	See page 48

Tuck Top Drapery
 Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings.**

C.O.M. RETAIL PRICE

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	22"	47	71	96	121	145	170	195	219	244
	Pair	-	44	68	94	118	143	167	192	216	241
Unlined labor price	Up to 108" height	102	204	306	408	510	612	728	848	974	1102
Labor price + Standard lining		158	316	474	632	790	948	1120	1298	1478	1662
Labor price + Blackout lining		202	406	608	812	1014	1218	1434	1656	1882	2110
Labor price + Lining & Interlining		260	520	780	1038	1298	1558	1832	2110	2392	2678
Labor price + Blackout Lining & Interlining		304	610	914	1218	1522	1828	2146	2470	2796	3128
Unlined labor price	108" to 144" height	118	234	352	468	586	702	836	974	1116	1264
Labor price + Standard lining		194	390	584	778	972	1168	1378	1594	1814	2040
Labor price + Blackout lining		266	530	796	1060	1326	1592	1872	2160	2450	2746
Labor price + Lining & Interlining		334	668	1004	1338	1672	2006	2358	2714	3074	3438
Labor price + Blackout Lining & Interlining		396	792	1188	1584	1980	2376	2788	3204	3626	4052


For longer drapery lengths, call for quote.

Tuck Top Drapery									RING CHART	
Number of widths	1	2	3	4	5	6	7	8	9	10
Panels: Number of rings required	6	11	16	21	26	31	36	41	46	51
Pairs: Number of rings required	-	12	16	22	26	32	36	42	46	52

Tuck Top Drapery									YARDAGE CHART		
If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.											
Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	22"	47	71	96	121	145	170	195	219	244
	Pair	-	44	68	94	118	143	167	192	216	241
DRAPERY HEIGHT											
36"	1½ yds	3¼	4¾	6½	8	9¾	11¼	13	14½	16	
42	1¾	3½	5¼	7	9	10¾	12½	14¼	16	17¾	
48	2	4	5¾	7¾	9¾	11¾	13½	15½	17½	19½	
54	2	4¼	6¼	8½	10½	12¾	14¾	17	19	21	
60	2¼	4½	6¾	9	11½	13¾	16	18¼	20½	22¾	
66	2½	5	7¼	9¾	12¼	14¾	17	19½	22	24½	
72	2½	5¼	7¾	10½	13	15¾	18¼	21	23½	26	
78	2¾	5½	8¼	11	14	16¾	19½	22¼	25	27¾	
84	3	6	8¾	11¾	14¾	17¾	20½	23½	26½	29½	
90	3	6¼	9¼	12½	15½	18¾	21¾	25	28	31	
96	3¼	6½	9¾	13	16½	19¾	23	26¼	29½	32¾	
102	3½	7	10¼	13¾	17¼	20¾	24	27½	31	34½	
108	3½	7¼	10¾	14½	18	21¾	25¼	29	32½	36	
114	3¾	7½	11¼	15	19	22¾	26½	30¼	34	37¾	
120	4	8	11¾	15¾	19¾	23¾	27½	31½	35½	39½	
126	4	8¼	12¼	16½	20½	24¾	28¾	33	37	41	
132	4¼	8½	12¾	17	21½	25¾	30	34¼	38½	42¾	
138	4½	9	13¼	17¾	22¼	26¾	31	35½	40	44½	
144	4½	9¼	13¾	18½	23	27¾	32¼	37	41½	46	
ADD REPEATS		Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9

RING TOP DRAPERY

[Color photos of this style can be found at www.fabritecdesigns.com]



DESIGN APPLICATIONS:

- A simple flat panel designed for use with decorative rods and rings.
- Works in a variety of design applications from formal and refined to casual and relaxed.
- Designed with ring hooks sewn in for use with a decorative rod.
- Ideal as stationary side panels or tied back draperies.
- Can be used as a functional drapery that opens and closes on a decorative rod only.

FABRICS:

- Works well in all fabrics.

FULLNESS:

- The suggested “area to cover” in our price list on the next page will yield appropriate custom fullness. Simply order your drapery to the size of the area you wish to cover, and we will do the rest. Or, specify the number of widths you prefer.

INSTALL:

- Designed for use with a decorative rod and rings.
- This style is made as a flat panel, wider than the area to be covered and then gathered onto the rod to the desired width at the time of installation.

STANDARDS:

- Ring hooks sewn in.
- Double 1½” top hem.
- Double 4” hems.
- Double 5” or 6” hems available at no extra charge.
- Double 1½” side hems.
- Weighted bottom corners and seams.
- Pattern matched at the seams.
- Seam folded only.

LIMITATIONS:

- If used as a functional drapery, this style will require dressing each time it is closed to distribute the fullness evenly. Otherwise, the leading edge will flatten out when the panel is closed.
- Unless otherwise specified, this style does not return to the wall.

PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover, so that you can calculate your own fullness, or rely on our calculations.
- Lined labor prices include our linings.
- Double 5” or 6” hems available at no extra charge.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$22	\$26
Horizontal Application* (Price per width)	\$70	\$85

*NOTE: • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
• Trim price is for trim application, and does not include trim.

Shot Tape	\$14 per width
Grand Band (an oversized band of contrasting fabric on the bottom or top of the drapery)	\$56 per width
Hand Sewn Rings	\$14 per ring
Face the Bottom Hem	\$44 per width
Tiebands & Rosettes	See page 48

Ring Top Drapery

Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings.**

C.O.M. RETAIL PRICE

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	24"	51	77	104	130	157	183	210	236	263
	Pair	-	48	74	101	127	154	180	207	233	260
Unlined labor price	Up to 108" height	102	204	306	408	510	612	728	848	974	1102
Labor price + Standard lining		158	316	474	632	790	948	1120	1298	1478	1662
Labor price + Blackout lining		202	406	608	812	1014	1218	1434	1656	1882	2110
Labor price + Lining & Interlining		260	520	780	1038	1298	1558	1832	2110	2392	2678
Labor price + Blackout lining & Interlining		304	610	914	1218	1522	1828	2146	2470	2796	3128
Unlined labor price	108" to 144" height	118	234	352	468	586	702	836	974	1116	1264
Labor price + Standard lining		194	390	584	778	972	1168	1378	1594	1814	2040
Labor price + Blackout lining		266	530	796	1060	1326	1592	1872	2160	2450	2746
Labor price + Lining & Interlining		334	668	1004	1338	1672	2006	2358	2714	3074	3438
Labor price + Blackout lining & Interlining		396	792	1188	1584	1980	2376	2788	3204	3626	4052

For longer drapery lengths, call for quote.

Ring Top Drapery									RING CHART	
Number of widths	1	2	3	4	5	6	7	8	9	10
Panels: Number of rings required	7	12	17	22	27	32	37	42	47	52
Pairs: Number of rings required	-	14	18	24	28	34	38	44	48	54

Ring Top Drapery

If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.

YARDAGE CHART (for 54" fabric)

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	24"	51	77	104	130	157	183	210	236	263
	Pair	-	48	74	101	127	154	180	207	233	260
DRAPERY HEIGHT											
36"	1½ yds	3¼	4¾	6½	8	9¾	11¼	13	14½	16	
42	1¾	3½	5¼	7	9	10¾	12½	14¼	16	17¾	
48	2	4	5¾	7¾	9¾	11¾	13½	15½	17½	19½	
54	2	4¼	6¼	8½	10½	12¾	14¾	17	19	21	
60	2¼	4½	6¾	9	11½	13¾	16	18¼	20½	22¾	
66	2½	5	7¼	9¾	12¼	14¾	17	19½	22	24½	
72	2½	5¼	7¾	10½	13	15¾	18¼	21	23½	26	
78	2¾	5½	8¼	11	14	16¾	19½	22¼	25	27¾	
84	3	6	8¾	11¾	14¾	17¾	20½	23½	26½	29½	
90	3	6¼	9¼	12½	15½	18¾	21¾	25	28	31	
96	3¼	6½	9¾	13	16½	19¾	23	26¼	29½	32¾	
102	3½	7	10¼	13¾	17¼	20¾	24	27½	31	34½	
108	3½	7¼	10¾	14½	18	21¾	25¼	29	32½	36	
114	3¾	7½	11¼	15	19	22¾	26½	30¼	34	37¾	
120	4	8	11¾	15¾	19¾	23¾	27½	31½	35½	39½	
126	4	8¼	12¼	16½	20½	24¾	28¾	33	37	41	
132	4¼	8½	12¾	17	21½	25¾	30	34¼	38½	42¾	
138	4½	9	13¼	17¾	22¼	26¾	31	35½	40	44½	
144	4½	9¼	13¾	18½	23	27¾	32¼	37	41½	46	
ADD REPEATS	Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9	

CUFF TOP DRAPERY

[Color photos of this style can be found at www.fabritecdesigns.com]



DESIGN APPLICATIONS:

- A simple, elegant style for formal or casual settings.
- This drapery is unstructured and hangs in loose, free-flowing folds. Well suited for puddling.
- The “cuff” at the top is in a contrasting fabric.
- Ideal as stationary side panels or tied back draperies.
- Can be used as a functional drapery that opens and closes on a decorative rod only.

FABRICS:

- Works well in all fabrics.

FULLNESS:

- The suggested “area to cover” in our price list on the next page will yield appropriate custom fullness. Simply order your drapery to the size of the area you wish to cover, and we will do the rest. Or, specify the number of widths you prefer.

INSTALL:

- Designed for use with a decorative rod only.
- This style is made as a flat panel, wider than the area to be covered and then gathered onto the rod to the desired width at the time of installation.

STANDARDS:

- A softly shaped contrast cuff.
- Ring hooks sewn in.
- Double 4” hems.
- Double 5” or 6” hems available at no extra charge.
- Double 1½” side hems.
- Weighted bottom corners and seams.
- Pattern matched at the seams.
- Seam folded only.

LIMITATIONS:

- If used as a functional drapery, this style will require dressing each time it is closed to distribute the fullness evenly. Otherwise, the leading edge will flatten out when the panel is closed.
- Unless otherwise specified, this style will not return to the wall.

PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover, so that you can calculate your own fullness, or rely on our calculations.
- Lined labor prices include our linings.
- Double 5” or 6” hems available at no extra charge.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$22	\$26
Horizontal Application* (Price per width)	\$70	\$85

- *NOTE:
- Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
 - Trim price is for trim application, and does not include trim.

Shot Tape	\$14 per width
Grand Band (an oversized band of contrasting fabric on the bottom or top of the drapery)	\$56 per width
Hand Sewn Rings	\$14 per ring
Face the Bottom Hem	\$44 per width
Tiebands & Rosettes	See page 48

Cuff Top Drapery

C.O.M. RETAIL PRICE

Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings.**

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	24"	51	77	104	130	157	183	210	236	263
	Pair	-	48	74	101	127	154	180	207	233	260
Unlined labor price	Up to 108" height	110	220	330	440	550	660	786	916	1050	1188
Labor price + Standard lining		166	332	498	664	830	996	1178	1364	1554	1748
Labor price + Blackout lining		210	422	632	844	1054	1266	1492	1722	1958	2198
Labor price + Lining & Interlining		268	536	804	1070	1338	1606	1890	2178	2470	2766
Labor price + Blackout Lining & Interlining		312	626	938	1250	1562	1876	2204	2536	2872	3214
Unlined labor price	108" to 144" height	128	254	382	508	636	762	906	1056	1212	1372
Labor price + Standard lining		204	410	614	818	1022	1228	1450	1678	1910	2148
Labor price + Blackout lining		276	550	826	1100	1376	1652	1944	2242	2546	2854
Labor price + Lining & Interlining		344	688	1034	1378	1722	2066	2430	2796	3168	3546
Labor price + Blackout Lining & Interlining		406	812	1218	1624	2030	2436	2858	3288	3722	4160

For longer drapery lengths, call for quote.

Cuff Top Drapery

CUFF & RING CHART

Number of widths		1	2	3	4	5	6	7	8	9	10
Panels: Number of cuffs	3	6	9	12	15	18	21	24	27	30	
Pairs: Number of cuffs	-	6	8	12	14	18	20	24	26	30	
Panels: Number of rings	4	7	10	13	16	19	22	25	28	31	
Pairs: Number of rings	-	8	10	14	16	20	22	26	28	32	

Cuff Top Drapery


YARDAGE CHART
(for 54" fabric)

If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	24"	51	77	104	130	157	183	210	236	263
	Pair	-	48	74	101	127	154	180	207	233	260
DRAPERY HEIGHT											
36"	1¾ yds	3½	5	6¾	8½	10¼	11¾	13½	15¼	17	
42	1¾	3¾	5½	7½	9¼	11¼	13	15	16¾	18½	
48	2	4	6	8	10¼	12¼	14¼	16¼	18¼	20¼	
54	2¼	4½	6½	8¾	11	13¼	15¼	17½	19¾	22	
60	2¼	4¾	7	9½	11¾	14¼	16½	19	21¼	23½	
66	2½	5	7½	10	12¾	15¼	17¾	20¼	22¾	25¼	
72	2¾	5½	8	10¾	13½	16¼	18¾	21½	24¼	27	
78	2¾	5¾	8½	11½	14¼	17¼	20	23	25¾	28½	
84	3	6	9	12	15¼	18¼	21¼	24¼	27¼	30¼	
90	3¼	6½	9½	12¾	16	19¼	22¼	25½	28¾	32	
96	3¼	6¾	10	13½	16¾	20¼	23½	27	30¼	33½	
102	3½	7	10½	14	17¾	21¼	24¾	28¼	31¾	35¼	
108	3¾	7½	11	14¾	18½	22¼	25¾	29½	33¼	37	
114	3¾	7¾	11½	15½	19¼	23¼	27	31	34¾	38½	
120	4	8	12	16	20¼	24¼	28¼	32¼	36¼	40¼	
126	4¼	8½	12½	16¾	21	25¼	29¼	33½	37¾	42	
132	4¼	8¾	13	17½	21¾	26¼	30½	35	39¼	43½	
138	4½	9	13½	18	22¾	27¼	31¾	36¼	40¾	45¼	
144	4¾	9½	14	18¾	23½	28¼	32¾	37½	42¼	47	
Contrasting Cuffs Yardage	½	¾	1	1¼	1½	1¾	2	2¼	2¾	2¾	
ADD REPEATS	Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9	

GROMMET TOP DRAPERY

[Color photos of this style can be found at www.fabritecdesigns.com]



DESIGN APPLICATIONS:

- This panel falls into soft rolling folds formed by grommets slipped over a decorative rod. A variety of grommet finishes are available.
- This drapery style offers a fresh, contemporary look and will work in a wide variety of design applications.
- Ideal as stationary side panels or tied back draperies.

FABRICS:

- Works well in all fabrics, except sheers.

FULLNESS:

- The suggested “area to cover” in our price list on the next page will yield appropriate custom fullness. Simply order your drapery to the size of the area you wish to cover, and we will do the rest. Or, specify the number of widths you prefer.

INSTALL:

- Designed for use with a decorative rod only.
- This style is made as a flat panel, wider than the area to be covered and then gathered onto the rod to the desired width at the time of installation.

STANDARDS:

- Double 4” headers.
- Double 4” hems.
- Double 5” or 6” hems available at no extra charge.
- Double 1½” side hems.
- Weighted bottom corners and seams.
- Pattern matched at the seams.
- Includes metal grommets in Antique Brass, Brass, Burnished Copper, Oiled Bronze, English Pewter, Frosted Nickel, Shiny Nickel and Black.
- Special order grommets may incur a surcharge. Call for details.
- Grommet size - OD is 2¾”; ID is 1½”.
- Seam folded only.

LIMITATIONS:

- Not recommended as a moveable panel because it does not slide easily and can eventually cause wear in the rod and grommets.

PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover, so that you can calculate your own fullness, or rely on our calculations.
- Lined labor prices include our linings.
- Double 5” or 6” hems available at no extra charge.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$22	\$26
Horizontal Application* (Price per width)	\$70	\$85

- *NOTE:
- Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
 - Trim price is for trim application, and does not include trim.

Shot Tape	\$14 per width
Grand Band (an oversized band of contrasting fabric on the bottom or top of the drapery)	\$56 per width
Face the Bottom Hem	\$44 per width
Tiebands & Rosettes	See page 48

Grommet Top Drapery

Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings.**

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	19"	40	62	83	104	125	146	168	189	210
	Pair	-	38	59	81	102	123	144	166	186	208
Unlined labor price	Up to 108" height	136	272	406	542	678	814	966	1122	1284	1450
Labor price + Standard lining		192	384	574	766	958	1150	1358	1572	1788	2012
Labor price + Blackout lining		236	474	710	946	1182	1420	1672	1930	2192	2460
Labor price + Lining & Interlining		294	586	880	1174	1466	1760	2070	2384	2704	3028
Labor price + Blackout Lining & Interlining		338	676	1014	1352	1690	2030	2384	2744	3108	3476
Unlined labor price	108" to 144" height	154	308	460	614	768	922	1094	1272	1456	1644
Labor price + Standard lining		232	462	694	924	1156	1388	1638	1892	2154	2420
Labor price + Blackout lining		302	604	906	1208	1510	1810	2132	2458	2790	3126
Labor price + Lining & Interlining		372	742	1114	1484	1856	2226	2616	3012	3414	3820
Labor price + Blackout Lining & Interlining		432	864	1298	1730	2162	2594	3046	3504	3966	4434

For longer drapery lengths, call for quote.


Grommet Top Drapery

If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	19"	40	62	83	104	125	146	168	189	210
	Pair	-	38	59	81	102	123	144	166	186	208
DRAPERY HEIGHT											
36"		1¾ yds	3½	5¼	7	8¾	10½	12¼	14	15¾	17½
42		2	3¼	5¾	7¾	9½	11½	13½	15¼	17¼	19¼
48		2	4¼	6¼	8¼	10½	12½	14½	16¾	18¾	20¾
54		2¼	4½	6¾	9	11¼	13½	15¾	18	20¼	22½
60		2½	4¾	7¼	9¾	12	14½	17	19¼	21¾	24¼
66		2½	5¼	7¾	10¼	13	15½	18	20¾	23¼	25¾
72		2¾	5½	8¼	11	13¾	16½	19¼	22	24¾	27½
78		3	5¾	8¾	11¾	14½	17½	20½	23¼	26¼	29¼
84		3	6¼	9¼	12¼	15½	18½	21½	24¾	27¾	30¾
90		3¼	6½	9¾	13	16¼	19½	22¾	26	29¼	32½
96		3½	6¾	10¼	13¾	17	20½	24	27¼	30¾	34¼
102		3½	7¼	10¾	14¼	18	21½	25	28¾	32¼	35¾
108		3¾	7½	11¼	15	18¾	22½	26¼	30	33¾	37½
114		4	7¾	11¾	15¾	19½	23½	27½	31¼	35¼	39¼
120		4	8¼	12¼	16¼	20½	24½	28½	32¾	36¾	40¾
126		4¼	8½	12¾	17	21¼	25½	29¾	34	38¼	42½
132		4½	8¾	13¼	17¾	22	26½	31	35¼	39¾	44¼
138		4½	9¼	13¾	18¼	23	27½	32	36¾	41¼	45¾
144		4¾	9½	14¼	19	23¾	28½	33¼	38	42¾	47½
ADD REPEATS		Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9

ROD POCKET DRAPERY

[Color photos of this style can be found at www.fabritecdesigns.com]



DESIGN APPLICATIONS:

- This is a stationary panel, slipped over a rod and gathered. Creates a soft, unstructured drapery.
- Used in casual settings such as kitchens, breakfast nooks, children's rooms.
- Can be made with a self-ruffle on top for no additional charge.

FABRICS:

- Use light to medium weight fabrics.

FULLNESS:

- The suggested "area to cover" in our price list on the next page will yield appropriate custom fullness. Simply order your drapery to the size of the area you wish to cover, and we will do the rest. Or, specify the number of widths you prefer.

INSTALL:

- This style is made as a flat panel, wider than the area to be covered and then gathered onto the rod to the desired width at the time of installation.

STANDARDS:

- Double rod pocket on top made to your specifications.
- Optional self-ruffle on top made to your specifications.
- Double 4" hems.
- Double 5" or 6" hems available at no extra charge.
- Double 1½" side hems.
- Weighted bottom corners and seams.
- Pattern matched at the seams.
- Finished length includes the optional self-ruffle on top.
- Seam folded only.

LIMITATIONS:

- This is a stationary panel only. Can be used as tied back draperies or side panels, but is not suitable as a moveable panel.
- This style will not return to the wall if used on a decorative pole with finials.

PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover, so that you can calculate your own fullness, or rely on our calculations.
- Lined labor prices include our linings.
- Double 5" or 6" hems available at no extra charge.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$22	\$26
Horizontal Application* (Price per width)	\$70	\$85

- *NOTE: • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
• Trim price is for trim application, and does not include trim.

Shot Tape	\$14 per width
Grand Band (an oversized band of contrasting fabric on the bottom or top of the drapery)	\$56 per width
Face the Bottom Hem	\$44 per width
Tiebands & Rosettes	See page 48

Rod Pocket Drapery
 Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings.**

C.O.M. RETAIL PRICE

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	19"	40	62	83	104	125	146	168	189	210
	Pair	-	38	59	81	102	123	144	166	186	208
Unlined labor price	Up to 108" height	94	188	282	376	470	564	672	782	896	1016
Labor price + Standard lining		150	300	450	600	750	900	1064	1230	1402	1576
Labor price + Blackout lining		194	390	584	780	974	1170	1378	1590	1804	2024
Labor price + Lining & Interlining		252	504	756	1006	1258	1510	1776	2044	2316	2592
Labor price + Blackout Lining & Interlining		296	594	890	1186	1482	1780	2090	2402	2720	3040
Unlined labor price	108" to 144" height	108	216	324	432	540	648	772	898	1030	1166
Labor price + Standard lining		186	372	556	742	928	1114	1314	1520	1728	1942
Labor price + Blackout lining		256	512	768	1024	1282	1538	1808	2084	2364	2648
Labor price + Lining & Interlining		326	650	976	1302	1628	1952	2294	2638	2988	3342
Labor price + Blackout Lining & Interlining		386	774	1160	1548	1934	2322	2724	3130	3540	3954

For longer drapery lengths, call for quote.

Rod Pocket Drapery
 If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.

YARDAGE CHART
 (for 54" fabric)

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel	19"	40	62	83	104	125	146	168	189	210
	Pair	-	38	59	81	102	123	144	166	186	208
DRAPERY HEIGHT											
36"	1¾ yds	3¾	5½	7½	9¼	11¼	13	15	16¾	18½	
42	2	4	6	8	10¼	12¼	14¼	16¼	18¼	20¼	
48	2¼	4½	6½	8¾	11	13¼	15¼	17½	19¾	22	
54	2¼	4¾	7	9½	11¾	14¼	16½	19	21¼	23½	
60	2½	5	7½	10	12¾	15¼	17¾	20¼	22¾	25¼	
66	2¾	5½	8	10¾	13½	16¼	18¾	21½	24¼	27	
72	2¾	5¾	8½	11½	14¼	17¼	20	23	25¾	28½	
78	3	6	9	12	15¼	18¼	21¼	24¼	27¼	30¼	
84	3¼	6½	9½	12¾	16	19¼	22¼	25½	28¾	32	
90	3¼	6¾	10	13½	16¾	20¼	23½	27	30¼	33½	
96	3½	7	10½	14	17¾	21¼	24¾	28¼	31¼	35¼	
102	3¾	7½	11	14¾	18 ½	22¼	25¾	29½	33¼	37	
108	3¾	7¾	11½	15½	19¼	23¼	27	31	34¾	38½	
114	4	8	12	16	20¼	24¼	28¼	32¼	36¼	40¼	
120	4¼	8½	12½	16¾	21	25¼	29¼	33½	37¾	42	
126	4¼	8¾	13	17½	21¾	26¼	30½	35	39¼	43½	
132	4½	9	13½	18	22¾	27¼	31¼	36¼	40¾	45¼	
138	4¾	4½	14	18¾	23½	28¼	32¾	37½	42¼	47	
144	4¾	4¾	14½	19½	24¼	29¼	34	39	43¾	48½	
ADD REPEATS	Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9	

ROD TOP & BOTTOM (RTB) PANELS


[Color photos of this style can be found at www.fabritecdesigns.com]




STANDARD RTB



RTB WITH RUFFLES



HOURLASS RTB



REVERSE HOURLASS RTB

DESIGN APPLICATIONS:

- Normally used on French doors, doors with windows or on sidelight windows. These panels are gathered onto rods at both the top and the bottom.
- An optional 1½" self-ruffle is available at no extra charge and is recommended for inside mount.

FABRICS:

- Sheers and lightweight fabrics.

FULLNESS:

- The suggested "area to cover" in our price list on the next page will yield appropriate custom fullness. Simply order your drapery to the size of the area you wish to cover, and we will do the rest. Or, specify the number of widths you prefer.

INSTALL:

- Fabric is stretched between two rods and gathered.
- Wide installations require center support.

STANDARDS:

- Double 1½" rod pocket on top and bottom of panel.
- Optional 1½" self-ruffle on top and bottom of panel.
- Double 1½" side hems.
- Seam folded only.

LIMITATIONS:

- This is a stationary panel only, and is almost exclusively used for the limited purposes described above.

PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover, so that you can calculate your own fullness, or rely on our calculations.
- Lined labor prices include our linings.
- Tiebands as needed included in price.

OPTIONS PRICING

For **additional options** or for **more detailed information** on these options, **see pages 6 - 7.**

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$22	\$26
Horizontal Application* (Price per width)	\$70	\$85

*NOTE:

- Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
- Trim price is for trim application, and does not include trim.

Rod Top & Bottom (RTB) Panels

C.O.M. RETAIL PRICE

Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings**.

STANDARD RTB

(with or without ruffles)

Number of widths		1	2	3
Suggested area to cover in inches }	SHEER FABRICS	16"	34	51
	REGULAR FABRICS	19"	40	62
Unlined labor price		112	224	336
Labor price + Standard lining		190	380	568

HOURLASS OR REVERSE HOURLASS RTB

(with or without ruffles)

Number of widths		1	2	3
Suggested area to cover in inches }	SHEER FABRICS	16"	34	51
	REGULAR FABRICS	19"	40	62
Unlined labor price		136	272	408
Labor price + Standard lining		214	428	640

Rod Top & Bottom (RTB) Panels

YARDAGE CHART

*NOTE: Drapery height is from the top of the panel to the bottom of the panel including ruffles.

(54" fabric)

STANDARD RTB

(with or without ruffles)

If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine total yardage.

Number of widths		1	2	3
Suggested area to cover in inches }	SHEER FABRICS	16"	34	51
	REGULAR FABRICS	19"	40	62
DRAPERY HEIGHT*				
36"		1½ YDS	3¼	4¾
42		1¾	3½	5¼
48		2	3¾	5¾
54		2	4¼	6¼
60		2¼	4½	6¾
66		2½	4¾	7¼
72		2½	5¼	7¾
78		2¾	5½	8¼
84		3	5¾	8¾
90		3	6¼	9¼
96		3¼	6½	9¾
102		3½	6¾	10¼
108		3½	7¼	10¾
114		3¾	7½	11¼
120		4	7¾	11¾
126		4	8¼	12¼
132		4¼	8½	12¾
138		4½	8¾	13¼
144		4½	9¼	13¾
ADD REPEATS		Add 0	Add 1	Add 2

HOURLASS OR REVERSE HOURLASS RTB

(with or without ruffles)

If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine total yardage.

Number of widths		1	2	3
Suggested area to cover in inches }	SHEER FABRICS	16"	34	51
	REGULAR FABRICS	19"	40	62
DRAPERY HEIGHT*				
36"		1¾ YDS	3¼	5
42		1¾	3¾	5½
48		2	4	6
54		2¼	4¼	6½
60		2¼	4¾	7
66		2½	5	7½
72		2¾	5¼	8
78		2¾	5¾	8½
84		3	6	9
90		3¼	6¼	9½
96		3¼	6¾	10
102		3½	7	10½
108		3¾	7¼	11
114		3¾	7¾	11½
120		4	8	12
126		4¼	8¼	12½
132		4¼	8¾	13
138		4½	9	13½
144		4¾	9¼	14
ADD REPEATS		Add 0	Add 1	Add 2

RIPPLEFOLD DRAPERY

[Color photos of this style can be found at www.fabritecdesigns.com]

DESIGN APPLICATIONS:

- A high-end look, ideal for contemporary or modern rooms.

FABRICS:

- Works well with sheers, semi-sheers and most medium weight fabrics.

FULLNESS:

- Ripplefold fullness is expressed differently than fullness designations for traditional drapery. The following table will give you a more traditional idea of fullness for each of the four available Ripplefold tape sizes:

RIPPLEFOLD FULLNESS		TRADITIONAL FULLNESS	
60%	is equal to	160%	
80%	is equal to	180%	
100%	is equal to	200%	
120%	is equal to	220%	

The suggested area-to-cover and the number of widths in our price list on the next page will yield the approximate fullness for the Ripplefold tape you have selected. Simply order your drapery to the size of the area you wish to cover and we will do the rest.

INSTALL:

- When open, a Ripplefold drapery requires less stacking space than a traditional drapery.
- Pricing includes the snap tape for the number of carriers your fullness requires. Carriers are not included in the pricing.

STANDARDS:

- Double 1" headers.
- Double 4" hems.
- Double 1½" side hems.
- Unless otherwise specified, this style will be made for an overlap master. If a butt master is desired, please let us know when you place your order.
- Unless otherwise specified, the return will extend 2" from the last snap.
- Weighted bottom corners and seams.
- Pattern matched at seams.
- Seam folded.

Note: We recommend that you order your drapery seam folded, which is our standard, and have your installer hand dress the pleats on site. This will give you a much nicer product. Fan folding tends to crease drapery and is far less attractive than the soft, rounded pleats that can be achieved with hand dressing. Fan folding is also limited to the number of widths. (See page 7).

LIMITATIONS:

- Not all fabrics are compatible with this system.
- Heavy, bulky or stiff fabrics will pull out of snaps.
- Cannot be interlined due to bulk and weight issues.



PRICING INFORMATION

- For your convenience, prices on the facing page are listed by the width *and* by suggested area to cover.
- Lined labor prices include our linings.
- Double 5" or 6" hems available at no extra charge.

OPTIONS PRICING

For additional options or for more detailed information on these options, see pages 6 - 7.

	Trim	Banding
Vertical Application* (Price per foot of finished height)	\$22	\$26
Horizontal Application* (Price per width)	\$70	\$85

- *NOTE:
- Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.
 - Trim price is for trim application, and does not include trim.

Shot Tape	\$14 per width
Grand Band (an oversized band of contrasting fabric on the bottom or top of the drapery)	\$56 per width
Face the Bottom Hem	\$44 per width

Ripplefold Drapery

C.O.M. RETAIL PRICE

Unlined C.O.M. labor prices are for fabrication labor only. Lined C.O.M. labor prices **include our linings.**

Number of widths			1	2	3	4	5	6	7	8	9	10
60% Fullness <small>(160% traditional fullness)</small>	Suggested area to cover in inches	Panel	23"	51	86	118	154	186	217	254	286	317
		Pair	-	46	68	102	140	172	204	236	270	308
80% Fullness <small>(180% traditional fullness)</small>	Suggested area to cover in inches	Panel	21"	46	78	106	140	168	197	230	258	287
		Pair	-	42	60	92	128	156	184	212	244	280
100% Fullness <small>(200% traditional fullness)</small>	Suggested area to cover in inches	Panel	19"	41	70	95	125	150	176	206	231	257
		Pair	-	38	54	82	114	140	164	190	218	250
120% Fullness <small>(220% traditional fullness)</small>	Suggested area to cover in inches	Panel	16"	36	61	84	110	133	155	181	204	226
		Pair	-	32	48	72	100	122	146	168	192	220

Unlined labor price	Up to 108" height	140	280	420	560	700	840	1000	1164	1336	1512
Labor price + Standard lining		196	392	588	784	980	1176	1392	1614	1840	2072
Labor price + Blackout lining		240	482	722	964	1204	1446	1706	1972	2244	2522
Unlined labor price	108" to 144" height	162	322	484	644	806	966	1150	1340	1536	1738
Labor price + Standard lining		238	478	716	954	1192	1432	1692	1960	2234	2514
Labor price + Blackout lining		310	618	928	1236	1546	1856	2186	2526	2870	3220

For longer drapery lengths, call for quote.

Ripplefold Drapery

YARDAGE CHART
(for 54" fabric)

If fabric has a pattern repeat, add the number of repeats shown at the bottom of the column to determine the total yardage.

Number of widths		1	2	3	4	5	6	7	8	9	10
Suggested area to cover in inches	Panel			See above chart for suggested area to cover for panels based on rod fullness							
	Pair			See above chart for suggested area to cover for pairs based on rod fullness							

DRAPERY HEIGHT											
36"	1½ yds	3¼	4¾	6½	8	9¾	11¼	13	14½	16	
42	1¾	3½	5¼	7	9	10¾	12½	14¼	16	17¾	
48	2	4	5¾	7¾	9¾	11¾	13½	15½	17½	19½	
54	2	4¼	6¼	8½	10½	12¾	14¾	17	19	21	
60	2¼	4½	6¾	9	11½	13¾	16	18¼	20½	22¾	
66	2½	5	7¼	9¾	12¼	14¾	17	19½	22	24½	
72	2½	5¼	7¾	10½	13	15¾	18¼	21	23½	26	
78	2¾	5½	8¼	11	14	16¾	19½	22¼	25	27¾	
84	3	6	8¾	11¾	14¾	17¾	20½	23½	26½	29½	
90	3	6¼	9¼	12½	15½	18¾	21¾	25	28	31	
96	3¼	6½	9¾	13	16½	19¾	23	26¼	29½	32¾	
102	3½	7	10¼	13¾	17¼	20¾	24	27½	31	34½	
108	3½	7¼	10¾	14½	18	21¾	25¼	29	32½	36	
114	3¾	7½	11¼	15	19	22¾	26½	30¼	34	37¾	
120	4	8	11¾	15¾	19¾	23¾	27½	31½	35½	39½	
126	4	8¼	12¼	16½	20½	24¾	28¾	33	37	41	
132	4¼	8½	12¾	17	21½	25¾	30	34¼	38½	42¾	
138	4½	9	13¼	17¾	22¼	26¾	31	35½	40	44½	
144	4½	9¾	13¾	18½	23	27¾	32¼	37	41½	46	
ADD REPEATS	Add 0	Add 1	Add 2	Add 3	Add 4	Add 5	Add 6	Add 7	Add 8	Add 9	

TIEBANDS & ROSETTES



Straight Tieband



Shaped Tieband



Shirred Welt Tieband



Faux Bow Tieband



Ruffle Tieband



Rosettes

DESIGN APPLICATIONS:

- Tiebands add a bit of character to the window.

FABRICS:

- Works well with all types of fabrics except sheers.

STANDARDS:

- Pin-on tieband rings are included.
- The **Straight Tiebands** are made with buckram for stiffness unless otherwise specified. Available in 2", 3" or 4" widths.
- The **Shaped Tiebands** are made with buckram for stiffness unless otherwise specified. They are 4" at the center wide point, then taper to 2" at the narrow ends.
- The **Shirred Welt Tiebands** is fabric gathered over our 1" welt in a 3-to-1 fullness.
- The **Faux Bow Tiebands** are made with buckram for stiffness unless otherwise specified. It is a 3" wide band with a bow attached to the band. The streamers of the bow will hang approximately 7" below the tieband.
- The **Ruffle Tiebands** are made without buckram. They are 2" wide with a 5" ruffle.
- The **Rosettes** are made with fabric. They are up to 6" wide for the small rosette and up to 10" wide for the large rosette.

LIMITATIONS:

- Tied back draperies are a non-functional application. Once a drapery is professionally tied back and dressed, it should be left in that position.

PRICING INFORMATION

- For your convenience, prices below are listed by the finished length of the tiebands.
- Tiebands are self-lined.

OPTIONS PRICING

For additional options or for more detailed information on these options, see pages 6 - 7

	Trim	Banding
Vertical Application* (Price per foot of finished height)	N/A	N/A
Horizontal Application* (Price per foot of finished width)	\$21	\$25

*NOTE: • Banding price is for fabrication and application of banding made from your fabric, or for application of ready-made banding supplied by you.

- Trim price is for trim application, and does not include trim.

	3½" Projection	5" - 8" Projection
Hidden Tieback Holder (please specify projection size)	\$54 each	\$54 each
	Small	Large
Rosettes	\$114 each	\$136 each

Tiebands

Tiebands are priced by the area to cover but fabricated at twice this size to allow for the tieband to fold back and hold the drapery.

					C.O.M. RETAIL PRICE						
Area to Cover		24"	48	72	96	Area to Cover		24"	48	72	96
LABOR PRICE		ea	ea	ea	ea	LABOR PRICE		ea	ea	ea	ea
Straight Tieband		48	64	95	111	Faux Bow Tieband		64	80	111	127
Shaped Tieband		48	64	95	111	Ruffle Tieband		70	95	142	164
Shirred Welt Tieband		70	95	142	164						

Tiebands & Rosettes

Tiebands are typically the same dimension as the area to cover for the panel being tied. If the tieband is too long, simply fold the excess behind the drapery.

YARDAGE CHART

Width in inches		24"	48	72	96	Width in inches		24"	48	72	96
YARDAGE		ea	ea	ea	ea	YARDAGE		ea	ea	ea	ea
Straight Tieband		¼ YD	½	¾	1	Faux Bow Tieband		½ YD	¾	1	1¼
Shaped Tieband		¼	½	¾	1	Ruffle Tieband		½	¾	1	1½
Shirred Welt Tieband		¼	½	½	1						
Small Rosette		¾ yard each (up to 6" wide)				Large Rosette		1 yard each (up to 10" wide)			



Rod Pocket Draperies with Tiebands

